

**G**  
Accessories

# Accessories

## Accessories

### Ball Valves / Plug Valves



- Forged brass, general purpose, industrial ball valves
- Stainless steel, general purpose, industrial ball valves
- One piece extruded brass body plug valves

G3

### Hose & Fittings



- 801 General purpose hose
- Push-on hose barb fittings

G4

### Integrated Fittings



- Flow control regulators
- Inline check valves
- Blocking valves
- Threshold sensors

G5

## Accessories – continued

### Miscellaneous Accessories



- Tank valves & air chucks
- Mufflers & silencers
- Relief valves
- Quick exhaust / shuttle valves
- Pressure switches
- Blow guns
- Ports from M5 through 3/4 inch

G10

### Quick Couplings



- SensoControl® (Product Highlight Only)
- Industrial interchange nipples  
–1/4" to 3/4" body size
- Sleeveomatic couplers  
–1/4" to 1/2" body size
- Safromatic couplers  
–1/4" to 3/4" body size
- Economatic quick connect couplings  
–1/4" body size

G14

### Tubing & Fittings



- Polyethylene tubing
- Nylon tubing
- Polyurethane tubing
- Push-to-connect, Prestolok composite fittings
- Push-to-connect, Prestolok metal fittings
- Pipe fittings

G18

**Parker Pneumatic**

**Female-Female Pipe Ends XV500P**



Pipe thread	Flow dia.	Part number
1/4	.375	<b>XV500P-4</b>
3/8	.375	<b>XV500P-6</b>
1/2*	.500	<b>XV500P-8</b>
3/4**	.685	<b>XV500P-12</b>
1**	.875	<b>XV500P-16</b>

**Female Pipe Ends, Lever Handle, Mini Ball Valve MV200**



Pipe thread	Flow dia.	Part number
1/8	.31	<b>MV200-2</b>
1/4	.31	<b>MV200-4</b>
3/8	.31	<b>MV200-6</b>
1/2	.39	<b>MV200-8</b>

**Male-Female Pipe Ends, Compact Handle, Mini Ball Valve MV608**



Pipe thread	Flow dia.	Part number
1/8	.20	<b>MV608-2</b>
1/4	.31	<b>MV608-4</b>
3/8	.31	<b>MV608-6</b>
1/2	.39	<b>MV608-8</b>

**Female Pipe Ends, Compact Handle, Mini Ball Valve MV609**



Pipe thread	Flow dia.	Part number
1/8	.24	<b>MV609-2</b>
1/4	.31	<b>MV609-4</b>
3/8	.31	<b>MV609-6</b>
1/2	.39	<b>MV609-8</b>
3/8x1/4	.31	<b>MV609-6-4</b>

**Female Pipe Ends, Panel Mount XV502SS**



Pipe thread	Flow dia.	Part number
1/4	.380	<b>XV502SS-4</b>
3/8	.380	<b>XV502SS-6</b>
1/2	.500	<b>XV502SS-8</b>
3/4	.790	<b>XV502SS-12</b>
1	1.000	<b>XV502SS-16</b>
1-1/4	1.250	<b>XV502SS-20</b>
1-1/2	1.500	<b>XV502SS-24</b>
2	2.000	<b>XV502SS-32</b>

Most popular.

**Accessories**

**Ball and Plug Valves, Drain Cocks**

**Male Pipe to Male Pipe Plug Valve PV607**



Pipe thread	Flow dia.	Part number
1/8	.200	<b>PV607-2</b>
1/4	.200	<b>PV607-4</b>

**Female Pipe to Male Pipe Plug Valve PV608**



Pipe thread	Flow dia.	Part number
1/8	.200	<b>PV608-2</b>
1/4	.200	<b>PV608-4</b>

**Female Pipe to Female Pipe Plug Valve PV609**



Pipe thread	Flow dia.	Part number
1/8	.200	<b>PV609-2</b>
1/4	.200	<b>PV609-4</b>

**Internal Seal Drain Cock DC602**

Temperature Range: -65° to 250°F



Pipe thread	Part number
1/8	<b>DC602-2</b>
1/4	<b>DC602-4</b>

**External Seal Drain Cock DC604**

Temperature Range: -25° to 250°F



Pipe thread	Part number
1/8	<b>DC604-2*</b>
1/4	<b>DC604-4</b>
3/8	<b>DC604-6*</b>

\* When assembled handle wings are down facing

**G**

Accessories

Ball / Plug Valves

Hose & Fittings

Integrated Fittings

Misc. Accessories

Quick Couplings

Tubing & Fittings



**Hose & Fittings**

**801 Push-Lok Plus General Purpose Hose**

Hose I.D. Inch	Hose O.D. Inch	Reel length	General part number*	Continuous part number
1/4	0.50	600 feet	<b>801-4-***-RL</b>	<b>801-4-***-7200</b>
3/8	0.63	450 feet	<b>801-6-***-RL</b>	<b>801-6-***-5400</b>
1/2	0.78	300 feet	<b>801-8-***-RL</b>	<b>801-8-***-3600</b>
5/8	0.91	250 feet	<b>801-10-***-RL</b>	<b>801-10-***-3000</b>
3/4	1.03	200 feet	<b>801-12-***-RL</b>	<b>801-12-***-2400</b>
1	1.28	200 feet	<b>801-16-***-RL</b>	<b>801-16-***-2400</b>



\*\*\* Available Colors

GRA = gray  
 BLU = blue  
 RED = red  
 GRN = green  
 YEL = yellow  
 BLK = black

\* General reels have no more than 3 lengths per reel, each no less than 20 feet.

**30182 Push-on Hose Barb to Male Pipe**

Thread (in)	Hose size (in)	Part number
1/8 x 27	1/4	<b>30182-2-4B</b>
1/4 x 18	1/4	<b>30182-4-4B</b>
1/4 x 18	3/8	<b>30182-4-6B</b>
3/8 x 18	3/8	<b>30182-6-6B</b>
1/2 x 14	3/8	<b>30182-8-6B</b>
3/8 x 18	1/2	<b>30182-6-8B</b>
1/2 x 14	1/2	<b>30182-8-8B</b>
1/2 x 14	5/8	<b>30182-8-10B</b>
3/4 x 14	1/2	<b>30182-12-8B</b>
3/4 x 14	3/4	<b>30182-12-12B</b>



**30282 Push-on Hose Barb to Female Pipe**

Thread (in)	Hose size (in)	Part number
1/4 x 18	1/4	<b>30282-4-4B</b>
3/8 x 18	3/8	<b>30282-6-6B</b>
1/2 x 14	1/2	<b>30282-8-8B</b>



**31382 Push-on Hose Barb to Male Pipe Swivel**

Thread (in)	Hose size (in)	Part number
1/4 x 18	1/4	<b>31382-4-4</b>
3/8 x 18	3/8	<b>31382-6-6</b>
1/2 x 14	1/2	<b>31382-8-8*</b>



\* Steel

**38282 Push-on Hose Barb Union**

Hose size (in)	Part number
1/4	<b>38282-4-4B</b>
3/8	<b>38282-6-6B</b>
1/2	<b>38282-8-8B</b>



Most popular.

**30482 Push-on Hose Barb to Male SAE 45°**

Thread (in)	Hose size (in)	Part number
7/16 x 20	1/4	<b>30482-4-4B</b>
1/2 x 20	1/4	<b>30482-5-4B</b>
5/8 x 18	3/8	<b>30482-6-6B</b>
3/4 x 16	1/2	<b>30482-8-8B</b>



**30682 Push-on Hose Barb to Female SAE JIC 37° Swivel**

Thread (in)	Hose size (in)	Part number
7/16 x 20	1/4	<b>30682-4-4B</b>
1/2 x 12	1/4	<b>30682-5-4B</b>
9/16 x 18	1/4	<b>30682-6-6B</b>
3/4 x 16	3/8	<b>30682-8-6B*</b>
3/4 x 16	1/2	<b>30682-8-8B</b>
7/8 x 14	1/2	<b>30682-10-8B*</b>
7/8 x 14	5/8	<b>30682-10-10B</b>
1-1/16 x 12	3/4	<b>30682-12-12B</b>



\* 30682-8-6B & 30682-10-8B are dual 37/45 degree.

**30882 Push-on Hose Barb to Female SAE 45° Swivel**

Thread (in)	Hose size (in)	Part number
7/16 x 20	1/4	<b>30882-4-4B</b>
1/2 x 20	1/4	<b>30882-5-4B</b>
5/8 x 18	3/8	<b>30882-6-6B</b>
3/4 x 16	3/8	<b>30682-8-6B*</b>
3/4 x 16	1/2	<b>30882-8-8B</b>
7/8 x 14	1/2	<b>30682-10-8B*</b>
7/8 x 14	5/8	<b>30882-10-8B</b>
1-1/16 x 14	3/4	<b>30882-12-12B</b>



\* 30682-8-6B & 30682-10-8B are dual 37/45 degree.

**37G82 Push-on Hose Barb to Female Pipe (NPSM) Swivel with Gasket**

Thread (in)	Hose size (in)	Gasket	Part number
1/4- 18	1/4	07G-4	<b>37G82-4-4</b>
1/4- 18	3/8	07G-4	<b>37G82-4-6</b>
3/8- 18	3/8	07G-6	<b>37G82-6-6</b>
1/2- 14	1/2	07G-8	<b>37G82-8-8</b>
1/2- 14	5/8	07G-8	<b>37G82-8-10</b>
3/4- 14	3/4	07G-12	<b>37G82-12-12</b>



**G**  
 Accessories  
 Ball / Plug Valves  
 Hose & Fittings  
 Integrated Fittings  
 Misc. Accessories  
 Quick Couplings  
 Tubing & Fittings

**FCC731 Compact Meter Out**



Tube size (in)	NPT	Part number
5/32	1/8	FCC731-5/32-2
5/32	1/4	FCC731-5/32-4
1/4	1/8	FCC731-4-2
1/4	1/4	FCC731-4-4
3/8	1/4	FCC731-6-4
3/8	3/8	FCC731-6-6

**FCC731 Compact Meter Out - BSPP**



Tube size (mm)	BSPP	Part number
4	1/8	FCC731-4M-2G
6	1/8	FCC731-6M-2G
6	1/4	FCC731-6M-4G
8	1/8	FCC731-8M-2G
8	1/4	FCC731-8M-4G
8	3/8	FCC731-8M-6G
10	1/4	FCC731-10M-4G
10	3/8	FCC731-10M-6G
12	3/8	FCC731-12M-6G
12	1/2	FCC731-12M-8G

**FCCB731 Compact Bi-Directional Flow Control**



Tube size (in)	NPT	Part number
5/32	1/8	FCCB731-5/32-2
1/4	1/8	FCCB731-4-2
1/4	1/4	FCCB731-4-4

**FCCB731 Compact Bi-directional Flow Control - BSPP**



Tube size (mm)	BSPP	Part number
4	1/8	FCCB731-4M-2G
6	1/8	FCCB731-6M-2G
6	1/4	FCCB731-6M-4G
8	1/8	FCCB731-8M-2G
8	1/4	FCCB731-8M-4G
8	3/8	FCCB731-8M-6G

**FCKC731 Knobless Meter Out Flow Control**



Tube size (in)	NPT / UNF	Part number
1/8	10-32	FCKC731-2-0
1/8	1/8	FCKC731-2-2
5/32	10-32	FCKC731-5/32-0
5/32	1/8	FCKC731-5/32-2
1/4	10-32	FCKC731-4-0
1/4	1/8	FCKC731-4-2
1/4	1/4	FCKC731-4-4
5/16	1/8	FCKC731-5-2
5/16	1/4	FCKC731-5-4
3/8	1/4	FCKC731-6-4
3/8	3/8	FCKC731-6-6

**FCKC731 Knobless Compact Flow Control - BSPP**



Tube size (mm)	BSPP	Part number
4	M5x0.8	FCKC731-4M-M5
4	1/8	FCKC731-4M-2G
6	M5x0.8	FCKC731-6M-M5
6	1/8	FCKC731-6M-2G
6	1/4	FCKC731-6M-4G
8	1/8	FCKC731-8M-2G
8	1/4	FCKC731-8M-4G
8	3/8	FCKC731-8M-6G
10	1/4	FCKC731-10M-4G
10	3/8	FCKC731-10M-6G
10	1/2	FCKC731-10M-8G
12	3/8	FCKC731-12M-6G
12	1/2	FCKC731-12M-8G

**FCKCB731 Knobless Bi-directional Flow Control - BSPP**



Tube size (mm)	BSPP / M5	Part number
4	M5x0.8	FCKCB731-4M-M5
4	1/8	FCKCB731-4M-2G
6	M5x0.8	FCKCB731-6M-M5
6	1/8	FCKCB731-6M-2G
6	1/4	FCKCB731-6M-4G
8	1/8	FCKCB731-8M-2G
8	1/4	FCKCB731-8M-4G
8	3/8	FCKCB731-8M-6G

**FCM731 Miniature Meter Out Flow Control**



Tube size (in)	NPT	Part number
1/8	10-32	FCM731-2-0
1/8	1/8	FCM731-2-2
5/32	10-32	FCM731-5/32-0
5/32	1/8	FCM731-5/32-2
1/4	10-32	FCM731-4-0
1/4	1/8	FCM731-4-2
1/4	1/4	FCM731-4-4

**FCM731 Miniature Flow Control - BSPP**



Tube size (mm)	BSPP	Part number
3	M3x0.5	FCM731-3M-M3
3	M5x0.8	FCM731-3M-M5
4	M3x0.5	FCM731-4M-M3
4	M5x0.8	FCM731-4M-M5
4	1/8	FCM731-4M-2G
6	M5x0.8	FCM731-6M-M5
6	1/8	FCM731-6M-2G
6	1/4	FCM731-6M-4G
8	1/8	FCM731-8M-2G
8	1/4	FCM731-8M-4G
8	3/8	FCM731-8M-6G

Most popular.



**Parker Pneumatic**

**FCMB731 Miniature Bi-directional Flow Control - BSPP**



Tube size (mm)	BSPP	Part number
4	M5x0.8	<b>FCMB731-4M-M5</b>
4	1/8	<b>FCMB731-4M-2G</b>
6	M5x0.8	<b>FCMB731-6M-M5</b>
6	1/8	<b>FCMB731-6M-2G</b>
6	1/4	<b>FCMB731-6M-4G</b>

**FCMK731 Knobless Mini Meter Out Flow Control**



Tube size (in)	NPT	Part number
1/8	10-32	<b>FCMK731-2-0</b>
1/8	1/8	<b>FCMK731-2-2</b>
5/32	10-32	<b>FCMK731-5/32-0</b>
5/32	1/8	<b>FCMK731-5/32-2</b>
1/4	10-32	<b>FCMK731-4-0</b>
1/4	1/8	<b>FCMK731-4-2</b>
1/4	1/4	<b>FCMK731-4-4</b>

**FCCS731 Compact Swivel Outlet Flow Control**



Tube size (in)	NPT	Part number
1/4	1/8	<b>FCCS731-4-2</b>
1/4	1/4	<b>FCCS731-4-4</b>
3/8	1/4	<b>FCCS731-6-4</b>
3/8	3/8	<b>FCCS731-6-6</b>

**FCMS731 Mini Swivel Outlet Flow Control**



Tube size (in)	NPT	Part number
5/32	10-32	<b>FCMS731-5/32-0</b>
5/32	1/8	<b>FCMS731-5/32-2</b>

**FCMS731 Miniature Swivel Outlet - BSPP**



Tube size (mm)	NPT	Part number
4	M5x0.8	<b>FCMS731-4M-M5</b>
4	1/8	<b>FCMS731-4M-2G</b>
6	M5x0.8	<b>FCMS731-6M-M5</b>
6	1/8	<b>FCMS731-6M-2G</b>

**FCCS731 Compact Swivel Outlet - BSPP**



Tube size (mm)	BSPP	Part number
6	1/8	<b>FCCS731-6M-2G</b>
6	1/4	<b>FCCS731-6M-4G</b>
8	1/8	<b>FCCS731-8M-2G</b>
8	1/4	<b>FCCS731-8M-4G</b>
10	3/8	<b>FCCS731-8M-6G</b>
10	1/4	<b>FCCS731-10M-4G</b>
10	3/8	<b>FCCS731-10M-6G</b>
12	3/8	<b>FCCS731-12M-6G</b>
12	1/2	<b>FCCS731-12M-8G</b>

Most popular.

**Accessories Integrated Fittings**

**FCMSP731 Plug-In Mini Flow Control**



Tube size (in)	Part number
1/8	<b>FCMSP731-2</b>
5/32	<b>FCMSP731-5/32</b>
1/4	<b>FCMSP731-4</b>

**FCMSP701 Plug-In Miniature Flow Control**



Tube size (mm)	Part number
4	<b>FCMSP701-4M</b>
6	<b>FCMSP701-6M</b>

**FCCSP731 Plug-In Compact Flow Control**



Tube size (mm)	Part number
6	<b>FCCSP731-6M</b>
8	<b>FCCSP731-8M</b>
10	<b>FCCSP731-10M</b>
12	<b>FCCSP731-12M</b>

**FC832 In-Line Flow Control**



Tube size (in)	Part number
5/32	<b>FC832-5/32</b>
1/4	<b>FC832-4</b>
5/16	<b>FC832-5</b>
3/8	<b>FC832-6</b>
1/2	<b>FC832-8</b>

**FC832 In-Line Flow Control**



Tube size (mm)	Part number
4	<b>FC832-4M</b>
6	<b>FC832-6M</b>
8	<b>FC832-8M</b>
10	<b>FC832-10M</b>
12	<b>FC832-12M</b>

**FCB832 In-Line Bi-directional Flow Control**



Tube size (in)	Part number
5/32	<b>FCB832-5/32</b>
1/4	<b>FCB832-4</b>
5/16	<b>FCB832-5</b>

**FCB832 In-Line Bi-directional Flow Control**



Tube size (mm)	Part number
4	<b>FCB832-4M</b>
6	<b>FCB832-6M</b>
8	<b>FCB832-8M</b>

**G**  
 Accessories  
 Ball / Plug Valves  
 Hose & Fittings  
 Integrated Fittings  
 Misc. Accessories  
 Couplings  
 Tubing & Fittings



**Parker Pneumatic**

**FCPM832 In-Line Panel Mountable Flow Control**



Tube size (mm)	Part number
4	<b>FCPM832-4M</b>
6	<b>FCPM832-6M</b>
8	<b>FCPM832-8M</b>
10	<b>FCPM832-10M</b>
12	<b>FCPM832-12M</b>

**FC836 Threaded In-Line Flow Control**



Port size (in)	Part number
1/8	<b>FC836-2</b>
1/4	<b>FC836-4</b>
3/8	<b>FC836-6</b>
1/2	<b>FC836-8</b>

**FC836 Threaded In-Line Flow Control - BSPP**



Port size BSPP	Part number
1/8	<b>FC836-2G</b>
1/4	<b>FC836-4G</b>
3/8	<b>FC836-6G</b>
1/2	<b>FC836-8G</b>

**337 Micrometer Flow Control Valves**



Port size (in)	Part number
1/8	<b>00337 1000</b>
1/4	<b>00337 1001</b>
3/8	<b>00337 1002</b>
1/2	<b>00337 1003</b>
3/4	<b>00337 1004</b>

**337 Micrometer Flow Control Valves - BSPP**



Port size (in)	Part number
1/8	<b>00337G1000</b>
1/4	<b>00337G1001</b>

**338 Bi-directional Flow Control Valves**



Port size (in)	Part number
1/8	<b>00338 1100</b>
1/4	<b>00338 1101</b>
3/8	<b>00338 1102</b>
1/2	<b>00338 1103</b>
3/4	<b>00338 1104</b>

**Accessories  
Integrated Fittings**

**338 Bi-directional Flow Control Valves - BSPP**



Port size (in)	Part number
1/8	<b>00338G1100</b>
1/4	<b>00338G1101</b>

**3250 Flow Control Valves**



Port size (in)	Part number
1/8	<b>03250 0119</b>
1/4	<b>03250 0219</b>
3/8	<b>03250 0319</b>
1/2	<b>03250 0419</b>
3/4	<b>03250 0519</b>

**3250 Flow Control Valves - BSPP**



Port size (in)	Part number
1/8	<b>3250G0119</b>
1/4	<b>3250G0219</b>
3/8	<b>3250G0319</b>
1/2	<b>3250G0419</b>
3/4	<b>3250G0519</b>

**3250 Flow Control Valves**



Port size (in)	Part number
1	<b>3250 1000</b>
1-1/4	<b>3250 1250</b>
1-1/2	<b>3250 1500</b>

**3250 Flow Control Valves - BSPP**




Port size (in)	Part number
1	<b>3250G1000</b>
1-1/4	<b>3250G1250</b>
1-1/2	<b>3250G1500</b>


Most popular.



### 3251 Series Flow Control Valves


	Thread (NPT) Male	Thread (NPT) Female	Right angle flow control valves
	1/8	1/8	<b>03251 0125</b>
1/4	1/4	<b>03251 0250</b>	
3/8	3/8	<b>03251 0375</b>	
1/2	1/2	<b>03251 0500</b>	


	With Prestolok fittings		
	1/8	5/32	<b>03251 1215</b>
1/8	1/4	<b>03251 1225</b>	
1/4	1/4	<b>03251 2525</b>	
1/4	3/8	<b>03251 2538</b>	
3/8	3/8	<b>03251 3838</b>	

**CAUTION:** If it is possible that the ambient temperature may fall below freezing, the medium must be moisture-free to prevent internal damage or unpredictable behavior.


### FC705 Push-to-Connect Metal Flow Control

	Tube size (in)	NPT	Part number
	5/32	1/8	<b>FC705-5/32-2</b>
1/4	1/8	<b>FC705-4-2</b>	
1/4	1/4	<b>FC705-4-4</b>	
3/8	1/4	<b>FC705-6-4</b>	
3/8	3/8	<b>FC705-6-6</b>	

### FC701 Push-to-Connect Metal Flow Control - BSPP

	Tube Size (mm)	BSPP	Part number
	4	1/8	<b>FC701-4M-2G</b>
6	1/8	<b>FC701-6M-2G</b>	
6	1/4	<b>FC701-6M-4G</b>	
8	1/8	<b>FC701-8M-2G</b>	
8	1/4	<b>FC701-8M-4G</b>	
8	3/8	<b>FC701-8M-6G</b>	
10	1/4	<b>FC701-10M-4G</b>	
10	3/8	<b>FC701-10M-6G</b>	
12	3/8	<b>FC701-12M-6G</b>	
12	1/2	<b>FC701-12M-8G</b>	
14	1/2	<b>FC701-14M-8G</b>	


### FC708 Threaded Port Meter Out Flow Control

	Port size (in)	Part number
	1/8	<b>FC708-2</b>
1/4	<b>FC708-4</b>	
3/8	<b>FC708-6</b>	
1/2	<b>FC708-8</b>	


 Most popular.

## Accessories Integrated Fittings


### FC702 Threaded Port Metal Flow Control - BSPP

	Port size BSPP	Part number
	1/8	<b>FC702-2G</b>
1/4	<b>FC702-4G</b>	
3/8	<b>FC702-6G</b>	
1/2	<b>FC702-8G</b>	


### 32PLCK In-Line Check Valve

	Tube size (in)	Part number
	5/32	<b>32PLCK-5/32</b>
1/4	<b>32PLCK-4</b>	
5/16	<b>32PLCK-5</b>	
3/8	<b>32PLCK-6</b>	


### 32PLCK In-Line Check Valve

	Tube size (mm)	Part number
	4	<b>32PLCK-4M</b>
6	<b>32PLCK-6M</b>	
8	<b>32PLCK-8M</b>	
10	<b>32PLCK-10M</b>	
12	<b>32PLCK-12M</b>	

### W68PLCK Male Check Valve

	Tube size (in)	NPT / UNF	Part number
	5/32	10-32	<b>68PLCK-5/32-0</b>
5/32	1/8	<b>W68PLCK-5/32-2</b>	
1/4	1/8	<b>W68PLCK-4-2</b>	
1/4	1/4	<b>W68PLCK-4-4</b>	
3/8	1/4	<b>W68PLCK-6-4</b>	
3/8	3/8	<b>W68PLCK-6-6</b>	

### W68PLCKI Male Check Valve - Meter In

	Tube size (in)	NPT / UNF	Part number
	5/32	10-32	<b>68PLCKI-5/32-0</b>
5/32	1/8	<b>W68PLCKI-5/32-2</b>	
1/4	1/8	<b>W68PLCKI-4-2</b>	
1/4	1/4	<b>W68PLCKI-4-4</b>	
3/8	1/4	<b>W68PLCKI-6-4</b>	
3/8	3/8	<b>W68PLCKI-6-6</b>	

**G**  
 Accessories  
 Ball / Plug Valves  
 Hose & Fittings  
 Integrated Fittings  
 Misc. Accessories  
 Quick Couplings  
 Tubing & Fittings



**Parker Pneumatic**

**68PLCK Male Check Valve Meter Out - BSPP**



Tube size (mm)	BSPP	Part number
4	M5x0.8	<b>68PLCK-4M-M5</b>
4	1/8	<b>68PLCK-4M-2G</b>
6	1/8	<b>68PLCK-6M-2G</b>
6	1/4	<b>68PLCK-6M-4G</b>
8	1/8	<b>68PLCK-8M-2G</b>
8	1/4	<b>68PLCK-8M-4G</b>

**68PLCKI Male Check Valve Meter In - BSPP**



Tube size (mm)	BSPP	Part number
4	M5x0.8	<b>68PLCKI-4M-M5</b>
6	1/8	<b>68PLCKI-6M-2G</b>
8	1/8	<b>68PLCKI-8M-2G</b>
8	1/4	<b>68PLCKI-8M-4G</b>
10	3/8	<b>68PLCKI-10M-6G</b>
12	3/8	<b>68PLCKI-12M-6G</b>
12	1/2	<b>68PLCKI-12M-8G</b>

**VC – Check Valve**



Tube size (in)	O.D.	Part number
1/4	.66	<b>A4VC4-MG</b>
5/16	.70	<b>A5VC5-MG</b>
3/8	.80	<b>A6VC6-MG</b>

**339 Check Valve**



Port size	Part number
1/8"	<b>00339 3000</b>
1/4"	<b>00339 3001</b>
3/8"	<b>00339 3002</b>
1/2"	<b>00339 3003</b>
3/4"	<b>00339 3004</b>

**339 Check Valve - BSPP**



Port size	Part number
1/8"	<b>00339G3000</b>
1/4"	<b>00339G3001</b>

**3047 Check Valve**



Pipe thread	Part number
1/4"	<b>03047 0099</b>

Most popular.

**Accessories  
Integrated Fittings**

**FC601 Push-to-Connect Lock Out Valves**



Tube size (in)	NPT	Part number
1/4	1/8	<b>FC601-4-2</b>
1/4	1/4	<b>FC601-4-4</b>
3/8	3/8	<b>FC601-6-6</b>
1/2	1/2	<b>FC601-8-8</b>

**FC601 Push-to-Connect Lock-Out Valve - BSPP**



Tube size (mm)	BSPP	Part number
6	1/8	<b>FC601-6M-2G</b>
6	1/4	<b>FC601-6M-4G</b>
8	1/4	<b>FC601-8M-4G</b>
8	3/8	<b>FC601-8M-6G</b>
10	3/8	<b>FC601-10M-6G</b>
12	1/2	<b>FC601-12M-8G</b>

**FC602 Threaded Port Lock Out Valves**



NPT 1	NPT 2	Part number
1/4	1/8	<b>FC602-2</b>
1/4	1/4	<b>FC602-4</b>
3/8	3/8	<b>FC602-6</b>
1/2	1/2	<b>FC602-8</b>

**FC608 Threaded Port Lock-Out Valve - BSPP**



BSPP 1	BSPP 2	Part number
1/8	1/4	<b>FC608-4G-2G</b>
1/4	1/4	<b>FC608-4G-4G</b>
3/8	3/8	<b>FC608-6G-6G</b>
1/2	1/2	<b>FC608-8G-8G</b>

**PSBJ731 Pneumatic Threshold Sensor - 5/32 Pilot**



NPT / UNF	Part number
10-32	<b>PSBJ731-0</b>
1/8	<b>PSBJ731-2</b>
1/4	<b>PSBJ731-4</b>
3/8	<b>PSBJ731-6</b>
1/2	<b>PSBJ731-8</b>

**PSBJ731 Pneumatic Threshold Sensor - 4mm Pilot**



BSPP	Part number
M5x0.8	<b>PSBJ731-M5</b>
1/8	<b>PSBJ731-2G</b>
1/4	<b>PSBJ731-4G</b>
3/8	<b>PSBJ731-6G</b>
1/2	<b>PSBJ731-8G</b>



**Parker Pneumatic**

**PSPJ731 Pneumatic Threshold Sensor - 10-32 Pilot**

NPT	Part number
1/8	<b>PSPJ731-2</b>
1/4	<b>PSPJ731-4</b>
3/8	<b>PSPJ731-6</b>



**PSBJ708 Pneumatic Threshold Sensor - M5 Pilot**

BSPP	Part number
1/8	<b>PSBJ708-2G</b>
1/4	<b>PSBJ708-4G</b>



Accessories

**Integrated Fittings, Tank Valves, Air Chucks**

**PSPE731 Pneumatic / Electric Threshold Sensor - BSPP**

BSPP	Part number
M5x0.8	<b>PSPE731-M5</b>
1/8	<b>PSPE731-2G</b>
1/4	<b>PSPE731-4G</b>
3/8	<b>PSPE731-6G</b>
1/2	<b>PSPE731-8G</b>



**Tank Valves & Air Chucks**

**09166 0060**  
1/8" pipe thread, dome shaped cap



Thread size	Part number
1/8	<b>09166 0060</b>

**05499 0000**  
1/4" female port, ball-foot air chuck



Thread size	Part number
1/4	<b>05499 0000</b>

**00645 0060**  
1/8" pipe thread at bottom, screwdriver type cap



Thread size	Part number
1/8	<b>00645 0060</b>

**06739 0000**  
1/4" port, ball-foot air chuck with clip



Thread size	Part number
1/4	<b>06739 0000</b>

**01468 0006**  
1/8" pipe thread part way up the stem, screwdriver type cap



Thread size	Part number
1/8	<b>01468 0006</b>

Most popular.

<b>G</b>
Accessories
Ball / Plug Valves
Hose & Fittings
Integrated Fittings
Misc. Accessories
Quick Couplings
Tubing & Fittings



**Mufflers / Silencers**

**EM Sintered Bronze Muffler / Filters**



Thread size	Part number
M5	<b>EMM5</b>
1/8	<b>EM12</b>
1/4	<b>EM25</b>
3/8	<b>EM37</b>
1/2	<b>EM50</b>
3/4	<b>EM75</b>
1	<b>EM100</b>
1-1/4	<b>EM125</b>
1-1/2	<b>EM150</b>

**Muffler / Flow Controls**



Thread size	Part number
1/8	<b>04502 0002</b>
1/4	<b>04504 0004</b>
3/8	<b>04506 0060</b>
1/2	<b>04508 0080</b>
3/4	<b>04512 0012</b>
1	<b>04516 0016</b>

**Breather Vents**



Thread size	Part number
1/8	<b>04702 0002</b>
1/4	<b>04704 0004</b>
3/8	<b>04706 0006</b>
1/2	<b>04708 0008</b>
3/4	<b>04712 0012</b>
1	<b>04716 0016</b>
1-1/4	<b>04720 0020</b>
1-1/2	<b>04724 0024</b>

NOTE: Breather vents should not be used as exhaust mufflers.

**ES Silencer**



Thread size	Part number
1/8	<b>ES12MC</b>
1/4	<b>ES25MC</b>
3/8	<b>ES37MC</b>
1/2	<b>ES50MC</b>
3/4	<b>ES75MC</b>
1	<b>ES100MC</b>
1-1/4	<b>ES125MC</b>
1-1/2	<b>ES150MC</b>

Most popular.

**ASN Air Line Silencer, Plastic**



Thread size	Part number
M5	<b>AS-5</b>
1/8	<b>ASN-6</b>
1/4	<b>ASN-8</b>
3/8	<b>ASN-10</b>
1/2	<b>ASN-15</b>

**P6M G Thread, Air Line Silencer, Plastic**



Thread size	Part number
M5	<b>P6M-PAC5</b>
G1/8	<b>P6M-PAB1</b>
G1/4	<b>P6M-PAB2</b>
G3/8	<b>P6M-PAB3</b>
G1/2	<b>P6M-PAB4</b>
G3/4	<b>P6M-PAB6</b>
G1	<b>P6M-PAB8</b>

**ECS Reclassifier, Air Line Muffler**



Thread size	Part number
1/2	<b>ECS3</b>
1	<b>ECS5</b>

**Stainless Steel Mufflers**




Pipe size	Part number
1/4	<b>5500A2004</b>
1/2	<b>5500A4004</b>
1	<b>5500A6004</b>
2	<b>5500A9004 **</b>

\*\* Nickel Plated



### 0R Quick Exhaust



Port 1	Port 2	Port 3	Flow (SCFM)	Part number with panel nut
<b>Standard version</b>				
1/4	1/4	3/8	150	<b>OR25NB</b>
1/4	3/8	3/8	240	<b>OR25PB</b>
3/8	3/8	3/8	240	<b>OR37B</b>
1/2	1/2	1/2	450	<b>OR50B</b>
3/4	3/4	3/4	550	<b>OR75B</b>
<b>Nitrile diaphragms</b>				
1/8	1/8	1/8	70	<b>OR12B</b>
1/8	1/8	1/4	70	<b>OR12NB</b>
1/4	1/4	1/4	90	<b>OR25B</b>
1/4	1/4	3/8	90	<b>OR25NFB</b>
3/8	3/8	3/8	240	<b>OR37FB</b>
3/4	3/4	3/4	550	<b>OR75FB</b>
<b>Fluorocarbon diaphragms</b>				
1/8	1/8	1/8	70	<b>OR12VB</b>
1/8	1/8	1/4	70	<b>OR12NVB</b>
1/4	1/4	1/4	90	<b>OR25VB</b>
3/8	3/8	3/8	240	<b>OR37VB</b>
1/2	1/2	1/2	450	<b>OR50VB</b>
3/4	3/4	3/4	550	<b>OR75VB</b>
<b>PTFE diaphragms</b>				
3/8	3/8	3/8	240	<b>OR37TB</b>

## Accessories

### Quick Exhaust & Shuttle and Relief Valves

#### RV Relief Valve



Pressure (PSI)	Part number
***	<b>RV01AN***</b>

\*\*\* 010 through 200 psi

#### 130 Relief Valve



Spring range	Part number no panel nut	Part number with panel nut
0-15 PSIG	<b>130-02AA</b>	<b>130-02AAP</b>
0-25 PSIG	<b>130-02A</b>	<b>130-02AP</b>
0-50 PSIG	<b>130-02B</b>	<b>130-02BP</b>
0-100 PSIG	<b>130-02C</b>	<b>130-02CP</b>

#### 134 Relief Valve



Spring range	Part number no panel nut	Part number with panel nut
0-15 PSIG	<b>134-02AA</b>	<b>134-02AAP</b>
0-25 PSIG	<b>134-02A</b>	<b>134-02AP</b>
0-50 PSIG	<b>134-02B</b>	<b>134-02BP</b>
0-100 PSIG	<b>134-02C</b>	<b>134-02CP</b>

### N164 Shuttle Valve



Thread size	Part number
1/8	<b>N164 1001</b>
1/4	<b>N164 2003</b>
3/8	<b>N164 3003</b>

<b>G</b>	Accessories
	Ball / Plug Valves
Hose & Fittings	
Integrated Fittings	
Misc. Accessories	
Quick Couplings	
Tubing & Fittings	

Most popular.



**Parker Pneumatic**

**Brass Nozzle Blow Gun**



Inlet port	Part number
Lever operated	
1/4	<b>00475 0010</b>
Button operated	
1/4	<b>00470 0010</b>

**Brass Nozzle Blow Gun**



Inlet port	Part number
Lever operated	
1/4	<b>00475 0900</b>
Button operated	
1/4	<b>00470 0900</b>

**Self-Regulating Blow Gun**



Inlet port	Part number
Lever operated	
1/4	<b>00475 2900</b>

**Pistol Grip Blow Gun**



Inlet port	Part number
1/4	<b>BG441-NBL</b>

**Brass Nozzle**



Part number
<b>00470 7020</b>

**Accessories**

**Blow Guns and Drip Leg Drain**

**Automatic Drip Leg Drain**



Thread size	Part number
1/4	<b>06D1NA</b>
1/2	<b>06D3NA</b>

**PPS1 Pressure Switch**



Thread size	Part number
1/4 NPT	<b>PPS1-1C3-RHM</b>
1/8 NPT	<b>PPS1-2C3-RHM</b>
1/4" NPT	<b>PPS1-1C3-RWL</b>
1/8" NPT	<b>PPS1-2C3-RWL</b>

Most popular.





# Optimize Machine Performance and Avoid Downtime

## SensoControl® Diagnostic

Optimize or troubleshoot hydraulic and pneumatic systems with SensoControl diagnostic meters.

- Detect intermittent problems
- Innovative recording capabilities
- In-depth analysis
- Pressure, flow, RPM, and temperature measurements



## SensoControl® Industrial

Continuously monitor or control a system's pressure, temperature, or fluid level with SensoControl sensors and controllers.

- Reliable performance
- Configurable switch functions
- Easy to read display



**Learn more:**  
[www.parker.com/sensocontrol](http://www.parker.com/sensocontrol)

**Contact:**  
Parker's Quick Coupling Division  
763-544-7781  
[QCD\\_sales@parker.com](mailto:QCD_sales@parker.com)

<b>G</b>
Accessories
Ball / Plug Valves
Hose & Fittings
Integrated Fittings
Misc. Accessories
Quick Couplings
Tubing & Fittings



## Parker Pneumatic

### Industrial Interchange Nipples

Hardened wear points and solid barstock construction provide long service life. Precision machined surfaces and hardened load-bearing areas resist the effects of mechanical shock in the most rugged applications. Industrial interchange nipples conform to MIL-C4109 and are for use with either Sleeveomatic or Saffomatic couplers.

#### Female Pipe Thread



Body size (inches)	Thread size	Part number Steel
1/4	1/8-27	<b>H1C</b>
1/4	1/4-18	<b>H3C</b>
1/4	3/8-18	<b>H3C-E</b>
3/8	1/4-18	<b>H1E</b>
3/8	3/8-18	<b>H3E</b>
3/8	1/2-14	<b>H3E-F</b>
1/2	3/8-18	<b>H1F</b>
1/2	1/2-14	<b>H3F</b>
1/2	3/4-14	<b>H3F-G</b>
3/4	1/2-14	<b>H3G-F</b>
3/4	3/4-14	<b>H3G</b>
3/4	1-11½	<b>H3G-J</b>

#### Male Pipe Thread



Body size (inches)	Thread size	Part number Steel
1/4	1/8-27	<b>H0C</b>
1/4	1/4-18	<b>H2C</b>
1/4	3/8-18	<b>H2C-E</b>
3/8	1/8-27	<b>H00E</b>
3/8	1/4-18	<b>H0E</b>
3/8	3/8-18	<b>H2E</b>
3/8	1/2-14	<b>H2E-F</b>
1/2	3/8-18	<b>H0F</b>
1/2	1/2-14	<b>H2F</b>
1/2	3/4-14	<b>H2F-G</b>
3/4	1/2-14	<b>H2G-F</b>
3/4	3/4-14	<b>H2G</b>
3/4	1-11½	<b>H2G-J</b>

Most popular.

## Accessories

### Industrial Interchange Nipples

#### Standard Hose Barb



Body size (inches)	Hose I.D.	Part number Steel
1/4	1/4	<b>H8C</b>
1/4	5/16	<b>H8C-D</b>
1/4	3/8	<b>H9C</b>
3/8	3/8	<b>H5E</b>
3/8	1/2	<b>H6E</b>
1/2	3/8	<b>H4F</b>
1/2	1/2	<b>H5F</b>
1/2	3/4	<b>H5F-G</b>
3/4	1/2	<b>H5G-F</b>
3/4	3/4	<b>H5G</b>
3/4	1	<b>H5G-J</b>

#### Push-Lok Hose Barb\*



Body size (inches)	Hose I.D.	Part number Steel
1/4	1/4	<b>H8CP</b>
1/4	3/8	<b>H9CP</b>
3/8	1/4	<b>H4EP</b>
3/8	3/8	<b>H5EP</b>
3/8	1/2	<b>H6EP</b>
1/2	3/8	<b>H4FP</b>
1/2	1/2	<b>H5FP</b>
1/2	1/2	<b>H6FP</b>

\* Push-Lok hose barbs are designed for use with a push-lok hose and do not require clamps.



### Sleevmatic Couplers

#### Female Pipe Thread



Body size (inches)	Thread size	Part number	
		Brass	Steel
1/4	1/8-27	<b>B23A</b>	—
1/4	1/4-18	<b>B23</b>	—
1/4	3/8-18	<b>B23E</b>	—
3/8	1/4-18	—	<b>25C</b>
3/8	3/8-18	—	<b>25</b>
3/8	1/2-14	—	<b>25F</b>
1/2	3/8-18	—	<b>17E</b>
1/2	1/2-14	—	<b>17</b>
1/2	3/4-14	—	<b>17G</b>

#### Male Pipe Thread



Body size (inches)	Thread size	Part number	
		Brass	Steel
1/4	1/4-18	<b>B22</b>	—
1/4	3/8-18	<b>B22E</b>	—
3/8	1/4-18	—	<b>24C</b>
3/8	3/8-18	—	<b>24</b>
3/8	1/2-14	—	<b>24F</b>
1/2	3/8-18	—	<b>16E</b>
1/2	1/2-14	—	<b>16</b>
1/2	3/4-14	—	<b>16G</b>

#### Standard Hose Barb



Body size (inches)	Hose I.D.	Part number	
		Brass	Steel
1/4	1/4	<b>B20-3B</b>	—
1/4	5/16	<b>B20-4B</b>	—
1/4	3/8	<b>B20-5B</b>	—
3/8	3/8	—	<b>24-5B</b>
3/8	1/2	—	<b>24-6B</b>
1/2	3/8	—	<b>16-5B</b>
1/2	1/2	—	<b>16-6B</b>
1/2	3/4	—	<b>16-7B</b>

#### Push-Lok Hose Barb\*



Body size (inches)	Hose I.D.	Part number	
		Brass	Steel
1/4	3/8	<b>B20-5BP</b>	—
3/8	3/8	—	<b>24-5BP</b>
1/2	3/8	—	<b>16-5BP</b>
1/2	1/2	—	<b>16-6BP</b>

\* Push-Lok hose barbs are designed for use with push-lok hose and do not require clamps.

Most popular.

### Saflomatic Couplers

#### Female Pipe Thread



Body size (inches)	Thread size	Part number	
		Brass	Steel
1/4	1/8-27	<b>B33A</b>	—
1/4	1/4-18	<b>B33</b>	—
1/4	3/8-18	<b>B33E</b>	—
3/8	1/4-18	<b>B35C</b>	—
3/8	3/8-18	<b>B35</b>	—
3/8	1/2-14	<b>B35F</b>	—
1/2	3/8-18	<b>B37E</b>	—
1/2	1/2-14	<b>B37</b>	—
1/2	3/4-14	<b>B37G</b>	—
3/4	1/2-14	<b>B39F</b>	—
3/4	3/4-14	<b>B39</b>	—
3/4	1-11½	<b>B39J</b>	—

#### Male Pipe Thread



Body size (inches)	Thread size	Part number	
		Brass	Steel
1/4	1/8-27	<b>B32A</b>	—
1/4	1/4-18	<b>B32</b>	—
1/4	3/8-18	<b>B32E</b>	—
3/8	1/4-18	<b>B34C</b>	—
3/8	3/8-18	<b>B34</b>	—
3/8	1/2-14	<b>B34F</b>	—
1/2	3/8-18	<b>B36E</b>	—
1/2	1/2-14	<b>B36</b>	—
1/2	3/4-14	<b>B36G</b>	—
3/4	3/4-14	<b>B38</b>	—
3/4	1-11½	<b>B38J</b>	—

#### Standard Hose Barb



Body size (inches)	Hose I.D.	Part number	
		Brass	Steel
1/4	1/4	<b>B30-3B</b>	—
1/4	5/16	<b>B30-4B</b>	—
1/4	3/8	<b>B30-5B</b>	—
3/8	3/8	<b>B34-5B</b>	—
3/8	1/2	<b>B34-6B</b>	—
1/2	1/2	<b>B36-6B</b>	—
1/2	3/4	<b>B36-7B</b>	—
3/4	3/4	<b>B38-7B</b>	—
3/4	1	<b>B38-8B</b>	—

#### Push-Lok Hose Barb\*



Body size (inches)	Thread size	Part number	
		Brass	Steel
1/4	1/4	<b>B30-3BP</b>	—
1/4	3/8	<b>B30-5BP</b>	—
3/8	3/8	<b>B34-5BP</b>	—
1/2	1/2	<b>B36-6BP</b>	—

\* Push-Lok hose barbs are designed for use with push-lok hose and do not require clamps.

**G**  
 Accessories  
 Ball / Plug Valves  
 Hose & Fittings  
 Integrated Fittings  
 Misc. Accessories  
 Quick Couplings  
 Tubing & Fittings





**Parker Pneumatic**

**Couplers Female Pipe Thread**



Body size (inches)	Thread size	Part number Brass
1/4	1/4-18 NPTF	<b>B53</b>
1/4	3/8-18 NPTF	<b>B53E</b>

**Couplers Male Pipe Thread**



Body size (inches)	Thread size	Part number Brass
1/4	1/4-18	<b>B52</b>
1/4	3/8-18	<b>B52E</b>

**Couplers Push-Lok Hose Barb\***



Body size (inches)	Hose I.D.	Part number Brass
1/4	1/4	<b>B50-03BP</b>
1/4	3/8	<b>B50-05BP</b>

\* Push-Lok hose barbs are designed for use with push-lok hose and do not require clamps.

**Accessories**

**Economatic Quick Connect Couplers**

**Nipples Female Pipe Thread**



Body size (inches)	Thread size	Part number Steel
1/4	1/4-18	<b>A3C</b>

**Nipples Male Pipe Thread**



Body size (inches)	Thread size	Part number Steel
1/4	1/4-18	<b>A2C</b>

**Nipples Standard Hose Barb**



Body size (inches)	Hose I.D.	Part number Steel
1/4	1/4	<b>A8C</b>

**Nipples Push-Lok Hose Barb\***



Body size (inches)	Thread size	Part number Steel
1/4	1/4	<b>A8CP</b>

\* Push-Lok barbs are designed for use with push-lok hose and do not require clamps.

Most popular.



**Polyethylene Tubing**

O.D.	I.D.	Reel length (feet)	Color	Part number
1/4	.170	100	Natural	<b>E-43-0100</b>
1/4	.170	500	Natural	<b>E-43-0500</b>
1/4	.170	1000	Natural	<b>E-43-1000</b>
1/4	.170	100	Black	<b>EB-43-0100</b>
1/4	.170	500	Black	<b>EB-43-0500</b>
1/4	.170	1000	Black	<b>EB-43-1000</b>
1/4	.170	100	Red	<b>E-43-R-0100</b>
1/4	.170	500	Red	<b>E-43-R-0500</b>
1/4	.170	100	Blue	<b>E-43-B-0100</b>
1/4	.170	500	Blue	<b>E-43-B-0500</b>
1/4	.170	500	Orange	<b>E-43-O-0500</b>
1/4	.170	500	Yellow	<b>E-43-Y-0500</b>
1/4	.170	500	Purple	<b>E-43-P-0500</b>
1/4	.170	500	Green	<b>E-43-G-0500</b>
5/16	.187	500	Natural	<b>E-53-0500</b>
5/16	.187	500	Black	<b>EB-53-0500</b>
3/8	.250	100	Natural	<b>E-64-0100</b>
3/8	.250	500	Natural	<b>E-64-0500</b>
3/8	.250	100	Black	<b>EB-64-0100</b>
3/8	.250	500	Black	<b>EB-64-0500</b>
3/8	.250	500	Red	<b>E-64-R-0500</b>
3/8	.250	500	Blue	<b>E-64-B-0500</b>
3/8	.250	500	Orange	<b>E-64-O-0500</b>
3/8	.250	500	Yellow	<b>E-64-Y-0500</b>
3/8	.250	500	Purple	<b>E-64-P-0500</b>
3/8	.250	500	Green	<b>E-64-G-0500</b>
1/2	.375	100	Natural	<b>E-86-0100</b>
1/2	.375	100	Black	<b>EB-86-0100</b>
5/8	.500	100	Natural	<b>E-108-0100</b>
5/8	.500	Coil	Black	<b>EB-108-0100</b>



Most popular. For technical information see CD

**Polyethelene Tubing**

O.D.	I.D.	Reel length (feet)	Part number
5/32	.096	500	<b>PEFR-2.5-0500</b>
1/4	.170	500	<b>PEFR-4-0500</b>
1/4	.170	1000	<b>PEFR-4-1000</b>
3/8	.250	500	<b>PEFR-6-0500</b>
1/2	.375	250	<b>PEFR-8-0250</b>



Most popular.

**Polyurethane Tubing**


O.D.	I.D.	Reel length (feet)	Part number*
1/8	1/16	500	<b>U-21-xxx-0500</b>
		250	<b>U-21-xxx-0250</b>
1/4	1/8	500	<b>U-42-xxx-0500</b>
		250	<b>U-42-xxx-0250</b>
3/8	1/4	250	<b>U-64-xxx-0250</b>
		100 (coil)	<b>U-64-xxx-0100</b>
1/2	3/8	250	<b>U-86-xxx-0250</b>
		100 (coil)	<b>U-86-xxx-0100</b>



\* xxx = Colors: Clear-Blank, Black-BLK, Green-GRN, Red-RED, Yellow-YEL, Blue-BLU, Orange-ORG, Gray-GRA (Example: U-21-BLK-0250)

**Nylon Tubing**

O.D.	I.D.	Reel length (feet)	Color	Part number
1/8	.093	250	Natural	<b>NN-2-016</b>
1/8	.093	250	Black	<b>NB-2-016</b>
1/8	.064	250	Natural	<b>NN-2-031</b>
1/8	.064	250	Black	<b>NB-2-031</b>
5/32	.106	250	Natural	<b>NN-2.5-025</b>
5/32	.106	250	Black	<b>NB-2.5-025</b>
3/16	.138	250	Natural	<b>NN-3-025</b>
3/16	.138	250	Black	<b>NB-3-025</b>
3/16	.096	250	Natural	<b>NN-3-046</b>
3/16	.096	250	Black	<b>NB-3-046</b>
1/4	.180	250	Natural	<b>NN-4-035</b>
1/4	.180	250	Black	<b>NB-4-035</b>
1/4	.170	250	Natural	<b>NN-4-040</b>
1/4	.170	250	Black	<b>NB-4-040</b>
1/4	.127	250	Natural	<b>NN-4-062</b>
1/4	.127	250	Black	<b>NB-4-062</b>
5/16	.233	250	Natural	<b>NN-5-040</b>
5/16	.233	250	Black	<b>NB-5-040</b>
3/8	.275	250	Natural	<b>NN-6-050</b>
3/8	.275	250	Black	<b>NB-6-050</b>
3/8	.190	250	Natural	<b>NN-6-093</b>
3/8	.190	250	Black	<b>NB-6-093</b>
1/2	.375	250	Natural	<b>NN-8-062</b>
1/2	.375	250	Black	<b>NB-8-062</b>
1/2	.253	250	Natural	<b>NN-8-124</b>
1/2	.253	250	Black	<b>NB-8-124</b>



\*Suggested working pressure is 1/4 of burst pressure.

<b>G</b>
<b>Accessories</b>
Ball / Plug Valves
Hose & Fittings
Integrated Fittings
Misc. Accessories
Quick Couplings
Tubing & Fittings



**Nylon Tubing**


O.D.	I.D.	Reel length (feet)	Color	Part number
1/8	.091	500	Natural	<b>NNR-2-017</b>
1/8	.091	500	Black	<b>NBR-2-017</b>
1/8	.073	500	Natural	<b>NNR-2-026</b>
1/8	.073	500	Black	<b>NBR-2-026</b>
3/16	.140	500	Natural	<b>NNR-3-024</b>
3/16	.140	500	Black	<b>NBR-3-024</b>
3/16	.110	500	Natural	<b>NNR-3-039</b>
3/16	.110	500	Black	<b>NBR-3-039</b>
1/4	.180	250	Natural	<b>NNR-4-035</b>
1/4	.180	250	Black	<b>NBR-4-035</b>
1/4	.150	250	Natural	<b>NNR-4-050</b>
1/4	.150	250	Black	<b>NBR-4-050</b>
5/16	.233	250	Natural	<b>NNR-5-040</b>
5/16	.233	250	Black	<b>NBR-5-040</b>
3/8	.279	250	Natural	<b>NNR-6-048</b>
3/8	.279	250	Black	<b>NBR-6-048</b>
3/8	.225	250	Natural	<b>NNR-6-075</b>
3/8	.225	250	Black	<b>NBR-6-075</b>
1/2	.376	250	Natural	<b>NNR-8-062</b>
1/2	.376	250	Black	<b>NBR-8-062</b>
1/2	.350	250	Natural	<b>NNR-8-075</b>
1/2	.350	250	Black	<b>NBR-8-075</b>



\*Suggested working pressure is 1/4 of burst pressure.

Most popular.

**Plastic Tube Cutter**



Part number  
**PTC-001**

**Replacement Blades**



Part number  
**PTC-001RB**

**W369PLP Male Elbow Swivel 90°**



Tube size (in.)	Thread NPT / UNF	Part number
1/8	10-32	<b>369PLP-2-0</b>
1/8	1/16	<b>W369PLP-2-1</b>
1/8	1/8	<b>W369PLP-2-2</b>
1/8	1/4	<b>W369PLP-2-4</b>
5/32	10-32	<b>369PLP-5/32-0</b>
5/32	1/8	<b>W369PLP-5/32-2</b>
5/32	1/4	<b>W369PLP-5/32-4</b>
3/16	1/8	<b>W369PLP-3-2</b>
1/4	10-32	<b>369PLP-4-0</b>
1/4	1/8	<b>W369PLP-4-2</b>
1/4	1/4	<b>W369PLP-4-4</b>
1/4	3/8	<b>W369PLP-4-6</b>
5/16	1/8	<b>W369PLP-5-2</b>
5/16	1/4	<b>W369PLP-5-4</b>
5/16	3/8	<b>W369PLP-5-6</b>
3/8	1/8	<b>W369PLP-6-2</b>
3/8	1/4	<b>W369PLP-6-4</b>
3/8	3/8	<b>W369PLP-6-6</b>
3/8	1/2	<b>W369PLP-6-8</b>
1/2	1/4	<b>W369PLP-8-4</b>
1/2	3/8	<b>W369PLP-8-6</b>
1/2	1/2	<b>W369PLP-8-8</b>

**W379PLP Male Elbow 45°**



Tube size (in.)	Thread NPT / UNF	Part number
1/8	10-32	<b>379PLP-2-0</b>
1/8	1/8	<b>W379PLP-2-2</b>
1/4	1/8	<b>W379PLP-4-2</b>
1/4	1/4	<b>W379PLP-4-4</b>
1/4	M7	<b>W379PLP-4-M7</b>
3/8	1/4	<b>W379PLP-6-4</b>
3/8	3/8	<b>W379PLP-6-6</b>

**W372PLP Male Branch Tee Swivel**



Tube size (in.)	Thread NPT / UNF	Part number
1/8	10-32	<b>372PLP-2-0</b>
1/8	1/16	<b>W372PLP-2-1</b>
1/8	1/8	<b>W372PLP-2-2</b>
1/8	1/4	<b>W372PLP-2-4</b>
5/32	10-32	<b>372PLP-5/32-0</b>
5/32	1/8	<b>W372PLP-5/32-2</b>
5/32	1/4	<b>W372PLP-5/32-4</b>
3/16	1/8	<b>W372PLP-3-2</b>
1/4	1/8	<b>W372PLP-4-2</b>
1/4	1/4	<b>W372PLP-4-4</b>
1/4	3/8	<b>W372PLP-4-6</b>
5/16	1/8	<b>W372PLP-5-2</b>
5/16	1/4	<b>W372PLP-5-4</b>
5/16	3/8	<b>W372PLP-5-6</b>
3/8	1/8	<b>W372PLP-6-2</b>
3/8	1/4	<b>W372PLP-6-4</b>
3/8	3/8	<b>W372PLP-6-6</b>
3/8	1/2	<b>W372PLP-6-8</b>
1/2	1/4	<b>W372PLP-8-4</b>
1/2	3/8	<b>W372PLP-8-6</b>
1/2	1/2	<b>W372PLP-8-8</b>

**W369PLPX Extended Male Elbow**



Tube size (in.)	Thread NPT / UNF	Part number
1/8	10-32	<b>369PLPX-2-0</b>
1/8	1/8	<b>W369PLPX-2-2</b>
1/8	1/4	<b>W369PLPX-2-4</b>
5/32	10-32	<b>369PLPX-5/32-0</b>
5/32	1/8	<b>W369PLPX-5/32-2</b>
5/32	1/4	<b>W369PLPX-5/32-4</b>
1/4	10-32	<b>369PLPX-4-0</b>
1/4	M7	<b>369PLPX-4-M7</b>
1/4	1/8	<b>W369PLPX-4-2</b>
1/4	1/4	<b>W369PLPX-4-4</b>
1/4	3/8	<b>W369PLPX-4-6</b>
5/16	1/8	<b>W369PLPX-5-2</b>
5/16	1/4	<b>W369PLPX-5-4</b>
3/8	1/8	<b>W369PLPX-6-2</b>
3/8	1/4	<b>W369PLPX-6-4</b>
3/8	3/8	<b>W369PLPX-6-6</b>

Most popular.

**G**

Accessories

Ball / Plug Valves

Hose & Fittings

Integrated Fittings

Misc. Accessories

Quick Couplings

Tubing & Fittings



### W371PLP Male Run Tee Swivel

Tube size (in.)	Thread NPT / UNF	Part number
1/8	10-32	<b>371PLP-2-0</b>
1/8	1/16	<b>W371PLP-2-1</b>
1/8	1/8	<b>W371PLP-2-2</b>
5/32	10-32	<b>371PLP-5/32-0</b>
5/32	1/8	<b>W371PLP-5/32-2</b>
5/32	1/4	<b>W371PLP-5/32-4</b>
3/16	1/8	<b>W371PLP-3-2</b>
1/4	1/8	<b>W371PLP-4-2</b>
1/4	1/4	<b>W371PLP-4-4</b>
1/4	3/8	<b>W371PLP-4-6</b>
5/16	1/8	<b>W371PLP-5-2</b>
5/16	1/4	<b>W371PLP-5-4</b>
5/16	3/8	<b>W371PLP-5-6</b>
3/8	1/8	<b>W371PLP-6-2</b>
3/8	1/4	<b>W371PLP-6-4</b>
3/8	3/8	<b>W371PLP-6-6</b>
3/8	1/2	<b>W371PLP-6-8</b>
1/2	1/4	<b>W371PLP-8-4</b>
1/2	3/8	<b>W371PLP-8-6</b>
1/2	1/2	<b>W371PLP-8-8</b>



### W68PLPSP Male Standpipe

Tube size (in.)	Thread NPT / UNF	Part number
5/32	10-32	<b>68PLPSP-5/32-0</b>
5/32	1/8	<b>W68PLPSP-5/32-2</b>
5/32	1/4	<b>W68PLPSP-5/32-4</b>
1/4	1/8	<b>W68PLPSP-4-2</b>
1/4	1/4	<b>W68PLPSP-4-4</b>
5/16	1/8	<b>W68PLPSP-5-2</b>
5/16	1/4	<b>W68PLPSP-5-4</b>
3/8	1/8	<b>W68PLPSP-6-2</b>
3/8	1/4	<b>W68PLPSP-6-4</b>
3/8	3/8	<b>W68PLPSP-6-6</b>
1/2	3/8	<b>W68PLPSP-8-6</b>
1/2	1/2	<b>W68PLPSP-8-8</b>



### W368PLP Male Y Connector

Tube size (in.)	Thread NPT / UNF	Part number
5/32	1/8	<b>W368PLP-5/32-2</b>
5/32	1/4	<b>W368PLP-5/32-4</b>
1/4	1/8	<b>W368PLP-4-2</b>
1/4	1/4	<b>W368PLP-4-4</b>
3/8	1/4	<b>W368PLP-6-4</b>
3/8	3/8	<b>W368PLP-6-6</b>



Most popular.

### 32PLP Equal Union

Tube Size (in.)	Part number
1/8	<b>32PLP-2</b>
5/32	<b>32PLP-5/32</b>
3/16	<b>32PLP-3</b>
1/4	<b>32PLP-4</b>
5/16	<b>32PLP-5</b>
3/8	<b>32PLP-6</b>
1/2	<b>32PLP-8</b>



### 365PLP Union Elbow

Tube Size (in.)	Part number
1/8	<b>365PLP-2</b>
5/32	<b>365PLP-5/32</b>
3/16	<b>365PLP-3</b>
1/4	<b>365PLP-4</b>
5/16	<b>365PLP-5</b>
3/8	<b>365PLP-6</b>
1/2	<b>365PLP-8</b>



### 364PLP Union Tee

Tube Size (in.)	Part number
1/8	<b>364PLP-2</b>
5/32	<b>364PLP-5/32</b>
3/16	<b>364PLP-3</b>
1/4	<b>364PLP-4</b>
5/16	<b>364PLP-5</b>
3/8	<b>364PLP-6</b>
1/2	<b>364PLP-8</b>



### 362PLP Union Y Connector

1 Tube size (in.)	2 Tube size (in.)	Part number
1/8	1/8	<b>362PLP-2</b>
1/8	1/4	<b>362PLP-2-4</b>
5/32	5/32	<b>362PLP-5/32</b>
5/32	1/4	<b>362PLP-5/32-4</b>
1/4	1/4	<b>362PLP-4</b>
1/4	3/8	<b>362PLP-4-6</b>
5/16	5/16	<b>362PLP-5</b>
3/8	3/8	<b>362PLP-6</b>



### 362PLPD Double Y Connector

1 Tube size (in.)	2 Tube size (in.)	Part number
5/32	5/32	<b>362PLPD-5/32</b>
5/32	1/4	<b>362PLPD-5/32-4</b>



**G**

Accessories

Ball / Plug Valves

Hose & Fittings

Integrated Fittings

Misc. Accessories

Quick Couplings

Tubing & Fittings

**24PLP Multiple Tee**



1 Tube size (in.)	2 Tube size (in.)	Part number
1/4	5/32	<b>24PLP-4-5/32</b>
1/4	1/4	<b>24PLP-4-4</b>
5/16	5/32	<b>24PLP-5-5/32</b>
3/8	1/4	<b>24PLP-6-4</b>

**24PLPD Double Multiple Tee**



1 Tube size (in.)	2 Tube size (in.)	Part number
1/4	5/32	<b>24PLPD-4-5/32</b>
1/4	1/4	<b>24PLPD-4-4</b>
5/16	5/32	<b>24PLPD-5-5/32</b>
3/8	1/4	<b>24PLPD-6-4</b>

**347PLP Equal Cross**



Tube Size (in.)	Part number
5/32	<b>347PLP-5/32</b>
1/4	<b>347PLP-4</b>
5/16	<b>347PLP-5</b>

**32PLPRC Connector for 2 Tubes**



Tube Size (in.)	Part number
5/32	<b>32PLPRC-5/32</b>
1/4	<b>32PLPRC-4</b>
5/16	<b>32PLPRC-5</b>

**32PLPDRC Connector for 3 Tubes**



Tube Size (in.)	Part number
5/32	<b>32PLPDRC-5/32</b>
5/16	<b>32PLPDRC-5</b>

**377PLP Female Branch Tee Swivel**



Tube size (in.)	Thread NPT / UNF	Part number
1/8	1/8	<b>377PLP-2-2</b>
5/32	1/8	<b>377PLP-5/32-2</b>
5/32	1/4	<b>377PLP-5/32-4</b>
1/4	1/8	<b>377PLP-4-2</b>
1/4	1/4	<b>377PLP-4-4</b>
5/16	1/8	<b>377PLP-5-2</b>
5/16	1/4	<b>377PLP-5-4</b>
3/8	1/4	<b>377PLP-6-4</b>
1/2	3/8	<b>377PLP-8-6</b>

Most popular.

**370PLP Female Elbow Swivel**



Tube size (in.)	Thread NPT	Part number
1/8	1/8	<b>370PLP-2-2</b>
5/32	1/8	<b>370PLP-5/32-2</b>
5/32	1/4	<b>370PLP-5/32-4</b>
1/4	1/8	<b>370PLP-4-2</b>
1/4	1/4	<b>370PLP-4-4</b>
5/16	1/8	<b>370PLP-5-2</b>
5/16	1/4	<b>370PLP-5-4</b>
3/8	1/4	<b>370PLP-6-4</b>
1/2	3/8	<b>370PLP-8-6</b>

**32PLPBH Bulkhead Union**



Tube Size (in.)	Part number
1/8	<b>32PLPBH-2</b>
5/32	<b>32PLPBH-5/32</b>
1/4	<b>32PLPBH-4</b>
5/16	<b>32PLPBH-5</b>
3/8	<b>32PLPBH-6</b>
1/2	<b>32PLPBH-8</b>

**365PLPBH Equal Bulkhead Elbow**



Tube size (in.)	Thread NPT / UNF	Part number
1/8	13	<b>365PLPBH-2</b>
5/32		<b>365PLPBH-5/32</b>
1/4	18	<b>365PLPBH-4</b>
5/16		<b>365PLPBH-5</b>
3/8	22	<b>365PLPBH-6</b>
1/2	29	<b>365PLPBH-8</b>

**369PLPSP Plug-In Elbow**



1 Tube size (in.)	2 Tube size (in.)	Part number
1/8	1/8	<b>369PLPSP-2</b>
5/32	5/32	<b>369PLPSP-5/32</b>
5/32	1/4	<b>369PLPSP-5/32-4</b>
1/4	1/4	<b>369PLPSP-4</b>
1/4	3/8	<b>369PLPSP-4-6</b>
5/16	5/16	<b>369PLPSP-5</b>
3/8	3/8	<b>369PLPSP-6</b>
1/2	1/2	<b>369PLPSP-8</b>

**G**  
 Accessories  
 Ball / Plug Valves  
 Hose & Fittings  
 Integrated Fittings  
 Misc. Accessories  
 Quick Couplings  
 Tubing & Fittings

**369PLPSPX Extended Plug-In Elbow**



1 Tube size (in.)	2 Tube size (in.)	Part number
1/8	1/8	<b>369PLPSPX-2</b>
5/32	5/32	<b>369PLPSPX-5/32</b>
1/4	1/4	<b>369PLPSPX-4</b>
5/16	5/16	<b>369PLPSPX-5</b>
3/8	3/8	<b>369PLPSPX-6</b>

**379PLPSP 45° Plug-In Elbow**



1 Tube size (in.)	2 Tube size (in.)	Part number
1/8	1/8	<b>379PLPSP-2</b>
5/32	5/32	<b>379PLPSP-5/32</b>
1/4	1/4	<b>379PLPSP-4</b>
5/16	5/16	<b>379PLPSP-5</b>
3/8	3/8	<b>379PLPSP-6</b>

**372PLPSP Plug-In Branch Tee**



1 Tube size (in.)	2 Tube size (in.)	Part number
1/8	1/8	<b>372PLPSP-2</b>
5/32	5/32	<b>372PLPSP-5/32</b>
1/4	1/4	<b>372PLPSP-4</b>
5/16	5/16	<b>372PLPSP-5</b>
3/8	3/8	<b>372PLPSP-6</b>
1/2	1/2	<b>372PLPSP-8</b>

**371PLPSP Plug-In Run Tee**



1 Tube size (in.)	2 Tube size (in.)	Part number
5/32	5/32	<b>371PLPSP-5/32</b>
1/4	1/4	<b>371PLPSP-4</b>
5/16	5/16	<b>371PLPSP-5</b>
3/8	3/8	<b>371PLPSP-6</b>
1/2	1/2	<b>371PLPSP-8</b>

**362PLPSP Plug-In Y**



1 Tube size (in.)	2 Tube size (in.)	Part number
1/8	1/8	<b>362PLPSP-2</b>
5/32	5/32	<b>362PLPSP-5/32</b>
1/4	1/4	<b>362PLPSP-4</b>
5/16	5/16	<b>362PLPSP-5</b>
3/8	3/8	<b>362PLPSP-6</b>

**67PLP Tube End Reducer**



1 Tube size (in.)	2 Tube size (in.)	Part number
1/8	5/32	<b>67PLP-2-5/32</b>
1/8	3/16	<b>67PLP-2-3</b>
1/8	1/4	<b>67PLP-2-4</b>
5/32	3/16	<b>67PLP-5/32-3</b>
5/32	1/4	<b>67PLP-5/32-4</b>
5/32	5/16	<b>67PLP-5/32-5</b>
5/32	3/8	<b>67PLP-5/32-6</b>
3/16	5/16	<b>67PLP-3-5</b>
3/16	1/4	<b>67PLP-3-4</b>
1/4	5/16	<b>67PLP-4-5</b>
1/4	3/8	<b>67PLP-4-6</b>
1/4	1/2	<b>67PLP-4-8</b>
5/16	3/8	<b>67PLP-5-6</b>
5/16	1/2	<b>67PLP-5-8</b>
3/8	1/2	<b>67PLP-6-8</b>

**32PLPSP Tube Expander**



1 Tube size (in.)	2 Tube size (in.)	Part number
1/4	1/8	<b>32PLPSP-4-2</b>
1/4	6M	<b>32PLPSP-4-6M</b>
1/4	5/32	<b>32PLPSP-4-5/32</b>
1/4	3/16	<b>32PLPSP-4-3</b>
3/8	1/4	<b>32PLPSP-6-4</b>

**322PLPSP Barbed Connector**



OD 1	OD 2	OD 3	Part number
5/32	0.12	0.20	<b>322PLPSP-2-5/32</b>
5/32	0.20	0.28	<b>322PLPSP-5M-5/32</b>
1/4	3/16		<b>322PLPSP-3-4</b>
5/16	0.25	0.34	<b>322PLPSP-4-5</b>
3/8	0.32	0.39	<b>322PLPSP-5-5</b>
3/8	0.32	0.39	<b>322PLPSP-5-6</b>

**63PLP Double Male Union**



Tube size (in.)	Part number
5/32	<b>63PLP-5/32</b>
1/4	<b>63PLP-4</b>
5/16	<b>63PLP-5</b>
3/8	<b>63PLP-6</b>
1/2	<b>63PLP-8</b>

Most popular.



### 639PLP Plug



Tube size (in.)	Part number
1/8	<b>639PLP-2</b>
5/32	<b>639PLP-5/32</b>
3/16	<b>639PLP-3</b>
1/4	<b>639PLP-4</b>
5/16	<b>639PLP-5</b>
3/8	<b>639PLP-6</b>
1/2	<b>639PLP-8</b>

### W369PLP Male Elbow



Tube size (mm)	Thread NPT	Part number
4	1/8	<b>W369PLP-4M-2</b>
4	1/4	<b>W369PLP-4M-4</b>
6	1/8	<b>W369PLP-6M-2</b>
6	1/4	<b>W369PLP-6M-4</b>
8	1/8	<b>W369PLP-8M-2</b>
8	1/4	<b>W369PLP-8M-4</b>
8	3/8	<b>W369PLP-8M-6</b>
10	1/4	<b>W369PLP-10M-4</b>
10	3/8	<b>W369PLP-10M-6</b>
10	1/2	<b>W369PLP-10M-8</b>
12	3/8	<b>W369PLP-12M-6</b>
12	1/2	<b>W369PLP-12M-8</b>

### W372PLP Male Branch Tee Swivel



Tube size (in.)	Thread NPT / UNF	Part number
1/8	10-32	<b>372PLP-2-0</b>
1/8	1/16	<b>W372PLP-2-1</b>
1/8	1/8	<b>W372PLP-2-2</b>
1/8	1/4	<b>W372PLP-2-4</b>
5/32	10-32	<b>372PLP-5/32-0</b>
5/32	1/8	<b>W372PLP-5/32-2</b>
5/32	1/4	<b>W372PLP-5/32-4</b>
3/16	1/8	<b>W372PLP-3-2</b>
1/4	1/8	<b>W372PLP-4-2</b>
1/4	1/4	<b>W372PLP-4-4</b>
1/4	3/8	<b>W372PLP-4-6</b>
5/16	1/8	<b>W372PLP-5-2</b>
5/16	1/4	<b>W372PLP-5-4</b>
5/16	3/8	<b>W372PLP-5-6</b>
3/8	1/8	<b>W372PLP-6-2</b>
3/8	1/4	<b>W372PLP-6-4</b>
3/8	3/8	<b>W372PLP-6-6</b>
3/8	1/2	<b>W372PLP-6-8</b>
1/2	1/4	<b>W372PLP-8-4</b>
1/2	3/8	<b>W372PLP-8-6</b>
1/2	1/2	<b>W372PLP-8-8</b>

Most popular.

### 32PLP Union



Tube size (mm)	Part number
3	<b>32PLP-3M</b>
4	<b>32PLP-4M</b>
6	<b>32PLP-6M</b>
8	<b>32PLP-8M</b>
10	<b>32PLP-10M</b>
12	<b>32PLP-12M</b>
14	<b>32PLP-14M</b>

### 365PLP Union Elbow



Tube size (mm)	Part number
4	<b>365PLP-4M</b>
6	<b>365PLP-6M</b>
8	<b>365PLP-8M</b>
10	<b>365PLP-10M</b>
12	<b>365PLP-12M</b>
14	<b>365PLP-14M</b>

### 364PLP Union Tee



Tube size (mm)	Part number
3	<b>364PLP-3M</b>
4	<b>364PLP-4M</b>
6	<b>364PLP-6M</b>
8	<b>364PLP-8M</b>
10	<b>364PLP-10M</b>
12	<b>364PLP-12M</b>
14	<b>364PLP-14M</b>

### 362PLP Union Y Connector



1 Tube size (mm)	2 Tube size (mm)	Part number
4	4	<b>362PLP-4M</b>
6	6	<b>362PLP-6M</b>
8	8	<b>362PLP-8M</b>
10	10	<b>362PLP-10M</b>
12	12	<b>362PLP-12M</b>
4	6	<b>362PLP-4M-6M</b>
6	8	<b>362PLP-6M-8M</b>
8	10	<b>362PLP-8M-10M</b>
10	12	<b>362PLP-10M-12M</b>

### 362PLPD Double Y Connector




1 Tube size (mm)	2 Tube size (mm)	Part number
4	4	<b>362PLPD-4M</b>
6	6	<b>362PLPD-6M</b>
4	6	<b>362PLPD-4M-6M</b>
6	8	<b>362PLPD-6M-8M</b>

**G**  
 Accessories  
 Ball / Plug Valves  
 Hose & Fittings  
 Integrated Fittings  
 Misc. Accessories  
 Quick Couplings  
 Tubing & Fittings




**24PLP Multiple Tee**




1 Tube size (mm)	2 Tube size (mm)	Part number
6	4	<b>24PLP-6M-4M</b>
8	4	<b>24PLP-8M-4M</b>
8	6	<b>24PLP-8M-6M</b>
10	6	<b>24PLP-10M-6M</b>
10	8	<b>24PLP-10M-8M</b>

**24PLPD Double Multiple Tee**




1 Tube size (mm)	2 Tube size (mm)	Part number
6	4	<b>24PLPD-6M-4M</b>
8	4	<b>24PLPD-8M-4M</b>
8	6	<b>24PLPD-8M-6M</b>
10	6	<b>24PLPD-10M-6M</b>
10	8	<b>24PLPD-10M-8M</b>

**347PLP Equal Cross**




Tube size (mm)	Part number
4	<b>347PLP-4M</b>
6	<b>347PLP-6M</b>
8	<b>347PLP-8M</b>

**32PLPRC Connector for 2 Tubes**




Tube size (mm)	Part number
4	<b>32PLPRC-4M</b>
6	<b>32PLPRC-6M</b>
8	<b>32PLPRC-8M</b>

**32PLPDRC Connector for 3 Tubes**



Tube size (mm)	Part number
4	<b>32PLPDRC-4M</b>
6	<b>32PLPDRC-6M</b>
8	<b>32PLPDRC-8M</b>


**32PLPBH Bulkhead Union**



Tube size (mm)	Part number
4	<b>32PLPBH-4M</b>
6	<b>32PLPBH-6M</b>
8	<b>32PLPBH-8M</b>
10	<b>32PLPBH-10M</b>
12	<b>32PLPBH-12M</b>
14	<b>32PLPBH-14M</b>


 Most popular.

**365PLPBH Equal Bulkhead Elbow**



Tube size (mm)	Part number
4	<b>365PLPBH-4M</b>
6	<b>365PLPBH-6M</b>
8	<b>365PLPBH-8M</b>
10	<b>365PLPBH-10M</b>
12	<b>365PLPBH-12M</b>

**370PLP Female Elbow - BSPP**



Tube size (mm)	BSPP	Part number
4	1/8	<b>370PLP-4M-2G</b>
4	1/4	<b>370PLP-4M-4G</b>
6	1/8	<b>370PLP-6M-2G</b>
6	1/4	<b>370PLP-6M-4G</b>
8	1/8	<b>370PLP-8M-2G</b>
8	1/4	<b>370PLP-8M-4G</b>
8	3/8	<b>370PLP-8M-6G</b>
10	1/4	<b>370PLP-10M-4G</b>
10	3/8	<b>370PLP-10M-6G</b>
10	1/2	<b>370PLP-10M-8G</b>
12	1/4	<b>370PLP-12M-4G</b>
12	3/8	<b>370PLP-12M-6G</b>
12	1/2	<b>370PLP-12M-8G</b>

**G**  
 Accessories  
 Ball / Plug Valves  
 Hose & Fittings  
 Integrated Fittings  
 Misc. Accessories  
 Quick Couplings  
 Tubing & Fittings

**369PLP Male Elbow - BSPP**

Tube size (mm)	BSPP	Part number
3	M3x0.5	<b>369PLP-3M-M3</b>
3	M5x0.8	<b>369PLP-3M-M5</b>
4	M3x0.5	<b>369PLP-4M-M3</b>
4	M5x0.8	<b>369PLP-4M-M5</b>
4	M7x1	<b>369PLP-4M-M7</b>
4	1/8	<b>369PLP-4M-2G</b>
4	1/4	<b>369PLP-4M-4G</b>
6	M5x0.8	<b>369PLP-6M-M5</b>
6	M7x1	<b>369PLP-6M-M7</b>
6	M10x1	<b>369PLP-6M-M10</b>
6	M12x1.5	<b>369PLP-6M-M12</b>
6	1/8	<b>369PLP-6M-2G</b>
6	1/4	<b>369PLP-6M-4G</b>
6	3/8	<b>369PLP-6M-6G</b>
6	1/2	<b>369PLP-6M-8G</b>
8	M10x1	<b>369PLP-8M-M10</b>
8	M12x1.5	<b>369PLP-8M-M12</b>
8	1/8	<b>369PLP-8M-2G</b>
8	1/4	<b>369PLP-8M-4G</b>
8	3/8	<b>369PLP-8M-6G</b>
8	1/2	<b>369PLP-8M-8G</b>
10	1/4	<b>369PLP-10M-4G</b>
10	3/8	<b>369PLP-10M-6G</b>
10	1/2	<b>369PLP-10M-8G</b>
12	1/4	<b>369PLP-12M-4G</b>
12	3/8	<b>369PLP-12M-6G</b>
12	1/2	<b>369PLP-12M-8G</b>
14	3/8	<b>369PLP-14M-6G</b>
14	1/2	<b>369PLP-14M-8G</b>



**369PLPX Male Elbow - BSPP**

Tube size (mm)	BSPP	Part number
4	M5x0.8	<b>369PLPX-4M-M5</b>
4	M7x1	<b>369PLPX-4M-M7</b>
4	1/8	<b>369PLPX-4M-2G</b>
4	1/4	<b>369PLPX-4M-4G</b>
6	M5x0.8	<b>369PLPX-6M-M5</b>
6	M7x1	<b>369PLPX-6M-M7</b>
6	1/8	<b>369PLPX-6M-2G</b>
6	1/4	<b>369PLPX-6M-4G</b>
8	1/8	<b>369PLPX-8M-2G</b>
8	1/4	<b>369PLPX-8M-4G</b>
8	3/8	<b>369PLPX-8M-6G</b>
10	1/4	<b>369PLPX-10M-4G</b>
10	3/8	<b>369PLPX-10M-6G</b>
10	1/2	<b>369PLPX-10M-8G</b>
12	1/4	<b>369PLPX-12M-4G</b>
12	3/8	<b>369PLPX-12M-6G</b>
12	1/2	<b>369PLPX-12M-8G</b>
14	3/8	<b>369PLPX-14M-6G</b>
14	1/2	<b>369PLPX-14M-8G</b>



**372PLP Male Branch Tee - BSPP**

Tube size (mm)	BSPP / M5	Part number
4	M5x0.8	<b>372PLP-4M-M5</b>
4	1/8	<b>372PLP-4M-2G</b>
4	1/4	<b>372PLP-4M-4G</b>
6	M5x0.8	<b>372PLP-6M-M5</b>
6	1/8	<b>372PLP-6M-2G</b>
6	1/4	<b>372PLP-6M-4G</b>
8	1/8	<b>372PLP-8M-2G</b>
8	1/4	<b>372PLP-8M-4G</b>
8	3/8	<b>372PLP-8M-6G</b>
10	1/4	<b>372PLP-10M-4G</b>
10	3/8	<b>372PLP-10M-6G</b>
10	1/2	<b>372PLP-10M-8G</b>
12	1/4	<b>372PLP-12M-4G</b>
12	3/8	<b>372PLP-12M-6G</b>
12	1/2	<b>372PLP-12M-8G</b>
14	3/8	<b>372PLP-14M-6G</b>
14	1/2	<b>372PLP-14M-8G</b>



**379PLP 45° Male Elbow - BSPP**

Tube size (mm)	BSPP / M5	Part number
4	M5x0.8	<b>379PLP-4M-M5</b>
4	1/8	<b>379PLP-4M-2G</b>
6	M5x0.8	<b>379PLP-6M-M5</b>
6	1/8	<b>379PLP-6M-2G</b>
6	1/4	<b>379PLP-6M-4G</b>
8	1/8	<b>379PLP-8M-2G</b>
8	1/4	<b>379PLP-8M-4G</b>
8	3/8	<b>379PLP-8M-6G</b>
10	1/4	<b>379PLP-10M-4G</b>
10	3/8	<b>379PLP-10M-6G</b>
10	1/2	<b>379PLP-10M-8G</b>
12	1/4	<b>379PLP-12M-4G</b>
12	3/8	<b>379PLP-12M-6G</b>
12	1/2	<b>379PLP-12M-8G</b>



Most popular.

**G**  
 Accessories  
 Ball / Plug Valves  
 Hose & Fittings  
 Integrated Fittings  
 Misc. Accessories  
 Quick Couplings  
 Tubing & Fittings



**371PLP Male Run Tee - BSPP**

Tube size (mm)	BSPP	Part number
4	M5x0.8	<b>371PLP-4M-M5</b>
4	1/8	<b>371PLP-4M-2G</b>
4	1/4	<b>371PLP-4M-4G</b>
6	M5x0.8	<b>371PLP-6M-M5</b>
6	1/8	<b>371PLP-6M-2G</b>
6	1/4	<b>371PLP-6M-4G</b>
8	1/8	<b>371PLP-8M-2G</b>
8	1/4	<b>371PLP-8M-4G</b>
8	3/8	<b>371PLP-8M-6G</b>
10	1/4	<b>371PLP-10M-4G</b>
10	3/8	<b>371PLP-10M-6G</b>
10	1/2	<b>371PLP-10M-8G</b>
12	1/4	<b>371PLP-12M-4G</b>
12	3/8	<b>371PLP-12M-6G</b>
12	1/2	<b>371PLP-12M-8G</b>
14	3/8	<b>371PLP-14M-6G</b>
14	1/2	<b>371PLP-14M-8G</b>



**368PLP Male Y Connector - BSPP**

Tube size (mm)	BSPP / M5	Part number
4	M5x0.8	<b>368PLP-4M-M5</b>
4	1/8	<b>368PLP-4M-2G</b>
4	1/4	<b>368PLP-4M-4G</b>
6	M5x0.8	<b>368PLP-6M-M5</b>
6	1/8	<b>368PLP-6M-2G</b>
6	1/4	<b>368PLP-6M-4G</b>
8	1/8	<b>368PLP-8M-2G</b>
8	1/4	<b>368PLP-8M-4G</b>
8	3/8	<b>368PLP-8M-6G</b>
10	1/4	<b>368PLP-10M-4G</b>
10	3/8	<b>368PLP-10M-6G</b>
10	1/2	<b>368PLP-10M-8G</b>
12	3/8	<b>368PLP-12M-6G</b>
12	1/2	<b>368PLP-12M-8G</b>



**68PLPSP Male Standpipe - BSPP**

Tube size (mm)	BSPP	Part number
4	M5x0.8	<b>68PLPSP-4M-M5</b>
4	1/8	<b>68PLPSP-4M-2G</b>
4	1/4	<b>68PLPSP-4M-4G</b>
6	1/8	<b>68PLPSP-6M-2G</b>
6	1/4	<b>68PLPSP-6M-4G</b>
8	1/8	<b>68PLPSP-8M-2G</b>
8	1/4	<b>68PLPSP-8M-4G</b>
8	3/8	<b>68PLPSP-8M-6G</b>
10	1/4	<b>68PLPSP-10M-4G</b>
10	3/8	<b>68PLPSP-10M-6G</b>
10	1/2	<b>68PLPSP-10M-8G</b>
12	3/8	<b>68PLPSP-12M-6G</b>
12	1/2	<b>68PLPSP-12M-8G</b>
14	3/8	<b>68PLPSP-14M-6G</b>
14	1/2	<b>68PLPSP-14M-8G</b>



**368PLPD Double Y Male Connector - BSPP**

Tube size (mm)	BSPP	Part number
4	1/8	<b>368PLPD-4M-2G</b>
4	1/4	<b>368PLPD-4M-4G</b>
6	1/8	<b>368PLPD-6M-2G</b>
6	1/4	<b>368PLPD-6M-4G</b>



**369PLPSP Plug-In Elbow**

1 Tube size (mm)	2 Tube size (mm)	Part number
4	4	<b>369PLPSP-4M</b>
6	6	<b>369PLPSP-6M</b>
8	8	<b>369PLPSP-8M</b>
10	10	<b>369PLPSP-10M</b>
12	12	<b>369PLPSP-12M</b>
4	6	<b>369PLPSP-4M-6M</b>
6	4	<b>369PLPSP-6M-4M</b>
6	8	<b>369PLPSP-6M-8M</b>
8	10	<b>369PLPSP-8M-10M</b>
10	12	<b>369PLPSP-10M-12M</b>



Most popular.



**369PLXSP Extended Plug-In Elbow**



1 Tube size (mm)	2 Tube size (mm)	Part number
4	4	<b>369PLXSP-4M</b>
6	6	<b>369PLXSP-6M</b>
8	8	<b>369PLXSP-8M</b>
10	10	<b>369PLXSP-10M</b>
12	12	<b>369PLXSP-12M</b>
4	6	<b>369PLXSP-4M-6M</b>
6	8	<b>369PLXSP-6M-8M</b>
8	10	<b>369PLXSP-8M-10M</b>
10	12	<b>369PLXSP-10M-12M</b>

**362PLPSP Plug-In Y**



1 Tube size (mm)	2 Tube size (mm)	Part number
4	4	<b>362PLPSP-4M</b>
6	6	<b>362PLPSP-6M</b>
8	8	<b>362PLPSP-8M</b>
10	10	<b>362PLPSP-10M</b>
12	12	<b>362PLPSP-12M</b>
4	6	<b>362PLPSP-4M-6M</b>
6	8	<b>362PLPSP-6M-8M</b>
8	10	<b>362PLPSP-8M-10M</b>
10	12	<b>362PLPSP-10M-12M</b>

**379PLPSP 45° Plug-In Elbow**



1 Tube size (mm)	2 Tube size (mm)	Part number
4	4	<b>379PLPSP-4M</b>
6	6	<b>379PLPSP-6M</b>
8	8	<b>379PLPSP-8M</b>
10	10	<b>379PLPSP-10M</b>
12	12	<b>379PLPSP-12M</b>

**362PLPDSP Plug-In Multiple Y**



1 Tube size (mm)	2 Tube size (mm)	Part number
6	4	<b>362PLPDSP-6M-4M</b>
8	4	<b>362PLPDSP-8M-4M</b>
8	6	<b>362PLPDSP-8M-6M</b>

**372PLPSP Plug-In Branch Tee**



1 Tube size (mm)	2 Tube size (mm)	Part number
4	4	<b>372PLPSP-4M</b>
6	6	<b>372PLPSP-6M</b>
8	8	<b>372PLPSP-8M</b>
10	10	<b>372PLPSP-10M</b>
12	12	<b>372PLPSP-12M</b>
4	6	<b>372PLPSP-4M-6M</b>
6	8	<b>372PLPSP-6M-8M</b>
8	10	<b>372PLPSP-8M-10M</b>
10	12	<b>372PLPSP-10M-12M</b>

**67PLP Tube Reducer**



1 Tube size (mm)	2 Tube size (mm)	Part number
6	4	<b>67PLP-6M-4M</b>
8	4	<b>67PLP-8M-4M</b>
8	6	<b>67PLP-8M-6M</b>
10	4	<b>67PLP-10M-4M</b>
10	6	<b>67PLP-10M-6M</b>
10	8	<b>67PLP-10M-8M</b>
12	10	<b>67PLP-12M-10M</b>
12	6	<b>67PLP-12M-6M</b>
12	8	<b>67PLP-12M-8M</b>
14	10	<b>67PLP-14M-10M</b>
14	12	<b>67PLP-14M-12M</b>
14	6	<b>67PLP-14M-6M</b>
14	8	<b>67PLP-14M-8M</b>

**371PLPSP Plug-In Run Tee**



1 Tube size (mm)	2 Tube size (mm)	Part number
4	4	<b>371PLPSP-4M</b>
6	6	<b>371PLPSP-6M</b>
8	8	<b>371PLPSP-8M</b>
10	10	<b>371PLPSP-10M</b>
12	12	<b>371PLPSP-12M</b>
4	6	<b>371PLPSP-4M-6M</b>
6	8	<b>371PLPSP-6M-8M</b>
8	10	<b>371PLPSP-8M-10M</b>
10	12	<b>371PLPSP-10M-12M</b>

**32PLPSP Tube Expander**



1 Tube size (mm)	2 Tube size (mm)	Part number
6	4	<b>32PLPSP-6M-4M</b>
8	6	<b>32PLPSP-8M-6M</b>
10	8	<b>32PLPSP-10M-8M</b>
12	10	<b>32PLPSP-12M-10M</b>

Most popular.

**G**  
 Accessories  
 Ball / Plug Valves  
 Hose & Fittings  
 Integrated Fittings  
 Misc. Accessories  
 Quick Couplings  
 Tubing & Fittings



**322PLPSP Barbed Connector**



OD 1	OD 2	OD 3	Part number
4	3.2	5.0	<b>322PLPSP-3M-4M</b>
4	5.0	7.0	<b>322PLPSP-5M-4M</b>
6	5.0	7.0	<b>322PLPSP-5M-6M</b>
8	6.3	8.5	<b>322PLPSP-6M-8M</b>
8	8.0	10.0	<b>322PLPSP-8M-8M</b>
10	6.3	8.0	<b>322PLPSP-6M-10M</b>
10	8.0	10.0	<b>322PLPSP-8M-10M</b>
12	8.0	10.0	<b>322PLPSP-8M-12M</b>
12	10.0	12.0	<b>322PLPSP-1012M</b>
12	12.5	14.5	<b>322PLPSP-1212M</b>
14	12.5	14.5	<b>322PLPSP-1214M</b>
14	14.0	16.0	<b>322PLPSP-1414M</b>

**Push-to-Connect, Prestolok Metal**

**W68PLP Male Connector**



Tube size (in.)	Pipe thd (NPTF)	Part number
1/8	1/16	<b>W68PLP-2-1</b>
1/8	1/8	<b>W68PLP-2-2</b>
1/8	1/4	<b>W68PLP-2-4</b>
3/16	1/8	<b>W68PLP-3-2</b>
3/16	1/4	<b>W68PLP-3-4</b>
5/32	1/16	<b>W68PLP-5/32-1</b>
5/32	1/8	<b>W68PLP-5/32-2</b>
5/32	1/4	<b>W68PLP-5/32-4</b>
1/4	1/16	<b>W68PLP-4-1</b>
1/4	1/8	<b>W68PLP-4-2</b>
1/4	1/4	<b>W68PLP-4-4</b>
1/4	3/8	<b>W68PLP-4-6</b>
5/16	1/8	<b>W68PLP-5-2</b>
5/16	1/4	<b>W68PLP-5-4</b>
5/16	3/8	<b>W68PLP-5-6</b>
3/8	1/8	<b>W68PLP-6-2</b>
3/8	1/4	<b>W68PLP-6-4</b>
3/8	3/8	<b>W68PLP-6-6</b>
3/8	1/2	<b>W68PLP-6-8</b>
1/2	1/4	<b>W68PLP-8-4</b>
1/2	3/8	<b>W68PLP-8-6</b>
1/2	1/2	<b>W68PLP-8-8</b>
5/32	1/4-28	<b>68PLP-5/32-4LT*</b>

\*SAE-LT Threads

Most popular.

**W68PLPR Round Body Male Connector**



Tube size (in.)	Thread size NPTF	Part number
5/32	1/16	<b>W68PLPR-5/32-1</b>
5/32	1/8	<b>W68PLPR-5/32-2</b>
1/4	1/16	<b>W68PLPR-4-1</b>
1/4	1/8	<b>W68PLPR-4-2</b>
1/4	1/4	<b>W68PLPR-4-4</b>

\*10-32 seal is neoprene

**W68PW Male Connector (Nickel Plated)**



Tube size (in.)	Thread size NPTF	Part number
1/4	1/8	<b>W68PW-4-2</b>
1/4	1/4	<b>W68PW-4-4</b>
1/4	3/8	<b>W68PW-4-6</b>
5/16	1/8	<b>W68PW-5-2</b>
5/16	1/4	<b>W68PW-5-4</b>
5/16	3/8	<b>W68PW-5-6</b>
3/8	1/8	<b>W68PW-6-2</b>
3/8	1/4	<b>W68PW-6-4</b>
3/8	3/8	<b>W68PW-6-6</b>
3/8	1/2	<b>W68PW-6-8</b>
1/2	1/4	<b>W68PW-8-4</b>
1/2	3/8	<b>W68PW-8-6</b>
1/2	1/2	<b>W68PW-8-8</b>

**G**

Accessories

Ball / Plug Valves

Hose & Fittings

Integrated Fittings

Misc. Accessories

Quick Couplings

Tubing & Fittings

**W169PLP Male Elbow Swivel 90°**

Tube size (in.)	Pipe thread (NPTF)	Part number
1/8	1/16	W169PLP-2-1
1/8	1/8	W169PLP-2-2
1/8	10-32	169PLP-2-0*
1/8	1/4	W169PLP-2-4
3/16	1/8	W169PLP-3-2
5/32	1/16	W169PLP-5/32-1
5/32	1/8	W169PLP-5/32-2
5/32	1/4	W169PLP-5/32-4
5/32	10-32	169PLP-5/32-0*
1/4	1/16	W169PLP-4-1
1/4	1/8	W169PLP-4-2
1/4	1/4	W169PLP-4-4
1/4	3/8	W169PLP-4-6
1/4	10-32	169PLP-4-0*
5/16	1/8	W169PLP-5-2
5/16	1/4	W169PLP-5-4
3/8	1/8	W169PLP-6-2
3/8	1/4	W169PLP-6-4
3/8	3/8	W169PLP-6-6
3/8	1/2	W169PLP-6-8
1/2	1/4	W169PLP-8-4
1/2	3/8	W169PLP-8-6
1/2	1/2	W169PLP-8-8



\*10-32 seal is neoprene

**W169PLPNS Male Elbow 90°**

Tube size (in.)	Pipe thread (NPTF)	Part number
1/8	1/8	W169PLPNS-2-2
5/32	1/8	W169PLPNS5/32-2
5/32	1/4	W169PLPNS5/32-4
1/4	1/8	W169PLPNS-4-2
1/4	1/4	W169PLPNS-4-4
5/16	1/8	W169PLPNS-5-2
5/16	1/4	W169PLPNS-5-4
3/8	1/4	W169PLPNS-6-4
3/8	3/8	W169PLPNS-6-6
3/8	1/2	W169PLPNS-6-8
1/2	3/8	W169PLPNS-8-6
1/2	1/2	W169PLPNS-8-8
5/32	1/4-28	169PLPNS532-4LT*



\* SAE-LT Threads

Most popular.

**W169PW Male Elbow Swivel 90° (Nickel Plated)**

Tube size (in.)	Thread (NPTF)	Part number
1/4	1/8	W169PW-4-2
1/4	1/4	W169PW-4-4
1/4	3/8	W169PW-4-6
5/16	1/8	W169PW-5-2
5/16	1/4	W169PW-5-4
3/8	1/8	W169PW-6-2
3/8	1/4	W169PW-6-4
3/8	3/8	W169PW-6-6
3/8	1/2	W169PW-6-8
1/2	1/4	W169PW-8-4
1/2	3/8	W169PW-8-6
1/2	1/2	W169PW-8-8



**W171PLP Male Run Tee Swivel**

Tube size (in.)	Pipe thread (NPTF)	Part number
1/8	1/8	W171PLP-2-2
5/32	1/8	W171PLP-5/32-2
1/4	1/8	W171PLP-4-2
1/4	1/4	W171PLP-4-4
1/4	3/8	W171PLP-4-6
5/16	1/8	W171PLP-5-2
5/16	1/4	W171PLP-5-4
3/8	1/4	W171PLP-6-4
3/8	3/8	W171PLP-6-6
1/2	3/8	W171PLP-8-6
1/2	1/2	W171PLP-8-8



**W171PW Male Run Tee Swivel (Nickel Plated)**

Tube size (in.)	Pipe thread (NPTF)	Part number
1/4	1/8	W171PW-4-2
1/4	1/4	W171PW-4-4
1/4	3/8	W171PW-4-6
5/16	1/8	W171PW-5-2
5/16	1/4	W171PW-5-4
3/8	1/4	W171PW-6-4
3/8	3/8	W171PW-6-6
1/2	3/8	W171PW-8-6
1/2	1/2	W171PW-8-8



**G**

Accessories

Ball / Plug Valves

Hose & Fittings

Integrated Fittings

Misc. Accessories

Quick Couplings

Tubing & Fittings



**W172PLP Male Branch Tee Swivel**



Tube size (in.)	Pipe thread (NPTF)	Part number
1/8	1/8	<b>W172PLP-2-2</b>
3/16	1/8	<b>W172PLP-3-2</b>
5/32	1/8	<b>W172PLP-5/32-2</b>
1/4	1/8	<b>W172PLP-4-2</b>
1/4	1/4	<b>W172PLP-4-4</b>
1/4	3/8	<b>W172PLP-4-6</b>
5/16	1/8	<b>W172PLP-5-2</b>
5/16	1/4	<b>W172PLP-5-4</b>
3/8	1/4	<b>W172PLP-6-4</b>
3/8	3/8	<b>W172PLP-6-6</b>
1/2	1/4	<b>W172PLP-8-4</b>
1/2	3/8	<b>W172PLP-8-6</b>
1/2	1/2	<b>W172PLP-8-8</b>

**W172PW Male Branch Tee Swivel (Nickel Plated)**



Tube size (in.)	Thread (NPTF)	Part number
1/4	1/8	<b>W172PW-4-2</b>
1/4	1/4	<b>W172PW-4-4</b>
1/4	3/8	<b>W172PW-4-6</b>
5/16	1/8	<b>W172PW-5-2</b>
5/16	1/4	<b>W172PW-5-4</b>
3/8	1/4	<b>W172PW-6-4</b>
3/8	3/8	<b>W172PW-6-6</b>
1/2	1/4	<b>W172PW-8-4</b>
1/2	3/8	<b>W172PW-8-6</b>
1/2	1/2	<b>W172PW-8-8</b>

**62PLP Union**



Tube size (in.)	Part number
1/8	<b>62PLP-2</b>
3/16	<b>62PLP-3</b>
5/32	<b>62PLP-5/32</b>
1/4	<b>62PLP-4</b>
5/16	<b>62PLP-5</b>
3/8	<b>62PLP-6</b>
1/2	<b>62PLP-8</b>

**62PW Union (Nickel Plated)**



Tube size (in.)	Part number
1/4	<b>62PW-4</b>
5/16	<b>62PW-5</b>
3/8	<b>62PW-6</b>
1/2	<b>62PW-8</b>

Most popular.

**164PLP Union Tee**



Tube size (in.)	Part number
1/8	<b>164PLP-2</b>
3/16	<b>164PLP-3</b>
5/32	<b>164PLP-5/32</b>
1/4	<b>164PLP-4</b>
5/16	<b>164PLP-5</b>
3/8	<b>164PLP-6</b>
1/2	<b>164PLP-8</b>

**164PW Union Tee (Nickel Plated)**



Tube size (in.)	Part number
1/4	<b>164PW-4</b>
5/16	<b>164PW-5</b>
3/8	<b>164PW-6</b>
1/2	<b>164PW-8</b>

**165PLP Union Elbow**



Tube size (in.)	Part number
1/8	<b>165PLP-2</b>
5/32	<b>165PLP-5/32</b>
3/16	<b>165PLP-3</b>
1/4	<b>165PLP-4</b>
5/16	<b>165PLP-5</b>
3/8	<b>165PLP-6</b>
1/2	<b>165PLP-8</b>

**165PW Union Elbow (Nickel Plated)**



Tube size (in.)	Part number
1/4	<b>165PW-4</b>
5/16	<b>165PW-5</b>
3/8	<b>165PW-6</b>
1/2	<b>165PW-8</b>

**G**

Accessories

Ball / Plug Valves

Hose & Fittings

Integrated Fittings

Misc. Accessories

Quick Couplings

Tubing & Fittings

### 66PLP Female Connector



Tube size (in.)	Pipe thread (NPTF)	Part number
1/8	1/8	<b>66PLP-2-2</b>
1/8	1/4	<b>66PLP-2-4</b>
3/16	1/8	<b>66PLP-3-2</b>
5/32	1/8	<b>66PLP-5/32-2</b>
5/32	1/4	<b>66PLP-5/32-4</b>
1/4	1/8	<b>66PLP-4-2</b>
1/4	1/4	<b>66PLP-4-4</b>
5/16	1/8	<b>66PLP-5-2</b>
5/16	1/4	<b>66PLP-5-4</b>
3/8	1/4	<b>66PLP-6-4</b>
3/8	3/8	<b>66PLP-6-6</b>

### 66PW Female Connector (Nickel Plated)



Tube size (in.)	Pipe thread (NPTF)	Part number
1/4	1/8	<b>66PW-4-2</b>
1/4	1/4	<b>66PW-4-4</b>
5/16	1/8	<b>66PW-5-2</b>
5/16	1/4	<b>66PW-5-4</b>
3/8	1/4	<b>66PW-6-4</b>
3/8	3/8	<b>66PW-6-6</b>

### 62PLPBH Bulkhead Union



Tube size (in.)	Part number
1/8	<b>62PLPBH-2</b>
5/32	<b>62PLPBH-5/32</b>
1/4	<b>62PLPBH-4</b>
5/16	<b>62PLPBH-5</b>
3/8	<b>62PLPBH-6</b>
1/2	<b>62PLPBH-8</b>

### 66PLPBH Female Bulkhead



Tube size (in.)	Pipe thd (NPTF)	Part number
5/32	1/4	<b>66PLPBH-5/32-4</b>
1/4	1/4	<b>66PLPBH-4-4</b>
3/8	3/8	<b>66PLPBH-6-6</b>
1/2	3/8	<b>66PLPBH-8-6</b>

Most popular.

### 62PWBH Bulkhead Union (Nickel Plated)



Tube Size (in.)	Bulkhead Hole Dia. B	Part number
1/4	9/16	<b>62PWBH-4</b>
5/16	5/8	<b>62PWBH-5</b>
3/8	3/4	<b>62PWBH-6</b>
1/2	7/8	<b>62PWBH-8</b>

### 66PWBH Female Bulkhead (Nickel Plated)



Tube size (in.)	Thread (NPTF)	Bulkhead hole dia.	Part number
1/4	1/4	9/16	<b>66PWBH-4-4</b>
3/8	3/8	7/8	<b>66PWBH-6-6</b>
1/2	3/8	1	<b>66PWBH-8-6</b>

### PLPHBF4-B Male Connector BSPP



Tube size (in.)	Pipe thd BSPP	Part number
3/16	1/8-28	<b>3-1/8PLPHBF4-B</b>
3/16	1/4-19	<b>3-1/4PLPHBF4-B</b>
1/4	1/8-28	<b>4-1/8PLPHBF4-B</b>
1/4	1/4-19	<b>4-1/4PLPHBF4-B</b>
1/4	3/8-19	<b>4-3/8PLPHBF4-B</b>
3/8	1/4-19	<b>6-1/4PLPHBF4-B</b>
3/8	3/8-19	<b>6-3/8PLPHBF4-B</b>
3/8	1/2-14	<b>6-1/2PLPHBF4-B</b>
1/2	3/8-19	<b>8-3/8PLPHBF4-B</b>
1/2	1/2-14	<b>8-1/2PLPHBF4-B</b>

### DB Dust / Weld Spatter Boot



Tube size (in.)	Part number
1/4	<b>DB-4</b>
3/8	<b>DB-6</b>
1/2	<b>DB-8</b>

**G**  
 Accessories  
 Ball / Plug Valves  
 Hose & Fittings  
 Integrated Fittings  
 Misc. Accessories  
 Quick Couplings  
 Tubing & Fittings





**FPB Male Connector NPT**



Tube size (mm)	NPT	Part number
4	1/8-27	<b>W68PLP-5/32-2</b>
4	1/4-18	<b>W68PLP-5/32-4</b>
6	1/8-27	<b>FPB6-1/8</b>
6	1/4-18	<b>FPB6-1/4</b>
10	1/4-18	<b>FPB10-1/4</b>
10	3/8-18	<b>FPB10-3/8</b>
12	3/8-18	<b>FPB12-3/8</b>

**C6PB Adjustable Male Elbow NPT**



Tube size (mm)	NPT	Part number
6	1/4-18	<b>C6PB6-1/4</b>
6	3/8-18	<b>C6PB6-3/8</b>
10	1/4-18	<b>C6PB10-1/4</b>
10	3/8-18	<b>C6PB10-3/8</b>
12	1/2-14	<b>C6PB12-1/2</b>

**HPB Equal Union**



Tube size (mm)	Part number
4	<b>HPB4</b>
5	<b>HPB5</b>
6	<b>HPB6</b>
8	<b>HPB8</b>
10	<b>HPB10</b>
12	<b>HPB12</b>
14	<b>HPB14</b>

**JPB Union Tee**



Tube size (mm)	Part number
4	<b>JPB4</b>
5	<b>JPB5</b>
6	<b>JPB6</b>
8	<b>JPB8</b>
10	<b>JPB10</b>
12	<b>JPB12</b>
14	<b>JPB14</b>

**EPB 90° Union Elbow**



Tube size (mm)	Part number
4	<b>EPB4</b>
5	<b>EPB5</b>
6	<b>EPB6</b>
8	<b>EPB8</b>
10	<b>EPB10</b>
12	<b>EPB12</b>
14	<b>EPB14</b>

Most popular.

**WBMPB Mixed Bulkhead Union**



Tube 1 size (mm)	Tube 2 size (mm)	Bulkhead hole dia.	Part number
4	4	8mm	<b>WBMPB4</b>
6	6	10mm	<b>WBMPB6</b>
8	8	12mm	<b>WBMPB8</b>
10	10	14mm	<b>WBMPB10</b>
12	12	16mm	<b>WBMPB12</b>
14	14	18mm	<b>WBMPB14</b>

**WPB Bulkhead Union**



Tube Size (mm)	Bulkhead hole dia.	Part number
4	11mm	<b>WPB4</b>
6	13mm	<b>WPB6</b>
8	16mm	<b>WPB8</b>
10	18mm	<b>WPB10</b>
12	23mm	<b>WPB12</b>
14	24mm	<b>WPB14</b>

Jam nut is supplied loose in box

**WE6PB Adjustable Bulkhead Union Elbow**



Tube Size (mm)	Bulkhead hole dia.	Part number
4	11mm	<b>WE6PB4</b>
6	13mm	<b>WE6PB6</b>
8	15mm	<b>WE6PB8</b>
10	18mm	<b>WE6PB10</b>
12	23mm	<b>WE6PB12</b>

**G4PB Female Connector BSPP**



Tube size (mm)	BSPP	Part number
4	1/8	<b>G4PB4-1/8</b>
6	1/8	<b>G4PB6-1/8</b>
6	1/4	<b>G4PB6-1/4</b>
8	1/8	<b>G4PB8-1/8</b>
8	1/4	<b>G4PB8-1/4</b>

**G**

Accessories

Ball / Plug Valves

Hose & Fittings

Integrated Fittings

Misc. Accessories

Quick Couplings

Tubing & Fittings

**WG4PB Bulkhead Union Female BSPP**



Tube size (mm)	BSPP	Part number
4	G1/8	<b>WG4PB4-1/8</b>
6	G1/8	<b>WG4PB6-1/8</b>
6	G1/4	<b>WG4PB6-1/4</b>
8	G1/8	<b>WG4PB8-1/8</b>
8	G1/4	<b>WG4PB8-1/4</b>
10	G3/8	<b>WG4PB10-3/8</b>
12	G3/8	<b>WG4PB12-3/8</b>
12	G1/2	<b>WG4PB12-1/2</b>

**F4PB Compact Male Connector BSPP**



Tube size (mm)	BSPP	Part number
4	1/8	<b>F4PB4-1/8</b>
4	1/4	<b>F4PB4-1/4</b>
6	1/8	<b>F4PB6-1/8</b>
6	1/4	<b>F4PB6-1/4</b>
8	1/4	<b>F4PB8-1/4</b>
8	1/8	<b>F4PB8-1/8</b>
8	3/8	<b>F4PB8-3/8</b>
10	1/4	<b>F4PB10-1/4</b>
10	3/8	<b>F4PB10-3/8</b>
10	1/2	<b>F4PB10-1/2</b>
12	1/4	<b>F4PB12-1/4</b>
12	3/8	<b>F4PB12-3/8</b>
12	1/2	<b>F4PB12-1/2</b>
14	3/8	<b>F4PB14-3/8</b>
14	1/2	<b>F4PB14-1/2</b>

**C64PB Adjustable Male Elbow BSPP**



Tube size (mm)	BSPP	Part number
4	1/8	<b>C64PB4-1/8</b>
4	1/4	<b>C64PB4-1/4</b>
6	1/8	<b>C64PB6-1/8</b>
6	1/4	<b>C64PB6-1/4</b>
8	1/8	<b>C64PB8-1/8</b>
8	1/4	<b>C64PB8-1/4</b>
8	3/8	<b>C64PB8-3/8</b>
10	1/4	<b>C64PB10-1/4</b>
10	3/8	<b>C64PB10-3/8</b>
12	1/4	<b>C64PB12-1/4</b>
12	3/8	<b>C64PB12-3/8</b>
12	1/2	<b>C64PB12-1/2</b>
14	3/8	<b>C64PB14-3/8</b>
14	1/2	<b>C64PB14-1/2</b>

**R64PB Swivel Male Branch Run Tee BSPP**



Tube size (mm)	BSPP	Part number
4	1/8	<b>R64PB4-1/8</b>
4	1/4	<b>R64PB4-1/4</b>
6	1/8	<b>R64PB6-1/8</b>
6	1/4	<b>R64PB6-1/4</b>
8	1/8	<b>R64PB8-1/8</b>
8	1/4	<b>R64PB8-1/4</b>
8	3/8	<b>R64PB8-3/8</b>
10	1/4	<b>R64PB10-1/4</b>
10	3/8	<b>R64PB10-3/8</b>
12	1/4	<b>R64PB12-1/4</b>
12	3/8	<b>R64PB12-3/8</b>
14	3/8	<b>R64PB14-3/8</b>
14	1/2	<b>R64PB14-1/2</b>

**C64SPB Compact Adjustable Male Elbow BSPP**



Tube size (mm)	BSPP	Part number
4	1/8	<b>C64SPB4-1/8</b>
6	1/8	<b>C64SPB6-1/8</b>
6	1/4	<b>C64SPB6-1/4</b>
8	1/8	<b>C64SPB8-1/8</b>
8	1/4	<b>C64SPB8-1/4</b>
8	3/8	<b>C64SPB8-3/8</b>
10	1/4	<b>C64SPB10-1/4</b>
10	3/8	<b>C64SPB10-3/8</b>
12	1/8	<b>C64SPB12-1/4</b>
12	3/8	<b>C64SPB12-3/8</b>
12	1/2	<b>C64SPB12-1/2</b>

Most popular.

**G**  
 Accessories  
 Ball / Plug Valves  
 Hose & Fittings  
 Integrated Fittings  
 Misc. Accessories  
 Quick Couplings  
 Tubing & Fittings



### S64PB Swivel Male Branch Tee BSPP



Tube size (mm)	BSPP	Part number
4	1/8	<b>S64PB4-1/8</b>
4	1/4	<b>S64PB4-1/4</b>
6	1/8	<b>S64PB6-1/8</b>
6	1/4	<b>S64PB6-1/4</b>
8	1/8	<b>S64PB8-1/8</b>
8	1/4	<b>S64PB8-1/4</b>
8	3/8	<b>S64PB8-3/8</b>
10	1/4	<b>S64PB10-1/4</b>
10	3/8	<b>S64PB10-3/8</b>
12	1/4	<b>S64PB12-1/4</b>
12	3/8	<b>S64PB12-3/8</b>
14	3/8	<b>S64PB14-3/8</b>
14	1/2	<b>S64PB14-1/2</b>

### C68PB Adjustable Male Elbow Metric Straight Thread



Tube size (mm)	Thread (mm)	Part number
4	M5x0.8	<b>C68PB4M5</b>
6	M5x0.8	<b>C68PB6M5</b>

### C68SPB Compact Adjustable Male Elbow Metric Straight Thread



Tube size (mm)	Thread (mm)	Part number
4	M5x0.8	<b>C68SPB4M5</b>
6	M5x0.8	<b>C68SPB6M5</b>

### F28PB Male Connector Metric Straight Thread



Tube size (mm)	Thread (mm)	Part number
4	M3x0.5	<b>F28PB4M3</b>
4	M5x0.8	<b>F28PB4M5</b>
6	M5x0.8	<b>F28PB6M5</b>

This fitting has been designed for use where space is at a premium. It is assembled using the internal hexagon and an allen key.

### F8PB Male Connector Metric Straight Thread



Tube size (mm)	Thread (mm)	Part number
4	M5x0.8	<b>F8PB4M5</b>
4	M10x1	<b>F8PB4M10</b>
6	M5x0.8	<b>F8PB6M5</b>
6	M10x1	<b>F8PB6M10</b>
6	M12x1.5	<b>F8PB6M12</b>
8	M12x1.5	<b>F8PB8M12</b>
8	M16x1.5	<b>F8PB8M16</b>
8	M22x1.5	<b>F8PB8M22</b>

Most popular.

### R68PB Adjustable Male Run Tee Metric Straight Thread



Tube size (mm)	Thread (mm)	Part number
4	M3x0.5	<b>R68PB4M3</b>
4	M5x0.8	<b>R68PB4M5</b>
6	M5x0.8	<b>R68PB6M5</b>

### S68PB Adjustable Male Branch Tee Metric Straight Thread



Tube size (mm)	Thread (mm)	Part number
4	M3x0.5	<b>S68PB4M3</b>
4	M5x0.8	<b>S68PB4M5</b>
6	M5x0.8	<b>S68PB6M5</b>

### FNPB Plug



Tube size (mm)	Part number
4	<b>FNPB4</b>
6	<b>FNPB6</b>
8	<b>FNPB8</b>
10	<b>FNPB10</b>
12	<b>FNPB12</b>
14	<b>FNPB14</b>

### TEPB Tube End Expander



Tube 1 Size (mm)	Tube 2 Size (mm)	Part number
4	6	<b>TEPB4-6</b>

### TRPB Tube End Reducer



Tube 1 size (mm)	Tube 2 size (mm)	Part number
6	4	<b>TRPB6-4</b>
8	4	<b>TRPB8-4</b>
8	6	<b>TRPB8-6</b>
10	4	<b>TRPB10-4</b>
10	6	<b>TRPB10-6</b>
10	8	<b>TRPB10-8</b>
12	6	<b>TRPB12-6</b>
12	8	<b>TRPB12-8</b>
12	10	<b>TRPB12-10</b>
14	8	<b>TRPB14-8</b>
14	10	<b>TRPB14-10</b>
14	12	<b>TRPB14-12</b>

**G**

Accessories

Ball / Plug Valves

Hose & Fittings


Integrated Fittings

Misc. Accessories

Quick Couplings

Tubing & Fittings


**207ACBH Anchor Coupling**



Female pipe thread	Straight thread	Max. bulkhead	Part number
1/8	5/8-18	.89	<b>207ACBH-2</b>
1/8	5/8-18	.35	<b>207ACBHS-2</b>
1/4	3/4-16	.81	<b>207ACBH-4</b>
1/4	3/4-16	.26	<b>207ACBHS-4</b>
3/8	1-14	.62	<b>207ACBH-6</b>
1/2	1-1/8-14	.75	<b>207ACBH-8</b>
3/4	1-5/16-12	.65	<b>207ACBH-12</b>
1	1-5/8-14	1.00	<b>207ACBH-16*</b>


\*Lock washer not available

**207P Coupling**




Pipe thread	C Hex	Part number
1/8	9/16	<b>207P-2</b>
1/4	3/4	<b>207P-4</b>
3/8	7/8	<b>207P-6</b>
1/2	1-1/16	<b>207P-8</b>
3/4	1-3/8	<b>207P-12</b>

**208P Reducer Coupling**



1 Pipe thread	2 Pipe thread	C Hex	Part number
1/4	1/8	3/4	<b>208P-4-2</b>
3/8	1/4	7/8	<b>208P-6-4</b>
1/2	1/4	1-1/16	<b>208P-8-4</b>
1/2	3/8	1-1/16	<b>208P-8-6</b>
3/4	3/8	1-3/8	<b>208P-12-6</b>
3/4	1/2	1-3/8	<b>208P-12-8</b>


**209P Bushing**



1 Pipe thread	2 Pipe thread	C Hex	Part number
1/8	1/4	9/16	<b>209P-4-2</b>
1/8	3/8	11/16	<b>209P-6-2</b>
1/4	3/8	3/4	<b>209P-6-4</b>
1/8	1/2	7/8	<b>209P-8-2</b>
1/4	1/2	7/8	<b>209P-8-4</b>
3/8	1/2	7/8	<b>209P-8-6</b>
1/8	3/4	1-1/8	<b>209P-12-2</b>
1/4	3/4	1-1/8	<b>209P-12-4</b>
3/8	3/4	1-1/8	<b>209P-12-6</b>
1/2	3/4	1-1/8	<b>209P-12-8</b>
1/2	1	1-3/8	<b>209P-16-8</b>
3/4	1	1-3/8	<b>209P-16-12</b>


 Most popular.

**210P Lock Nut**




Pipe thread	C Hex	Part number
1/8 NPSL	11/16	<b>210P-2</b>
1/4 NPSL	7/8	<b>210P-4</b>
3/8 NPSL	1	<b>210P-6</b>
1/2 NPSL	1-1/8	<b>210P-8</b>

**211P Square-Head Plug**




Pipe thread	Part number
1/8	<b>211P-2</b>
1/4	<b>211P-4</b>
3/8	<b>211P-6</b>
1/2	<b>211P-8</b>
3/4	<b>211P-12</b>

**212P Union**




Pipe thread	C Hex	Part number
1/4	1-3/16	<b>212P-4</b>
3/8	1-1/4	<b>212P-6</b>

**213P Cap**



Pipe thread	C Hex	Part number
1/8	9/16	<b>213P-2</b>
1/4	11/16	<b>213P-4</b>
3/8	13/16	<b>213P-6</b>
1/2	1-1/16	<b>213P-8</b>
3/4	1-1/4	<b>213P-12</b>

**215PN Close Nipple**



Pipe thread	Part number
1/8	<b>215PN-2</b>
1/4	<b>215PN-4</b>
3/8	<b>215PN-6</b>
1/2	<b>215PN-8</b>
3/4	<b>215PN-12</b>

**G**  
 Accessories  
 Ball / Plug Valves  
 Hose & Fittings  
 Integrated Fittings  
 Misc. Accessories  
 Quick Couplings  
 Tubing & Fittings

### 215PNL Long Nipple

Pipe thread	Part number
1/8	<b>215PNL-2-15</b>
1/4	<b>215PNL-4-15</b>
3/8	<b>215PNL-6-15</b>
1/2	<b>215PNL-8-15</b>
1/8	<b>215PNL-2-20</b>
1/4	<b>215PNL-4-20</b>
3/8	<b>215PNL-6-20</b>
1/2	<b>215PNL-8-20</b>
1/8	<b>215PNL-2-25</b>
1/4	<b>215PNL-4-25</b>
3/8	<b>215PNL-6-25</b>
1/2	<b>215PNL-8-25</b>
1/8	<b>215PNL-2-30</b>
1/4	<b>215PNL-4-30</b>
3/8	<b>215PNL-6-30</b>
1/2	<b>215PNL-8-30</b>
1/8	<b>215PNL-2-35</b>
1/4	<b>215PNL-4-35</b>
3/8	<b>215PNL-6-35</b>
1/2	<b>215PNL-8-35</b>



### 216P Hex Nipple

Pipe thread	C Hex	Part number
1/8	7/16	<b>216P-2</b>
1/4	9/16	<b>216P-4</b>
3/8	11/16	<b>216P-6</b>
1/2	7/8	<b>216P-8</b>
3/4	1-1/16	<b>216P-12</b>



### 218P Hex-Head Plug

Pipe thread	C Hex	Part number
1/8	7/16	<b>218P-2</b>
1/4	9/16	<b>218P-4</b>
3/8	11/16	<b>218P-6</b>
1/2	7/8	<b>218P-8</b>
3/4	1-1/16	<b>218P-12</b>



### 219P Countersunk Hex-Head Plug

Pipe thread	C Hex	Part number
1/8	3/16	<b>219P-2</b>
1/4	1/4	<b>219P-4</b>
3/8	5/16	<b>219P-6</b>
1/2	3/8	<b>219P-8</b>
3/4	9/16	<b>219P-12</b>



Most popular.

## Accessories Pipe Fittings

### 220P Slotted-Head Plug

Pipe thread	Part number
1/8	<b>220P-2</b>
1/4	<b>220P-4</b>
3/8	<b>220P-6</b>



### 222P Adapter

1 Pipe thread	2 Pipe thread	C Hex	Part number
1/8	1/8	9/16	<b>222P-2-2</b>
1/4	1/8	3/4	<b>222P-4-2</b>
1/4	1/4	3/4	<b>222P-4-4</b>
3/8	1/8	7/8	<b>222P-6-2</b>
3/8	1/4	7/8	<b>222P-6-4</b>
3/8	3/8	7/8	<b>222P-6-6</b>
1/2	1/4	1	<b>222P-8-4</b>
1/2	3/8	1-1/16	<b>222P-8-6</b>
1/2	1/2	1-1/16	<b>222P-8-8</b>
3/4	3/8	1-3/8	<b>222P-12-6</b>
3/4	1/2	1-3/8	<b>222P-12-8</b>
3/4	3/4	1-3/8	<b>222P-12-12</b>



### 1200P-2200P 90° Union Elbow

Pipe thread	Part number
1/8	<b>1200P-2-2</b>
1/8	<b>2200P-2-2</b>
1/4	<b>1200P-4-4</b>
1/4	<b>2200P-4-4</b>
3/8	<b>1200P-6-6</b>
3/8	<b>2200P-6-6</b>
1/2	<b>2200P-8-8</b>



### 1202P-2202P 90° Street Elbow

1 Pipe thread	2 Pipe thread	Part number
1/8	1/8	<b>1202P-2-2</b>
1/8	1/8	<b>2202P-2-2</b>
1/8	1/8	<b>2202PA-2-2*</b>
1/4	1/8	<b>2202P-4-2</b>
1/4	1/4	<b>1202P-4-4</b>
1/4	1/4	<b>2202P-4-4</b>
1/4	1/4	<b>2202PA-4-4*</b>
1/4	3/8	<b>2202P-4-6</b>
3/8	1/4	<b>1202P-6-4</b>
3/8	3/8	<b>1202P-6-6</b>
3/8	3/8	<b>2202P-6-6</b>
3/8	3/8	<b>2202PA-6-6*</b>



\*Meets SAE Dimensions

**G**

Accessories

Ball / Plug  
Valves

Hose &  
Fittings

Integrated  
Fittings

Misc.  
Accessories

Quick  
Couplings

Tubing &  
Fittings

**1203P-2203P Union Tee**



Pipe thread	Part number
1/8	1203P-2
1/8	2203P-2
1/4	1203P-4
1/4	2203P-4
3/8	2203P-6
1/2	1203P-8
1/2	2203P-8
3/4	2203P-12

**1204P Male Elbow**



Pipe thread	Part number
1/8	1204P-2
1/4	1204P-4
3/8	1204P-6
1/2	1204P-8

**2224P Male Branch Tee**



Pipe thread	Part number
1/8	2224P-2
1/4	2224P-4
3/8	2224P-6
1/2	2224P-8
3/4	2224P-12

**2225P Street Tee**



Pipe thread	Part number
1/8	2225P-2
1/4	2225P-4
3/8	2225P-6
1/2	2225P-8
3/4	2225P-12

Most popular.

**1201P-2201P 45° Female Elbow**



1201P



2201P

Pipe thread	Part number
1/8	2201P-2-2
1/2	1201P-8-8

**2205P Cross**



Pipe thread	Part number
1/8	2205P-2
1/4	2205P-4
3/8	2205P-6
1/2	2205P-8
3/4	2205P-12

**2214P 45° Street Elbow**



Pipe thread	Part number
1/8	2214P-2-2
1/4	2214P-4-4
3/8	2214P-6-6
1/2	2214P-8-8

<b>G</b>	<b>Accessories</b>
Ball / Plug Valves	
Hose & Fittings	
Integrated Fittings	
Misc. Accessories	
Quick Couplings	
Tubing & Fittings	



**DD44 Pipe 90° Elbow BSPP**



BSPP	C Hex	Part number
1/8	14	<b>1/8DD44B</b>
1/4	17	<b>1/4DD44B</b>
3/8	22	<b>3/8DD44B</b>
1/2	27	<b>1/2DD44B</b>

**KMMOO4 Pipe Cross BSPP**



BSPP	C Hex	Part number
1/8	14	<b>1/8KMMOO4B</b>
1/4	17	<b>1/4KMMOO4B</b>
3/8	22	<b>3/8KMMOO4B</b>
1/2	27	<b>1/2KMMOO4B</b>

**FF44 Pipe Nipples BSPP**



BSPP	C Hex	Part number
1/8	14	<b>1/8FF44B</b>
1/4	17	<b>1/4FF44B</b>
3/8	22	<b>3/8FF44B</b>
1/2	27	<b>1/2FF44B</b>

**MMO444 Pipe Tee BSPP**



BSPP	C Hex	Part number
1/8	14	<b>1/8MMO444B</b>
1/4	17	<b>1/4MMO444B</b>
3/8	22	<b>3/8MMO444B</b>
1/2	27	<b>1/2MMO444B</b>
3/4	32	<b>3/4MMO444B</b>
1	40	<b>1MMO444B</b>

**FHG4 Adapter Male NPTF BSPP**



BSPP 1	NPTF 2	C Hex	Part number
1/8	1/8	0.562	<b>1/8FHG4-B</b>
1/4	1/4	0.750	<b>1/4FHG4-B</b>
3/8	3/8	0.875	<b>3/8FHG4-B</b>
1/2	1/2	1.062	<b>1/2FHG4-B</b>

**WGG44 Bulkhead Female Union BSPP**



BSPP	Straight thread	C Hex	Part number
1/8	M16x1.5	19	<b>1/8WGG44B</b>
1/4	M20x1.5	24	<b>1/4WGG44B</b>
3/8	M23x1.5	27	<b>3/8WGG44B</b>
1/2	M27x1.5	32	<b>1/2WGG44B</b>
3/4	M34x1.5	41	<b>3/4WGG44B</b>
1	M45x2	55	<b>1WGG44B</b>

**GG44 Pipe Connector BSPP**



BSPP	C Hex	Part number
1/8	14	<b>1/8GG44B</b>
1/4	17	<b>1/4GG44B</b>
3/8	22	<b>3/8GG44B</b>
1/2	27	<b>1/2GG44B</b>
3/4	32	<b>3/4GG44B</b>
1	41	<b>1GG44B</b>

Most popular.



