

### Industrial Tools Accessories

Model Number	Description	Ship Weight	Model Number	Description	Ship Weight
<b>NUMERIC</b>					
1531R	1-1/2" Gauge, Rear Mount, 0-1000 PSI, 1/8" NPT	0.2	43300	Tee, 3/8" Cone	0.9
1533R	1-1/2" Gauge, Rear Mount, 0-3000 PSI, 1/8" NPT	0.2	43301	Gauge Tee, 3/8" Cone Side/ 1/4" Cone Gauge Port	1
1534R	1-1/2" Gauge, Rear Mount, 0-6000 PSI, 1/8" NPT	0.2	43400	Coupling, 3/8"	0.5
1537R	1-1/2" Gauge, Rear Mount, 0-10,000 PSI, 1/8" NPT	0.8	43600	Cross, 3/8" Cone	1.2
305340	Wedge Seater 3", for PTJ	1.1	43701	Gland Nut w/ Sleeve, 3/8" Cone	0.1
			43704	Gauge Connector Kit	0.1
305360	Wedge Seater 3", for 5DA1	1.3	45116	Tubing, 4" Tube, 3/8" O.D.	0.1
305365	Wedge Seater 6", for 5DA1	1.3	45126	Tubing, 8" Tube, 3/8" O.D.	0.2
305403	Replacement Handle Grip, for PTJ	0.2	45136	Tubing, 12" Tube, 3/8" O.D.	0.3
400740	Nose 3", for PTJ	1.6	72750	40,000 PSI, 2-Way Shut-Off Valve	2.1
400850	Gripper Set .500", for PTJ	1.4	83011	Gauge Attachment Set, 40,000 PSI	1.1
			<b>A</b>		
400880	Gripper Set .438", for PTJ	1.2	A-5	Chain Plate	4.8
400900	Gripper Set .375", for PTJ	1.2	A-6	Cylinder Plunger Toe	1.8
400930	Gripper Set 4mm, for PTJ	1.2	A-8	Lock-On Clamp Toe	2
400940	Gripper Set 5mm, for PTJ	1.2	A-10	Threaded Connector	0.6
400950	Gripper Set 6mm, for PTJ	1.2	A-12	Smooth Saddle	1.9
			A-13	Threaded Male Saddle	1.1
400960	Gripper Set 7mm, for PTJ	1.2	A-14	Flat Base	3.8
400980	Gripper Set .625", for PTJ	1.2	A-15	90 degree V-Base	1.2
400986	Gripper Set .500", for 6DA1	0.9	A-16	Lock Pin	0.2
400988	Gripper Set .375", for 6DA1	1.2	A-18	Serrated Saddle	0.7
400990	Gripper Set .625", for 6DA1	1			
401000	Replacement Gripper Handle, for PTJ	0.4	A-19	Coupling	0.7
401005	Replacement Gripper Handle, for 5DA1 and 6DA1	0.6	A-20	Cylinder Collar Toe	2.1
401020	Gripper Retainer Plate, for PTJ	0.4	A-21	Cylinder Base Attachment	2
401180	Nose 6", for PTJ	3.4	A-23	Threaded Saddle	0.3
401200	Wedge Seater 6", for PTJ	1.7	A-25	Cylinder Base Attachment	1
			A-27	Cylinder Base Attachment	5.6
401520	Nose 3", for 5DA1	4.6	A-28	Threaded Male Adaptor	2.6
401652	Gripper Set .375", for 5DA1	0.6	A-29	Smooth Saddle	2.1
401655	Gripper Set .438", for 5DA1	0.6	A-53F	Snap-In Flat Saddle	0.2
401660	Gripper Set .500", for 5DA1	0.8	A-53G	Snap-In Grooved Saddle	0.2
401670	Gripper Set 5mm, for 5DA1	0.6			
401685	Gripper Retainer Plate, for 5DA1 and 6DA1	0.3	A-64	Bar Manifold	3.1
401840	Nose 6", for 5DA1	6.3	A-65	Bar Manifold	6.3
402000	Jack Foot, for 5DA1	1.2	A-66	Spider Manifold, w/ Six Ports	1.7
403140	Wedge Seater 3", for 6DA1	0.9	A-92	Duck-Bill Spreader	8.1
403165	Wedge Seater 6", for 6DA1	1.7	A-102F	Snap-In Flat Saddle	0.2
			A-102G	Snap-In Grooved Saddle	0.2
403180	Nose 3", for 6DA1	7.5	A-110	V-Block, for A-258 Press	5.6
403220	Nose 6", for 6DA1	9.4	A-128	3 1/4" Dia. Rubber Flex-Head	1.7
403325	Jack Foot, for 6DA1	1.2	A-129	Wedge Head	1.4
41146	Adaptor, 3/8" F Cone to 1/4" M NPTF	0.3	A-130	V-Block, for 25-30 Ton Presses	48
41166	Adaptor, 3/8" F Cone to 3/8" M NPTF	0.4			
			A-132	Chain Pull Plate	10.3
41246	Adaptor, 3/8" F Cone to 1/4" F NPTF	0.5	A-134	Small V-Blocks (Pair)	9.4
41266	Adaptor, 3/8" F Cone to 3/8" F NPTF	0.7	A-136	Large V-Blocks (Pair)	49.2
41366	Adaptor, 3/8" Cone M- 3/8" NPTF	0.6			
43001	Gland Nut Plug, 3/8" Cone	0.8			
43200	Elbow, 3/8" Cone	0.8			

Model Number	Description	Ship Weight	Model Number	Description	Ship Weight
A-141	6' Chain w/ Grab-Hook	10	BSH10175	Socket 6pt Std 1" Square Drive, 1-3/4" A/F	2.4
A-150	V-Block, for 50 Ton Presses	47.6	BSH10188	Socket 6pt Std 1" Square Drive, 1-7/8" A/F	2.4
A-152G	15 Ton Snap-In Grooved Saddle	0.3	BSH1019	Socket 6pt Std 1" Square Drive, 3/4"-19mm A/F	1.5
A-175	V-Block, for 75-100 Ton Presses (Pair)	200	BSH10194	Socket 6pt Std 1" Square Drive, 1-15/16" A/F	2.6
A-183	Pusher Pin, 11/16" Dia.	2	BSH10200	Socket 6pt Std 1" Square Drive, 2" A/F	2.6
A-185	Smooth Saddle	0.7	BSH10206	Socket 6pt Std 1" Square Drive, 2-1/16" A/F	2.9
A-192	Collar Clamp Head, Cylinder	2.3	BSH10213	Socket 6pt Std 1" Square Drive, 2-1/8" A/F	3.3
A-200	V-Block, 150-200 Ton Presses (Pair)	200	BSH10219	Socket 6pt Std 1" Square Drive, 2-3/16" A/F	3.3
A-200R	V-Block, 200 Ton Roll-Frame Press (Pair)	210	BSH10225	Socket 6pt Std 1" Square Drive, 2-1/4" A/F	3.3
A-205	5 Ton C-Clamp	14	BSH10231	Socket 6pt Std 1" Square Drive, 2-5/16" A/F	3.6
A-210	10 Ton C-Clamp	38	BSH10238	Socket 6pt Std 1" Square Drive, 2-3/8" A/F	3.6
A-218	8' Chain w/ Grab-Hook	20.9	BSH1024	Socket 6pt Std 1" Square Drive, 24mm A/F	1.5
A-220	20 Ton C-Clamp	80.6	BSH10244	Socket 6pt Std 1" Square Drive, 2-7/16" A/F	4.2
A-238	Chain Pull Plate	25	BSH10250	Socket 6pt Std 1" Square Drive, 2-1/2" A/F	4.2
A-239	10" Extension Tube	7.6	BSH10263	Socket 6pt Std 1" Square Drive, 2-5/8" A/F	4.2
A-240	18" Extension Tube	14	BSH10269	Socket 6pt Std 1" Square Drive, 2-11/16" A/F	4.2
A-241	30" Extension Tube	20.3	BSH1027	Socket 6pt Std 1" Square Drive, 1-1/16"-27mm A/F	1.5
A-242	Coupling	4.4	BSH10281	Socket 6pt Std 1" Square Drive, 2-13/16" A/F	6.2
A-243	Cylinder Base	11	BSH10288	Socket 6pt Std 1" Square Drive, 2-7/8" A/F	6.2
A-252G	25 Ton Snap-In Grooved Saddle	0.6	BSH1030	Socket 6pt Std 1" Square Drive, 1-3/16"-30mm A/F	1.5
A-258	10 Ton Press	102.5	BSH10300	Socket 6pt Std 1" Square Drive, 3" A/F	7.3
A-285	Adjustable Extension	6	BSH10306	Socket 6pt Std 1" Square Drive, 3-1/16" A/F	7.3
A-305	Spreader Head	1.3	BSH10313	Socket 6pt Std 1" Square Drive, 3-1/8" A/F	7.3
A-530	Cylinder Plunger Toe	0.5	BSH10319	Socket 6pt Std 1" Square Drive, 3-3/16" A/F	7.3
A-531	Serrated Saddle	0.2	BSH1032	Socket 6pt Std 1" Square Drive, 32mm A/F	1.5
A-532	90 degree V-Base	0.5	BSH10325	Socket 6pt Std 1" Square Drive, 3-1/4" A/F	7.3
A-539	2 3/4" Rubber Flex-Head	0.6	BSH10338	Socket 6pt Std 1" Square Drive, 3-3/8" A/F	8.1
A-544	Coupling	0.3	BSH1035	Socket 6pt Std 1" Square Drive, 1-3/8" A/F	1.6
A-545	Threaded Male Connector	0.2	BSH10350	Socket 6pt Std 1" Square Drive, 3-1/2" A/F	9.4
A-557	5' Chain w/ Grab-Hook	4.4	BSH1036	Socket 6pt Std 1" Square Drive, 36mm A/F	1.6
A-558	Chain Pull Plate	2	BSH10363	Socket 6pt Std 1" Square Drive, 3-5/8" A/F	10.7
A-595	Cylinder Collar Toe	8.2	BSH1038	Socket 6pt Std 1" Square Drive, 1-1/2" A/F	1.8
A-604	Regular 3/8" Spee-D-Coupler	0.6	BSH10388	Socket 6pt Std 1" Square Drive, 3-7/8" A/F	11.8
A-607	Plunger Base	9.5	BSH1043	Socket 6pt Std 1" Square Drive, 1-11/16" A/F	2.3
A-629	Wedge Head	0.5	BSH1046	Socket 6pt Std 1" Square Drive, 1-13/16"-46mm A/F	2.4
A-630	1/4" Spee-D-Coupler	0.3	BSH1050	Socket 6pt Std 1" Square Drive, 50mm A/F	2.6
A-650	Slip-Lock Extension	3.4	BSH1055	Socket 6pt Std 1" Square Drive, 55mm A/F	3.3
A-1034	Cylinder Collar Toe	0.6	BSH1060	Socket 6pt Std 1" Square Drive, 60mm A/F	3.6
AD-175	9 Ton Press Adaptor	6.6	BSH1065	Socket 6pt Std 1" Square Drive, 2-9/16"-65mm A/F	4.2
AM-21	Split Manifold Valve	4.8	BSH1070	Socket 6pt Std 1" Square Drive, 2-3/4"-70mm A/F	4.2
AM-41	Manifold Valve, 4-Way	10.2	BSH1075	Socket 6pt Std 1" Square Drive, 2-15/16"-75mm A/F	6.2
AR-400	Cylinder Half (Female) of A-604	0.3	BSH1080	Socket 6pt Std 1" Square Drive, 80mm A/F	7.3
AR-630	Cylinder Half (Female) of A-630	0.2	BSH1085	Socket 6pt Std 1" Square Drive, 85mm A/F	8
	<b>B</b>		BSH1090	Socket 6pt Std 1" Square Drive, 90mm A/F	10.1
B150	Qk Disconnect Coupler Set, w/ Dust Caps, 1500 bar	0.7	BSH1095	Socket 6pt Std 1" Square Drive, 3-3/4"-95mm A/F	11.8
B150B	Qk Disconnect Blanking Coupler Set, w/ Dust Caps, 1500 bar	0.7	BSH15100	Socket 6pt Std 1.5" Square Drive, 3-15/16"-100mm A/F	19.2
B200	Quick Disconnect Coupler Set, w/ Dust Caps, 2000 bar	0.8	BSH15105	Socket 6pt Std 1.5" Square Drive, 4-1/8"-105mm A/F	21.4
BA15025BSPM	Adaptor, 1/4" BSP Male, 1500 bar	0.1	BSH15110	Socket 6pt Std 1.5" Square Drive, 4-15/16"-110mm A/F	20.6
BH150	Quick Disconnect Nipple, w/ Dust Cap, 1500 bar	0.2	BSH15115	Socket 6pt Std 1.5" Square Drive, 115mm A/F	25.8
BH200	Quick Disconnect Nipple, w/ Dust Cap, 2000 bar	0.2	BSH15144	Socket 6pt Std 1.5" Square Drive, 1-7/16" A/F	5.1
BHCAP	Dust Cap, for 115 & 116 Series Nipples	0.1	BSH15156	Socket 6pt Std 1.5" Square Drive, 1-9/16" A/F	5.1
BK-2	Purchase 4 pcs of CW173028	1	BSH15163	Socket 6pt Std 1.5" Square Drive, 1-5/8"-41mm A/F	5.1
BK-3	Purchase 4 pcs of CW174028	1	BSH15175	Socket 6pt Std 1.5" Square Drive, 1-3/4" A/F	5.1
BR150	Quick Disconnect Coupling, w/ Dust Cap, 1500 bar	0.5	BSH15188	Socket 6pt Std 1.5" Square Drive, 1-7/8" A/F	5.4
BR200	Quick Disconnect Coupling, w/ Dust Cap, 2000 bar	0.5	BSH15194	Socket 6pt Std 1.5" Square Drive, 1-15/16" A/F	5.4
BRCAP	Dust Cap, for 1500/2000 bar Couplings	0.1	BSH15200	Socket 6pt Std 1.5" Square Drive, 2" A/F	5.4
BSH10088	Socket 6pt Std 1" Square Drive, 7/8" A/F	1.5	BSH15206	Socket 6pt Std 1.5" Square Drive, 2-1/16" A/F	5.8
BSH10094	Socket 6pt Std 1" Square Drive, 15/16" A/F	1.5	BSH15213	Socket 6pt Std 1.5" Square Drive, 2-1/8" A/F	5.8
BSH10100	Socket 6pt Std 1" Square Drive, 100mm A/F	17.1	BSH15219	Socket 6pt Std 1.5" Square Drive, 2-3/16" A/F	5.8
BSH10125	Socket 6pt Std 1" Square Drive, 1-1/4" A/F	1.5	BSH15225	Socket 6pt Std 1.5" Square Drive, 2-1/4" A/F	5.8
BSH10131	Socket 6pt Std 1" Square Drive, 1-5/16" A/F	1.6	BSH15231	Socket 6pt Std 1.5" Square Drive, 2-5/16" A/F	6.5
BSH10144	Socket 6pt Std 1" Square Drive, 1-7/16" A/F	1.6	BSH15238	Socket 6pt Std 1.5" Square Drive, 2-3/8" A/F	6.5
BSH10156	Socket 6pt Std 1" Square Drive, 1-9/16" A/F	1.9			
BSH10163	Socket 6pt Std 1" Square Drive, 1-5/8"-41mm A/F	2			

<b>Model Number</b>	<b>Description</b>	<b>Ship Weight</b>	<b>Model Number</b>	<b>\$ User Price</b>	<b>Description</b>	<b>Ship Weight</b>
<b>BSH15244</b>	Socket 6pt Std 1.5" Square Drive, 2-7/16" A/F	7.3	<b>BSH25400</b>		Socket 6pt Std 2.5" Square Drive, 4" A/F	21.6
<b>BSH15250</b>	Socket 6pt Std 1.5" Square Drive, 2-1/2" A/F	7.7	<b>BSH25419</b>		Socket 6pt Std 2.5" Square Drive, 4-13/16" A/F	23.6
<b>BSH15263</b>	Socket 6pt Std 1.5" Square Drive, 2-5/8" A/F	7.7	<b>BSH25425</b>		Socket 6pt Std 2.5" Square Drive, 4-1/4" A/F	27.4
<b>BSH15269</b>	Socket 6pt Std 1.5" Square Drive, 2-11/16" A/F	8.2	<b>BSH25438</b>		Socket 6pt Std 2.5" Square Drive, 4-3/8" A/F	24.7
<b>BSH15281</b>	Socket 6pt Std 1.5" Square Drive, 2-13/16" A/F	8.9	<b>BSH25450</b>		Socket 6pt Std 2.5" Square Drive, 4-1/2" A/F	25.4
<b>BSH15288</b>	Socket 6pt Std 1.5" Square Drive, 2-7/8" A/F	8.9	<b>BSH25463</b>		Socket 6pt Std 2.5" Square Drive, 4-5/8" A/F	37
<b>BSH15300</b>	Socket 6pt Std 1.5" Square Drive, 3" A/F	10.4	<b>BSH25475</b>		Socket 6pt Std 2.5" Square Drive, 4-3/4" A/F	26.9
<b>BSH15306</b>	Socket 6pt Std 1.5" Square Drive, 3-1/16" A/F	10.4	<b>BSH25488</b>		Socket 6pt Std 2.5" Square Drive, 4 7/8" A/F	26.9
<b>BSH15313</b>	Socket 6pt Std 1.5" Square Drive, 3-1/8" A/F	10.4	<b>BSH25500</b>		Socket 6pt Std 2.5" Square Drive, 5" A/F	35.8
<b>BSH15319</b>	Socket 6pt Std 1.5" Square Drive, 3-3/16" A/F	11.7	<b>BSH25513</b>		Socket 6pt Std 2.5" Square Drive, 5-1/8" A/F	32
<b>BSH15325</b>	Socket 6pt Std 1.5" Square Drive, 3-1/4" A/F	13	<b>BSH25519</b>		Socket 6pt Std 2.5" Square Drive, 5-13/16" A/F	32
<b>BSH15338</b>	Socket 6pt Std 1.5" Square Drive, 3-3/8" A/F	12.6	<b>BSH25525</b>		Socket 6pt Std 2.5" Square Drive, 5-1/4" A/F	38.4
<b>BSH1535</b>	Socket 6pt Std 1.5" Square Drive, 1-3/8" A/F	4.3	<b>BSH25538</b>		Socket 6pt Std 2.5" Square Drive, 5-3/8" A/F	49.3
<b>BSH15350</b>	Socket 6pt Std 1.5" Square Drive, 3-1/2" A/F	14	<b>BSH25575</b>		Socket 6pt Std 2.5" Square Drive, 5-3/4" A/F	52.7
<b>BSH1536</b>	Socket 6pt Std 1.5" Square Drive, 36mm A/F	5.1	<b>BSH25600</b>		Socket 6pt Std 2.5" Square Drive, 6" A/F	49.4
<b>BSH15363</b>	Socket 6pt Std 1.5" Square Drive, 3-5/8" A/F	17.9	<b>BSH25613</b>		Socket 6pt Std 2.5" Square Drive, 6-1/8" A/F	59.9
<b>BSH1538</b>	Socket 6pt Std 1.5" Square Drive, 1-1/2" A/F	5.1	<b>BSH2565</b>		Socket 6pt Std 2.5" Square Drive, 2-9/16"-65mm A/F	21.1
<b>BSH15388</b>	Socket 6pt Std 1.5" Square Drive, 3-7/8" A/F	25	<b>BSH2570</b>		Socket 6pt Std 2.5" Square Drive, 2-3/4"-70mm A/F	15.8
<b>BSH15400</b>	Socket 6pt Std 1.5" Square Drive, 4" A/F	20.3	<b>BSH2575</b>		Socket 6pt Std 2.5" Square Drive, 2-15/16"-75mm A/F	20.8
<b>BSH15419</b>	Socket 6pt Std 1.5" Square Drive, 4-13/16" A/F	23	<b>BSH2580</b>		Socket 6pt Std 2.5" Square Drive, 80mm A/F	17.1
<b>BSH15425</b>	Socket 6pt Std 1.5" Square Drive, 4-1/4" A/F	18.8	<b>BSH2585</b>		Socket 6pt Std 2.5" Square Drive, 85mm A/F	20.7
<b>BSH1543</b>	Socket 6pt Std 1.5" Square Drive, 1-11/16" A/F	5.1	<b>BSH2590</b>		Socket 6pt Std 2.5" Square Drive, 90mm A/F	23.6
<b>BSH15438</b>	Socket 6pt Std 1.5" Square Drive, 4-3/8" A/F	23.4	<b>BSH2595</b>		Socket 6pt Std 2.5" Square Drive, 3-3/4"-95mm A/F	18.6
<b>BSH15450</b>	Socket 6pt Std 1.5" Square Drive, 4-1/2" A/F	25.8	<b>BSH75088</b>		Socket 6pt Std 3/4" Square Drive, 7/8" A/F	0.9
<b>BSH1546</b>	Socket 6pt Std 1.5" Square Drive, 1-13/16"-46mm A/F	5.1	<b>BSH75094</b>		Socket 6pt Std 3/4" Square Drive, 15/16" A/F	0.9
<b>BSH15463</b>	Socket 6pt Std 1.5" Square Drive, 4-5/8" A/F	23.5	<b>BSH75125</b>		Socket 6pt Std 3/4" Square Drive, 1-1/4" A/F	1.1
<b>BSH1550</b>	Socket 6pt Std 1.5" Square Drive, 50mm A/F Socket	5.4	<b>BSH75131</b>		Socket 6pt Std 3/4" Square Drive, 1-5/16" A/F	1.1
<b>BSH1555</b>	6pt Std 1.5" Square Drive, 55mm A/F Socket 6pt Std	5.8	<b>BSH75144</b>		Socket 6pt Std 3/4" Square Drive, 1-7/16" A/F	1.1
<b>BSH1560</b>	1.5" Square Drive, 60mm A/F	6.5	<b>BSH75156</b>		Socket 6pt Std 3/4" Square Drive, 1-9/16" A/F	1.3
<b>BSH1565</b>	Socket 6pt Std 1.5" Square Drive, 2-9/16"-65mm A/F	7.7	<b>BSH75163</b>		ocket 6pt Std 3/4" Square Drive, 1-5/8"-41mm A/F	1.3
<b>BSH1570</b>	Socket 6pt Std 1.5" Square Drive, 2-3/4"-70mm A/F	8.2	<b>BSH75175</b>		Socket 6pt Std 3/4" Square Drive, 1-3/4" A/F	1.5
<b>BSH1575</b>	Socket 6pt Std 1.5" Square Drive, 2-15/16"-75mm A/F	8.9	<b>BSH75188</b>		Socket 6pt Std 3/4" Square Drive, 1-7/8" A/F	2.2
<b>BSH1580</b>	Socket 6pt Std 1.5" Square Drive, 80mm A/F	10.4	<b>BSH7519</b>		Socket 6pt Std 3/4" Square Drive, 3/4"-19mm A/F	0.8
<b>BSH1585</b>	Socket 6pt Std 1.5" Square Drive, 85mm A/F	11.7	<b>BSH75194</b>		Socket 6pt Std 3/4" Square Drive, 1-15/16" A/F	2.3
<b>BSH1590</b>	Socket 6pt Std 1.5" Square Drive, 90mm A/F	12.8	<b>BSH75200</b>		Socket 6pt Std 3/4" Square Drive, 2" A/F	2.5
<b>BSH1595</b>	Socket 6pt Std 1.5" Square Drive, 3-3/4"-95mm A/F	17.9	<b>BSH7524</b>		Socket 6pt Std 3/4" Square Drive, 24mm A/F	0.9
<b>BSH25100</b>	Socket 6pt Std 2.5" Sq Drive, 3-15/16"-100mm A/F	20.3	<b>BSH7527</b>		Socket 6pt Std 3/4" Square Drive, 1-1/16"-27mm A/F	1
<b>BSH25105</b>	Socket 6pt Std 2.5" Square Drive, 4-1/8"-105mm A/F	21.6	<b>BSH7530</b>		Socket 6pt Std 3/4" Square Drive, 1-3/16"-30mm A/F	1
<b>BSH25110</b>	Socket 6pt Std 2.5" Sq Drive, 4-15/16"-110mm A/F	24.7	<b>BSH7532</b>		Socket 6pt Std 3/4" Square Drive, 32mm A/F	1
<b>BSH25115</b>	Socket 6pt Std 2.5" Square Drive, 115mm A/F	25.8	<b>BSH7535</b>		Socket 6pt Std 3/4" Square Drive, 1-3/8" A/F	1.1
<b>BSH25120</b>	Socket 6pt Std 2.5" Square Drive, 120mm A/F	26.9	<b>BSH7536</b>		Socket 6pt Std 3/4" Square Drive, 36mm A/F	1.1
<b>BSH25125</b>	Socket 6pt Std 2.5" Square Drive, 125mm A/F	27.4	<b>BSH7538</b>		Socket 6pt Std 3/4" Square Drive, 1-1/2" A/F	1.2
<b>BSH25135</b>	Socket 6pt Std 2.5" Square Drive, 135mm A/F	38.4	<b>BSH7543</b>		Socket 6pt Std 3/4" Square Drive, 1-11/16" A/F	1.5
<b>BSH25140</b>	Socket 6pt Std 2.5" Square Drive, 5-1/2"-140mm A/F	38.4	<b>BSH7546</b>		Socket 6pt Std 3/4" Square Drive, 1-13/16"- 46mm A/F	2
<b>BSH25145</b>	Socket 6pt Std 2.5" Square Drive, 145mm A/F	51.9	<b>BSH7550</b>		Socket 6pt Std 3/4" Square Drive, 50mm A/F	2.3
<b>BSH25150</b>	Socket 6pt Std 2.5" Square Drive, 5-7/8"-150mm A/F	49.4	<b>BW15025</b>		1/4" Bonded Seal-Tredo, 1500 bar	0.1
<b>BSH25155</b>	Socket 6pt Std 2.5" Square Drive, 155mm A/F	49.4	<b>BW150AW</b>		Coupler Set, w/ Adapt. (2), Tredos (2) & Dust Caps, 1500 bar	0.7
<b>BSH25238</b>	Socket 6pt Std 2.5" Square Drive, 2-3/8" A/F	15.8	<b>BW300BP25</b>		Blind Plug, 1/4" Male BSPP, 3000 bar	0.1
<b>BSH25244</b>	Socket 6pt Std 2.5" Square Drive, 2-7/16" A/F	15.8				
<b>BSH25250</b>	Socket 6pt Std 2.5" Square Drive, 2-1/2" A/F	15.8				
<b>BSH25263</b>	Socket 6pt Std 2.5" Square Drive, 2-5/8" A/F	15.8				
<b>BSH25269</b>	Socket 6pt Std 2.5" Square Drive, 2-11/16" A/F	15.8				
<b>BSH25281</b>	Socket 6pt Std 2.5" Square Drive, 2-13/16" A/F	17.1				
<b>BSH25288</b>	Socket 6pt Std 2.5" Square Drive, 2-7/8" A/F	17.1				
<b>BSH25300</b>	Socket 6pt Std 2.5" Square Drive, 3" A/F	17.1				
<b>BSH25306</b>	Socket 6pt Std 2.5" Square Drive, 3-1/16" A/F	17.1				
<b>BSH25313</b>	Socket 6pt Std 2.5" Square Drive, 3-1/8" A/F	17.1				
<b>BSH25319</b>	Socket 6pt Std 2.5" Square Drive, 3-3/16" A/F	18				
<b>BSH25325</b>	Socket 6pt Std 2.5" Square Drive, 3-1/4" A/F	18				
<b>BSH25338</b>	Socket 6pt Std 2.5" Square Drive, 3-3/8" A/F	18				
<b>BSH25350</b>	Socket 6pt Std 2.5" Square Drive, 3-1/2" A/F	18.3				
<b>BSH25363</b>	Socket 6pt Std 2.5" Square Drive, 3-5/8" A/F	18.3				
<b>BSH25388</b>	Socket 6pt Std 2.5" Square Drive, 3-7/8" A/F	24.5				
					<b>C</b>	
			<b>C-604</b>		3/8" Hi-Flow Coupler	0.8
			<b>CAT-10</b>		Tilt Saddle	0.7
			<b>CAT-50</b>		Tilt Saddle	1.2
			<b>CAT-51</b>		Tilt Saddle, for RCS-201, 302, 502	0.8
			<b>CAT-100</b>		Tilt Saddle	2.4
			<b>CAT-101</b>		Tilt Saddle, for RCS-1002	2
			<b>CATG-50</b>		Tilt Saddle	1.3
			<b>CATG-100</b>		Tilt Saddle	3.2
			<b>CATG-150</b>		Tilt Saddle	5.5
			<b>CD-411</b>		Dust Cap, for CR-400 and CH-604	0.2
			<b>CD-411D</b>		Dust Cap, Rubber for CR-400 and CH-604	0.1

Model Number	Description	Ship Weight	Model Number	Description	Ship Weight
CD-411M	Metal Dust Cap, for CR-400 Metal Dust	0.2	EP-11058	Bolt, fits EP110	3
CD-415M	Cap, for CH-604 Coupler (Female),	0.3	EP-11059	Snap Ring, fits EP108 & EP110	1
CF-115	Torque Wrench Coupler (Female) 1/4" F	0.6	EP-11353	30 Ton, 3 Jaw, Manual Puller Cage	9
CFF-250	NPT Coupler 1/4" M Npt	0.4	EP-11354	Jaw, fits EP113	5
CFM-250		0.4	EP-11354L	Long Jaw, for EP113 & EP213	10.5
CH-604	Hose Half (Male) of C-604 Metal Case, 1 cu. ft.	0.3	EP-11355	Jaw Head, for EP113	7
CM-1	Metal Case, 4 cu. ft.	16	EP-11356	Pin, Ball Lock, for EP113	1
CM-4	Metal Case, 2/3 cu. ft.	53.3	EP-11357	Handle, for EP113	2
CM-6	Metal Case, 7-1/2 cu. ft.	14	EP-11358	Bolt, fits EP113	7.5
CM-7		109.8	EP-11359	Snap Ring, fits EP113	0.5
CM-16	Metal Case, 16 cu. ft.		EP-11653	Cage, for EP116	16
CM-115	Coupler (Male), Torque Wrench Coupler (Male) CEJN 1/4" F NPT Female Coupler	120	EP-11654	Jaw, for EP116	8
CMF-250	Kit	0.3	EP-11655	Jaw Head, for EP116	14
CPF-115	Male Coupler Kit	1.2	EP-11657	Handle, for EP116	4
CPM-116		1	EP-11658	Bolt, fits EP116	15.5
CR-400	Cylinder Half (Female) of C-604 Coupler		EP-11659	Snap Ring, fits EP116	0.5
CT-604	Bleed Tool	0.6	EP-20453	Cage, for EP204	1
CW-166	Wooden Box	1.1	EP-20455	Jaw Head, for EP204	1
CW-350	Wooden Box	25	EP-20653	Cage, for EP206	2
CW-550	Wooden Box	42.6	EP-20853	12 Ton, 2 Jaw, Manual Puller Cage	2.9
CW-750	Wooden Box	34			
		65	EP-20855	Jaw Head, for EP208	2.1
	<b>D</b>		EP-21053	Cage, for EP210	4
DGR-2	Digital Gauge, Remote, 0-20,000 PSI	0.8	EP-21055	Jaw Head, for EP210	3
DGR-1B	Battery, for DGR1	0.1	EP-21353	Cage, for EP213	9
DGR-1PC	Protective Cover, for DGR1	0.1	EP-21355	Jaw Head, for EP213	7.8
	<b>E</b>		EP-21653	Cage, for EP216	14.4
EP-104	Manual Puller	4	EP-21655	Jaw Head, for EP216	31.5
EP-106	Manual Puller	9	EPH-108	10 Ton, 3 Jaw, Hydraulic Puller Set	26.4
EP-108	Manual Puller	15	EPH-110	15 Ton, 3 Jaw, Hydraulic Puller Set	37.9
EP-110	Manual Puller	18	EPH-113	25 Ton, 3 Jaw, Hydraulic Puller Set	57.4
EP-113	Manual Puller	44			
EP-116	Manual Puller	69.3	EPH-116	50 Ton, 3 Jaw, Hydraulic Puller Set	160.1
EP-204	Manual Puller	4	EPH-155	Ram Point Set for EPH110 & EPH210	3
EP-206	Manual Puller	7	EPH-208	10 Ton, 2 Jaw, Hydraulic Puller Set	24.2
EP-208	Manual Puller	12	EPH-210	15 Ton, 2 Jaw, Hydraulic Puller Set	35.3
EP-210	Manual Puller	14	EPH-213	25 Ton, 2 Jaw, Hydraulic Puller Set	75
EP-213	Manual Puller	43	EPH-216	50 Ton, 2 Jaw, Hydraulic Puller Set	126
EP-216	Manual Puller	63.5	EPH-257	Ram Point Set, for EPH113 & EPH213	20
EP-10453	Cage, for EP104	1	EPH-508	Ram Point Set, for EPH116 & EPH216	31
EP-10454	Jaw, for EP104	1	EPH-10854	Jaw	1.9
EP-10455	Jaw Head Assy, for EPPM16	1	EPH-10856	Pin, Ball Lock, fits EPH108	0.5
EP-10456	Pin, Ball Lock, for EP104 & EPPM16	1	EPH-10857	T Handle, fits EPH108	5
EP-10457	Handle, for EP104 & EPPM16	1	EPH-11052	Lift Plate, fits EPH110 & EPH210	1
EP-10458	Bolts, fits EP104	1	EPH-11053	Cage, fits EPH110	1.2
EP-10459	Snap Ring, fits EP104 & EPPM16	1	EPH-11054	EP110/210 Std Jaw (also EP108/110 Long Jaw)	2.5
EP-10554	Standard Jaw, for EPPMI-6	0	EPH-11054L	Long Jaw, fits EPH110 & EPH210	5.5
EP-10554L	Long Jaw, for EPPMI-6	0	EPH-11055	Jaw Head, for EPH110	10
EP-10653	Cage, for EP106	2	EPH-11056	Pin, Ball Lock, fits EPH110	1
EP-10654	Jaw, for EP106	1	EPH-11057	T Handle, fits EPH110	4
EP-10655	Jaw Head, for EP106	2	EPH-11059	Ring, fits EPH110	1
EP-10656	Pin, Ball Lock, for EP106	1	EPH-11352	Lift Plate, fits EPH113 & EPH213	3.5
EP-10657	Handle, for EP106	1	EPH-11353	Cage, fits EPH113	11.5
EP-10658	Bolt, fits EP106	2	EPH-11354	Jaw, fits EPH113	1
EP-10659	Snap Ring, fits EP106	1	EPH-11354L	Long Jaw, fits EPH113 & EPH213	10.5
EP-10853	Cage, for EP108	3	EPH-11355	Jaw Head, fits EPH113	19
EP-10854	Jaw, for EP108	2	EPH-11356	Pin, Ball Lock, fits EPH113	1
EP-10855	Jaw Head, for EP108	2	EPH-11357	T Handle, fits EPH113	5.5
EP-10858	Bolt, fits EP108	2	EPH-11359	Ring, fits EPH113	1
EP-11053	Cage, for EP110	3	EPH-11652	Lift Plate, for EPH116 & EPH216	3.4
EP-11054	Long Jaw, for EP108 & EP208	1.5	EPH-11653	Cage, fits EPH116	17
EP-11054L	Long Jaw, for EP110 & EP210	5.5	EPH-11654	Jaw, fits EPH116	3.9
EP-11055	Jaw Head, for EP110	3	EPH-11655	Jaw Head, fits EPH116	34.2
EP-11056	Pin, Ball Lock, for EP108 & EP110	1	EPH-11656	Pin, Ball Lock, fits EPH116	1
EP-11057	Handle, for EP108 & EP110	1			

Model Number	Description	Ship Weight	Model Number	Description	Ship Weight
EPH-11657	T Handle, fits EPH116	12	G2513L	2-1/2" Gauge, 0-600 PSI	0.6
EPH-11659	Ring, fits EPH116	0.3	G2514L	2-1/2" Gauge, 0-1000 PSI	0.3
EPH-21053	Cage, fits EPH210	4	G2515L	2-1/2" Gauge, 0-2000 PSI	0.5
EPH-21055	Jaw Head, fits EPH210	1.2	G2516L	2-1/2" Gauge, 0-3000 PSI	0.5
EPH-21353	Cage, fits EPH213	9	G2516SL	2-1/2" Gauge, Lower Mount, 0-3000 PSI, SAE #4	0.8
EPH-21355	Jaw Head, fits EPH213	19	G2517L	2-1/2" Gauge, 0-6000 PSI	0.4
EPH-21653	Cage, fits EPH216	13	G2517SL	2-1/2" Gauge, Lower Mount, 0-6000 PSI, SAE #4	0.6
EPH-21654	Jaw, fits EPH216	1	G2531R	2-1/2" Gauge, 0-1000 PSI	0.5
EPH-21655	Jaw Head, fits EPH216	31.5	G2531SR	2-1/2" Gauge, Rear Mount, 0-1000 PSI, SAE #4	0.6
EPHR-108	10 Ton, 3 Jaw Set, w/ Cylinder	39.7	G2533SR	2-1/2" Gauge, Rear Mount, 0-3000 PSI, SAE #4	0.6
EPHR-110	15 Ton, 3 Jaw Set, w/ Cylinder	64	G2534R	2-1/2" Gauge, 0-6000 PSI	0.6
EPHR-113	25 Ton, 3 Jaw Set, w/ Cylinder	118	G2534SR	2-1/2" Gauge, Rear Mount, 0-6000 PSI, SAE #4	0.6
EPHR-116	50 Ton, 3 Jaw Set, w/ Cylinder	254	G2535L	2-1/2" Gauge, 0-10,000 PSI	0.5
EPHR-208	10 Ton, 2 Jaw Set, w/ Cylinder	24	G2535SL	2-1/2" Gauge, Lower Mount, 0-10,000 PSI, SAE #4	0.8
EPHR-210	15 Ton, 2 Jaw Set, w/ Cylinder	51.5	G2536L	2-1/2" Gauge, 0-15,000 PSI	0.4
EPHR-213	25 Ton, 2 Jaw Set, w/ Cylinder	98	G2537R	2-1/2" Gauge, 0-10,000 PSI	0.6
EPHR-216	50 Ton, 2 Jaw Set, w/ Cylinder	192	G2537SR	2-1/2" Gauge, Rear Mount, 0-10,000 PSI, SAE #4	0.8
EPHS-108	10 Ton, 3 Jaw Set, w/ PUJ1200B Electric Pump	66.9	G2538R	2-1/2" Gauge, 0-15,000 PSI	0.6
EPHS-110	15 Ton, 3 Jaw Set, w/ PUJ1200B Electric Pump	100	G4039L	4" Gauge, 0-10,000 PSI	2.2
EPHS-113	25 Ton, 3 Jaw Set, w/ PUJ1200B Electric Pump	170	G4040L	4" Gauge, 0-15,000 PSI	3
EPHS-116	50 Ton, 3 Jaw Set, w/ ZE3208MB Electric Pump	381	G4088L	4" Gauge, 0-10,000 PSI	2.1
EPHS-208	10 Ton, 2 Jaw Set, w/ PUJ1200B Electric Pump	60	G4089L	4" Gauge, 0-15,000 PSI	2.7
EPHS-210	15 Ton, 2 Jaw Set, w/ PUJ1200B Electric Pump	85	GA-1	Gauge Adaptor	0.6
EPHS-213	25 Ton, 2 Jaw Set, w/ PUJ1200B Electric Pump	118	GA-2	Gauge Adaptor	2
EPHS-216	50 Ton, 2 Jaw Set, w/ ZE3208MB Electric Pump	272	GA-3	Gauge Adaptor	1.7
EPHT-1162	Pushing Adaptor, 29"	82	GA-4	Gauge Adaptor	1.2
EPHT-1163	Pushing Adaptor, 19"	54	GA-45GC	Gauge Adaptor	2.9
EPHT-1164	Pushing Adaptor, 9"	27	GA-918	Swivel Gauge Union	1.4
EPP-4	Shaft Protector	1.5	GF-5P	Gauge, Liquid Filled, PSI/lbs.	2.2
EPP-6	Shaft Protector	1.8	GF-10P	Gauge, Liquid Filled, PSI/lbs.	2.2
EPP-10	Shaft Protector	3.1	GF-20P	Gauge, Liquid Filled, PSI/lbs.	2.2
EPP-1316	Shaft Protector	1	GF-50P	Gauge, Liquid Filled, PSI/lbs.	2.2
EPT-2550	Hydraulic Puller Transport Cart	90	GF-120P	Gauge, Liquid Filled, PSI/lbs.	1.4
EPX-4	Shaft Extension	1.6	GF-200P	Gauge, Liquid Filled, PSI/lbs.	2.1
EPX-6	Shaft Extension	1.9	GF-230P	Gauge, Liquid Filled, PSI/lbs.	2.2
EPX-10	Shaft Extension	3.5	GF-510P	Gauge, Liquid Filled, PSI/lbs.	2.2
<b>F</b>			GF-813P	Gauge, Liquid Filled, PSI/lbs.	2.1
F-604	Flush Face Coupler	2	GF-835P	Gauge, Liquid Filled, PSI/lbs.	2.1
FH-604	Male Half of F-604	0.4	GF-871P	Gauge, Liquid Filled, PSI/lbs.	2.1
FR-400	Female Half of F-604	1	GP-10S	Gauge, PSI	1.4
FS-34	Hushh Pump, Foot Switch Kit	10	GP-15S	Gauge, PSI	1.4
FSB-1	Flange Spreader Step Blocks, 1 Pair	2.5	GPS14A	Puller Set, GPS14 Sync Grip, w/XA11	66
FZ-1055	Reducer Connector	0.2	GPS14CB	Puller Set, GPS14 Sync Grip, w/XC1201MB	75
FZ-1605	1/4" NPT Coupling	0.1	GPS14CE	Puller Set, GPS14 Sync Grip, w/XC1201ME	75
FZ-1608	1/4" Hex Nipple	0.1	GPS14EB	Puller Set, GPS14 Sync Grip, w/PUD1300B	78
FZ-1610	3/8" Elbow Fitting	0.4	GPS14EE	Puller Set, GPS14 Sync Grip, w/PUD1300E	78
FZ-1612	3/8" Tee Fitting	0.4	GPS14H	Puller Set, GPS14 Sync Grip, w/P392	55
FZ-1613	3/8" Cross Fitting	0.4	GPS24A	Puller Set, GPS24 Sync Grip, w/XA11	147
FZ-1614	3/8" Coupling	0.2	GPS24CB	Puller Set, GPS24 Sync Grip, w/XC1201MB	156
FZ-1615	3/8" Reducer Fitting (to 1/4")	0.2	GPS24CE	Puller Set, GPS24 Sync Grip, w/XC1201ME	156
FZ-1616	3/8" Street Elbow	0.3	GPS24EB	Puller Set, GPS24 Sync Grip, w/PUD1300B	159
FZ-1617	3/8" Close Nipple	0.1	GPS24EE	Puller Set, GPS24 Sync Grip, w/PUD1300E	159
FZ-1619	3/8" NPT F Fitting	0.2	GPS24H	Puller Set, GPS24 Sync Grip, w/P392	136
FZ-1625	1/2" Reducer Fitting (to 3/8")	0.3	GPS36A	Puller Set, GPS36 Sync Grip, w/XA11	276
FZ-1630	Reducer Bushing (3/8" to 1/4")	0.1	GPS36CB	Puller Set, GPS36 Sync Grip, w/XC1201MB	285
FZ-1633	1/2" Female to 1/4" Male Conn.	0.3	GPS36CE	Puller Set, GPS36 Sync Grip, w/XC1201ME	285
FZ-1634	1/2" Female to 3/8" Male Conn.	0.3	GPS36EB	Puller Set, GPS36 Sync Grip, w/PUD1300B	287
FZ-1638	1/4" Female Ports	0.2	GPS36EE	Puller Set, GPS36 Sync Grip, w/PUD1300E	287
FZ-1660	3/8" (Male) - 3/8" (Female) NPTF Swivel Fitting	0.2	GPS36H	Puller Set, GPS36 Sync Grip, w/P392	265
FZ-2069	Adaptor SAE#8 To 3/8" NPT	0.2	GPS64A	Puller Set, GPS64 Sync Grip, w/XA11	424
<b>G</b>			GPS64CB	Puller Set, GPS64 Sync Grip, w/XC1201MB	433
G2509L	2-1/2" Gauge, 0-100 PSI	0.6	GPS64CE	Puller Set, GPS64 Sync Grip, w/XC1201ME	433
G2510L	2-1/2" Gauge, 0-160 PSI	0.6			
G2511L	2-1/2" Gauge, 0-200 PSI	0.6			
G2512L	2-1/2" Gauge, 0-300 PSI	0.5			

Model Number	Description	Ship Weight	Model Number	Description	Ship Weight
GPS64EB	Puller Set, GPS64 Sync Grip, w/PUD1300B	436	HC-9203	3' Hose, w/ CH-604, 3/8" NPTF, .25" I.D.	2.2
GPS64EE	Puller Set, GPS64 Sync Grip, w/PUD1300E	436	HC-9203B	3' Hose, w/ C-604, 3/8" NPTF, .25" I.D.	2.9
GT-4015	Gauge & Torque Overlay Kit, for SQD & HXD Wrenches	2.9	HC-9206	6' Hose, w/ CH-604, 3/8" NPTF, .25" I.D.	3
GT-4015Q	Gauge and Torque Overlay Kit, for S & W Wrenches	2	HC-9206B	6' Hose, w/ C-604, 3/8" NPTF, .25" I.D.	3.7
			HC-9206C	6' Hose, w/ two CH-604, .25" I.D.	3.1
<b>H</b>					
H4000G	Maximum Indicator Pointer, 4" Gauge	0.4	HC-9206Q	6' Hose, w/ CH-604, 1/4" NPTF, .25" I.D.	3
H4049L	4" Gauge, 0-10,000 PSI	1.4	HC-9210	10' Hose, w/ CH-604, 3/8" NPTF, .25" I.D.	4.3
H4071L	4" Gauge, 0-10,000 PSI	1.4	HC-9210B	10' Hose, w/ C-604, 3/8" NPTF, .25" I.D.	5.3
H-7202	2' Hose, .25" I.D.	1.3	HC-9220	20' Hose, w/ CH-604, 3/8" NPTF, .25" I.D.	5.2
H-7203	3' Hose, .25" I.D.	1.5	HC-9220C	20' Hose, w/ two CH-604, 3/8" NPTF, .25" I.D.	6.5
H-7206	6' Hose, .25" I.D.	2	HC-9250C	50' Hose, w/ two CH-604, .25" I.D.	13.8
H-7210	10' Hose, .25" I.D.	3	HC-9250CR	50' Hose, w/ CH-604 & CR400, .25" I.D.	20
H-7220	20' Hose, .25" I.D.	6.2	HC-9306	6' Hose, w/ CH-604, 3/8" NPTF, .38" I.D.	2.9
H-7230	30' Hose, .25" I.D.	6.6	HC-9308	8' Hose, w/ CH-604, 3/8" NPTF, .38" I.D.	3.4
H-7250	50' Hose, .25" I.D.	10.1	HC-9310	10' Hose, w/ CH-604, 3/8" NPTF, .38" I.D.	4
H-7306	6' Hose, .38" I.D.	3.5	HC-9320	20' Hose, w/ CH-604 3/8" NPTF, .38" I.D.	6.9
H-7310	10' Hose, .38" I.D.	5.4	HF-100	Hyd Oil, Quart	2
H-7320	20' Hose, .38" I.D.	10	HF-101	Hyd Oil, Gallon	7.7
H-7330	30' Hose, .38" I.D.	12.8	HF-102	Hyd Oil, 5 Gallons	38.5
H-7350	50' Hose, .38" I.D.	19.6	HF-104	Hyd Oil, 55-Gallon Drum	425
H-9202	2' Hose, .25" I.D.	1.6	HP-1102	Washer	0.1
H-9203	3' Hose, .25" I.D.	1.7	HP-1103	Slotted Crosshead	4.8
H-9206	6' Hose, .25" I.D.	2	HP-1105	Slide Plate	3
H-9206Q	6' Hose, 1/4" NPT .25" I.D.	2.5	HP-1111	Adjusting Rod	3
H-9206S	6' Hose, 3/8" & 1/4" NPT	2.6	HP-1113	Mounting Screw	0.1
H-9210	10' Hose, .25" I.D.	2.9	HP-1121	Straps	3
H-9210S	10' Hose, 1/4" NPT & 3/8" NPT	2.3	HP-1122	Strap Screws	0.1
H-9220	20' Hose, .25" I.D.	5.2	HP-1123	Strap Nuts	0.1
H-9230	30' Hose, .25" I.D.	6.9	HP-1125	Grip Arm & Carton, 10 Ton	3.9
H-9250	50' Hose, .25" I.D.	11.2	HP-1136	Leg & Carton	1.4
H-9306	6' Hose, .38" I.D.	2.7	HP-1137	Leg & Carton	3.5
H-9308	8' Hose, .38" I.D.	4.7	HP-1213	Mounting Screw	0.1
H-9310	10' Hose, .38" I.D.	3.7	HP-2001	Leg Nut	0.1
H-9320	20' Hose, .38" I.D.	6.6	HP-2002	Washer	0.1
H-9330	30' Hose, .38" I.D.	9.6	HP-2006	Leg	2.2
H-9350	50' Hose, .38" I.D.	15	HP-2007	Leg	3.4
HA-7206	6' Hose, w/ AH-604, 3/8 NPTF, .25" I.D.	2.2	HP-2008	Leg	4.4
HA-7206B	6' Hose, w/ A-604, 3/8" NPTF, .25" I.D.	2.8	HP-2009	Leg End	0.3
HA-7210	10' Hose, w/ AH-604, 3/8" NPTF, .25" I.D.	3.2	HP-2010	Adjusting Rod	3.9
HA-9202	2' Hose, w/ AH-604, 3/8" NPTF, .25" I.D.	1.8	HP-2012	Leg	2
HA-9203	3' Hose, w/ AH-604, 3/8" NPTF, .25" I.D.	2.1	HP-2013	Mounting Screw	0.1
HA-9203B	3' Hose, w/ A-604, 3/8" NPTF, .25" I.D.	2.4	HP-2015	Threaded Hollow Saddle	0.5
HA-9206	6' Hose, w/ AH-604, 3/8" NPTF, .25" I.D.	2.9	HP-2023	Strap Nuts	0.1
HA-9206B	6' Hose, w/ A-604, 3/8" NPTF, .25" I.D.	3.5	HP-2031	Leg Reducer	1
HA-9210	10' Hose, w/ AH-604, 3/8" NPTF, .25" I.D.	4.2	HP-2035	Smooth Hollow Saddle	1
HA-9210B	10' Hose, w/ A-604, 3/8" NPTF, .25" I.D.	4.6	HP-2105	Slide Plate	3
HB-7206	6' Hose, w/ AH-630, 3/8" NPTF, .25" I.D.	2.4	HP-2111	Adjusting Rod	5.5
HB-7206QB	6' Hose, w/ A-630, 1/4" NPTF, .25" I.D.	2.4	HP-2113	Mounting Screw	0.1
HB-9206	6' Hose, w/ AH-630, 3/8" NPTF, .25" I.D.	3	HP-2120	Double Crosshead	5
HB-9206Q	6' Hose, w/ AH-630, 1/4" NPTF, .25" I.D.	2.9	HP-2122	Strap Screws	0.1
HB-9206QB	6' Hose, w/ A-630, 1/4" NPTF, .25" I.D.	3.1	HP-2125	Grip Arm	8.3
HC-7203	3' Hose, w/ CH-604, 3/8" NPTF, .25" I.D.	1.7	HP-2130	Triple Crosshead	7.3
HC-7203B	3' Hose, w/ C-604, 3/8" NPTF, .25" I.D.	2.2	HP-3015	Threaded Hollow Saddle	0.7
HC-7206	6' Hose, w/ CH-604, 3/8" NPTF, .25" I.D.	2.3	HP-3031	Leg Nut	0.3
HC-7206B	6' Hose, w/ C-604, 3/8" NPTF, .25" I.D.	2.8	HP-3032	Washer	1
HC-7206C	6' Hose, w/ two CH-604, .25" I.D. 202911	2.4	HP-3036	Leg	5
HC-7206Q	6' Hose, w/ CH-604, 1/4" NPTF, .25" I.D.	2.3	HP-3037	Leg	7.5
HC-7210	10' Hose, w/ CH-604, 3/8" NPTF, .25" I.D.	3	HP-3038	Leg	11.1
HC-7210B	10' Hose, w/ C-604, 3/8" NPTF, .25" I.D.	3.4	HP-3039	Leg End	0.7
HC-7220	20' Hose, w/ CH-604, 3/8" NPTF, .25" I.D.	6.4	HP-3041	Leg Reducer	2.8
HC-7250C	50' Hose, w/ two CH-604, .25" I.D.	11.1	HP-3044	Smooth Hollow Saddle	0.5
HC-7306	6' Hose, w/ CH-604, 3/8" NPTF, .38" I.D.	3.1	HP-3104	Slotted Crosshead	39.2
HC-7310	10' Hose, w/ CH-604, 3/8" NPTF, .38" I.D.	5.6			

Model Number	Description	Ship Weight	Model Number	Description	Ship Weight
HP-3111	Adjusting Rod	10		<b>L</b>	
HP-3113	Mounting Screw	0.1	LS-1	Level/Temp Switch Kit	0.4
HP-3120	Double Crosshead	9.9	LWB-1	Stepped Block, for LW-16	3
HP-3122	Strap Screws	2.2	LX-101	Hyd Oil, for Hand Pumps, Gallon	7.3
HP-3123	Strap Nuts	0.1	LX-104	Hyd Oil, for Hand Pumps, 55-Gallon Drum	450
				<b>M</b>	
HP-3125	Grip Arms	14.3	MP-10T	Reservoir Kit, for Multi-Fluid Hand Pump	25.2
HP-3130	Triple Crosshead	12.5	MPS14A	Puller Set, MPS14 Sync Grip, w/XA11	34
HP-3135	Slide Plate	3	MPS14CB	Puller Set, MPS14 Sync Grip, w/XC1201MB	43
HP-5001	Leg Nut	0.4	MPS14CE	Puller Set, MPS14 Sync Grip, w/XC1201ME	43
HP-5007	Leg	17	MPS14EB	Puller Set, MPS14 Sync Grip, w/PUD1300B	45
HP-5008	Leg	22.7			
HP-5010	Adjusting Rod	2.5	MPS14EE	Puller Set, MPS14 Sync Grip, w/PUD1300E	45
HP-5013	Mounting Screw	1	MPS14H	Puller Set, MPS14 Sync Grip, w/P392	23
HP-5016	Threaded Hollow Saddle	2.1	MPS24A	Puller Set, MPS24 Sync Grip, w/XA11	48
HP-5033	Speed Nut	6.4	MPS24CB	Puller Set, MPS24 Sync Grip, w/XC1201MB	57
			MPS24CE	Puller Set, MPS24 Sync Grip, w/XC1201ME	57
HP-5102	Slide Plate	2.8			
HP-5103	Slotted Crosshead	73.1	MPS24EB	Puller Set, MPS24 Sync Grip, w/PUD1300B	60
HP-5111	Adjusting Rod	22	MPS24EE	Puller Set, MPS24 Sync Grip, w/PUD1300E	60
HP-5120	Double Crosshead	17.7	MPS24H	Puller Set, MPS24 Sync Grip, w/P392	37
HP-5121	Straps	3	MPS36A	Puller Set, MPS36 Sync Grip, w/XA11	56
			MPS36CB	Puller Set, MPS36 Sync Grip, w/XC1201MB	65
HP-5122	Strap Screws	0.1			
HP-5123	Strap Nuts	0.1	MPS36CE	Puller Set, MPS36 Sync Grip, w/XC1201ME	65
HP-5125	Grip Arms	36	MPS36EB	Puller Set, MPS36 Sync Grip, w/PUD1300B	67
HP-5130	Triple Crosshead	20	MPS36EE	Puller Set, MPS36 Sync Grip, w/PUD1300E	67
HP-5132	Leg Washer Kit	0.3	MPS36H	Puller Set, MPS36 Sync Grip, w/P392	45
			MPS64A	Puller Set, MPS64 Sync Grip, w/XA11	104
HP-10016	Saddle	4.5			
HT1503	Hose, 1m, 1500 bar	2.2	MPS64CB	Puller Set, MPS64 Sync Grip, w/XC1201MB	113
HT1503HR	Hose, 1m, w/ Qk Disconnect Couplings & Dust Caps, 1500 bar	2.8	MPS64CE	Puller Set, MPS64 Sync Grip, w/XC1201ME	113
HT1510	Hose, 3m, 1500 bar	3.4	MPS64EB	Puller Set, MPS64 Sync Grip, w/PUD1300B	116
			MPS64EE	Puller Set, MPS64 Sync Grip, w/PUD1300E	116
HT1510HR	Hose, 3m, w/Qk Disconnect Couplings & Dust Caps, 1500 bar	4	MPS64H	Puller Set, MPS64 Sync Grip, w/P392	93
HT2003	Hose, 1m, 2000 bar	2.5			
HT2003HR	Hose, 1m w/ QD Couplings & Dust Caps, 2000 bar	3.2	MRK-1	Remote Manifold Kit	5.7
HT2010	Hose, 3m, 2000 bar	4.3	MTB-1	Mounting Bracket Kit, for Turbo	1.4
HT2010HR	Hose, 3m w/ QD Couplings & Dust Caps, 2000 bar	4.9	MZ-1002	5" Lock-On Extension Tube	1
			MZ-1003	10" Lock-On Extension Tube	2.2
			MZ-1004	18" Lock-On Extension Tube	4.4
IC-43	Pendant, 2-Button	1.9			
IC-71	Pressure Switch	2.2	MZ-1005	30" Lock-On Extension Tube	7.3
IC-300	Control Station, 3-Way, 115VAC	2.5	MZ-1050	Lock-On Tube Connector	1.9
IC-324	Remote Pendant Replacement Kit	2.5	MZ-1051	Lock-On Tube Male Adaptor	2
IC-400	Control Station, 4-Way, 115VAC	2.8	MZ-1052	Lock-On Tube Female Adaptor	1.5
			MZ-1053	Lock-On Tube Connector	1.3
IC-424	Remote Pendant Replacement Kit	2.8			
IC-7234	Hushh Pump, Pressure Switch Kit	4.6	MZ-4002	3" Lock-On Extension Tube	1
IPK-1012	Press Conversion Kit	11	MZ-4003	5" Lock-On Extension Tube	0.5
IPK-3012	Press Conversion Kit	27.9	MZ-4004	10" Lock-On Extension Tube	1.1
IPL-100	Hydra-Lift, 25-100 Ton H-Fr. Press	19.7	MZ-4005	18" Lock-On Extension Tube	2.2
			MZ-4006	23" Lock-On Extension Tube	4
IPL-101	Hydra-Lift, 200 Ton H-Fr. Press	20			
IPLR-100	Hydra-Lift, 50-100 Ton Roll Fr. Press	52	MZ-4007	Lock-On Tube Connector	0.4
IPLR-200	Hydra-Lift, 200 Ton Roll Fr. Press	55	MZ-4008	Lock-On Tube Male Adaptor	0.4
			MZ-4009	Lock-On Tube Female Adaptor	1
			MZ-4010	Rubber-Faced Flat Base	1.1
JBI-10	10 Ton Cylinder Base	7	MZ-4011	Tube Clamp Adaptor	1.1
JBI-25	25 Ton Cylinder Base	15.3	MZ-4013	Lock Pin	0.1
JBI-50	50 Ton Cylinder Base	20.6			
JH-306	30 Ton Hyd. Hand Jack	59.6	<b>N</b>		
JH-506	50 Ton Hyd. Hand Jack	96	NCB-1319	NC1319 Nut Cutter Blade	1
			NCB-1924	NC1924 Nut Cutter Blade	1
JH-1006	100 Ton Hydraulic Hand Jack	184	NCB-2432	NC2432 Nut Cutter Blade	1
JHA-73	7 Ton Aluminum Hand Jack	12.3	NCB-3241	NC3241 Nut Cutter Blade	0.7
JHA-156	15 Ton Aluminum Hand Jack	29.7	NCB-4150	NC4150 Nut Cutter Blade	0.8
JHA-356	35 Ton Aluminum Hand Jack	45.7			
JHA-756	75 Ton Aluminum Hand Jack	99	NCB-5060	NC5060 Nut Cutter Blade	1.5
JHA-1506	150 Ton Aluminum Hand Jack	210	NCB-6075	NC6075 Nut Cutter Blade	3.6
			NSB70	Nut Splitter Blade, for 70-Series Head	0.5

Model Number	Description	Ship Weight	Model Number	Description	Ship Weight
NSB110	Nut Splitter Blade, for 110-Series Head	1.5	SPD-728	7/16" (M12) Square Punch & Die Set	0.4
NSC70	Nut Splitter Cylinder, S/A, for 70 Series	62.4	SPD-781	M18 Round Punch & Die Set	0.4
NSC70D	Nut Splitter Cylinder, D/A, for 70 Series	42.5	SPD-813	3/4" Round Punch & Die Set	0.4
NSC110	Nut Splitter Cylinder, S/A, for 110 Series	81.6	SPK-10	Die Changeover Tool	1
NSC110D	Nut Splitter Cylinder, D/A, for 110 Series	81.6	SW-22	Spanner Wrench	2
			<b>T</b>		
NSH7080	Nut Splitter Cutting Head, 70-80mm	37.5	T-630	Coupler Set	1
NSH7085	Nut Splitter Cutting Head, 70-85mm	38.6	T6001L	Pressure Gauge, 1000 PSI	4
NSH7095	Nut Splitter Cutting Head, 70-95mm	38.3	T6002L	Pressure Gauge, 5000 PSI	3.8
NSH70105	Nut Splitter Cutting Head, 70-105mm	43	T6003L	Pressure Gauge, 10,000 PSI	3.8
NSH110115	Nut Splitter Cutting Head, 110-115mm	63.9	T6007L	Pressure Gauge, 10,000 PSI	4
NSH110130	Nut Splitter Cutting Head, 110-130mm	70.6	T6008L	Pressure Gauge, 20,000 PSI	3.8
<b>P</b>			T6010L	Pressure Gauge, 40,000 PSI	3.7
PAC-115	Heat Exchanger for Submerged Pump	7.2	T6011L	Pressure Gauge, 50,000 PSI	4
PAC-230	Heat Exchanger for Submerged Pump	1	TH-630	Spin-On Coupler, Male Half	0.6
PAR-K1	Conversion Kit	6.9	TQHE-115	Heat Exchanger, TQ700, 115V	8
PAR-K2	Conversion Kit, No Pendant	2.5			
PC-10	Foot Pump Adaptor Kit	1.3	TQHE-230	Heat Exchanger, TQ700, 230V	8
PC-11	Foot Pump Adaptor Kit	1.3	TR-630	Spin-On Coupler, Female Half	0.4
PC-20	Tank Kit	0.9	TSE-8	Overlays, for SQD and HXD Series Wrenches	0
PC-25	Tank Kit	0.8	TSQ-7	Overlays, for S and W Series Wrenches	1
PC-66	Conversion Kit	2	TW-22	Manual Torque Wrench, for ATM-3	2.1
PF-25	Replacement Filter Kit	1.3	<b>V</b>		
PFK-25N	Oil Filter Kit, Hushh Pump	6	V-8F	Needle Valve, Fine-Metering	2.1
PFS-3	Foot Control Switch	11.1	V-10	Auto-Damper Valve	1.3
PFS-4	Foot Control Switch	11.2	V-17	Check Valve	1.4
PK-501	50 Ton Press Kit	85	V-42	Pilot Operated Check Valve	3.4
PK-1002	100 Ton Press Kit	195	V-66	Cyl. Load Holding Valve	3.9
PK-2002	200 Ton Press Kit	500	V-66F	Cyl. Load Holding Valve, Fine-Metering	3.7
PMB-1	Pump Bracket Kit	15	V-66NV	Cyl. Load Holding Valve, Nickel Viton	3.9
PMB-2	Pump Bracket Kit	32.5	V-82	Needle Valve	2
<b>R</b>			V-91	Valve Control Snubber	0.9
RB-5	5 Ton Cylinder Mounting Block	2.1	V-152	Relief Valve	3.4
RB-10	10 Ton Cylinder Mounting Block	3	V-152NV	Relief Valve, Nickel Viton	3.5
RB-15	15 Ton Cylinder Mounting Block	5	V-161	Sequence Valve	3.9
RB-25	25 Ton Cylinder Mounting Block	14	V-182	Shut-Off Valve	2
REB-15	15 Ton Base Clevis	1.9	VA-2	Air Valve, Foot Pedal Control	1
REB-25	25 Ton Base Clevis	3.1	VA42E	ZA Torque Wrench Valve, 11,600 PSI (800 Bar)	19
REP-25	25/30 Ton Plunger Clevis	2.7	VA42EM	ZA Multiport Torque Wrench Valve, 11,600 PSI (800 Bar)	25
RFL-102	Regulator, Filter, Lubricator	4.9	VA42Q	ZA Torque Wrench Valve, 10,000 PSI (700 Bar)	19
<b>S</b>			VA42QM	ZA Multiport Torque Wrench Valve, 10,000 PSI (700 Bar)	25
SB-1	FSH-14 Safety Block	20	VE-32	Valve, Dump and Hold	8.8
SB-2	Safety Block, for LW-16	19	VE-32D	Dump Valve	8.8
SBZ-4	Skid Bar Kit, No Heat Exch, for Z-Class	6.5	VE-33	3-Way Electric Valve	22.9
SBZ-4L	Skid Bar Kit, Heat Exch, for Z-Class	9.4	VE33-115	3-Way Electric Valve w/ IC-400	25.2
SP-110	Depth Stop, for 50-ton Punch	4	VE42E-115	ZU4 Classic 115V Torque Wrench Valve, 11,600 PSI 19	
SP-120	Vertical or Horizontal Foot Mounting Kit	18	VE42E-230	ZU4 Classic 230V Torque Wrench Valve, 11,600 PSI 19	
SP-121	7/8" Punch & Die Set	1.4	VE42EM-115	ZU4 Classic 115V Multiport Tq Wrench Valve, 11,600 PSI	25
SP-123	1" Punch & Die Set	1.4	VE42EM-230	ZU4 Classic 230V Multiport Tq Wrench Valve, 11,600 PSI	25
SP-150	1/2" Punch & Die Set	1.4	VE42TE-24	ZE 24V Torque Wrench Valve, 11,600 PSI (800 Bar)	18.5
SP-170	5/8" Punch & Die Set	1.5	VE42TE-115	ZU4 Pro 115V Tq Wrench Valve, 11,600 PSI (800 Bar)	19
SP-190	3/4" Punch & Die Set	1.5	VE42TE-230	ZU4 Pro 230V Tq Wrench Valve, 11,600 PSI (800 Bar)	19
SPD-106	1/4" Oblong Punch & Die Set	0.4	VE42TEM-24	ZE 24V Multiport Tq Wrench Valve, 11,600 PSI 24.3	
SPD-125	5/16" (M8) Oblong Punch & Die Set	0.4	VE42TEM-115	ZU4 Pro 115V Multiport Tq Wrench Valve, 11,600 PSI	25
SPD-188	3/8" (M10) Oblong Punch & Die Set	0.4	VE42TEM-230	ZU4 Pro 230V Multiport Tq Wrench Valve, 11,600 PSI	25
SPD-250	7/16" (M12) Oblong Punch & Die Set	0.4	VE42TQ-24	ZE 24V Torque Wrench Valve, 10,000 PSI (700 Bar)	17.9
SPD-313	1/4" Round Punch & Die Set	0.4	VE42TQ-115	ZU4 Pro 115V Torque Wrench Valve, 10,000 PSI	19
SPD-375	5/16" (M8) Round Punch & Die Set	0.4	VE42TQ-230	ZU4 Pro 230V Torque Wrench Valve, 10,000 PSI	19
SPD-438	3/8" (M10) Round Punch & Die Set	0.4	VE42TQC-115	Valve, TQ700, 115V, 10,000 PSI (700 Bar)	8
SPD-458	1/4" Square Punch & Die Set	0.4	VE42TQC-230	Valve, TQ700, 230V, 10,000 PSI (700 Bar)	8
SPD-531	7/16" (M12) Round Punch & Die Set	0.4	VE42TQM-24	ZE 24V Multiport Torque Wrench Valve, 10,000 PSI	24.1
SPD-549	5/16" (M8) Square Punch & Die Set	0.4	VE42TQM-115	ZU4 Pro 115V Multiport Tq Wrench Valve, 10,000 PSI	25
SPD-563	1/2" Round Punch & Die Set	0.4	VE42TQM-230	ZU4 Pro 230V Multiport Tq Wrench Valve, 10,000 PSI	25
SPD-639	3/8" (M10) Square Punch & Die Set	0.4			
SPD-688	5/8" (M16) Round Punch & Die Set	0.4			





### Workholding Accessories

Model Number	Description	Ship Weight	Model Number	Description	Ship Weight
<b>NUMERIC</b>			<b>BKD-71</b>	Mounting Stud Kit, D03	0.4
<b>1531R</b>	1-1/2" Gauge, Rear Mount, 0-1000 PSI, 1/8" NPT	0.2	<b>BS-21</b>	Contact Bolt, Spherical, #6-32 UN	0.1
<b>1533R</b>	1-1/2" Gauge, Rear Mount, 0-3000 PSI, 1/8" NPT	0.2	<b>BS-36</b>	Contact Bolt, Spherical, M36 x 4,0	0.2
<b>1534R</b>	1-1/2" Gauge, Rear Mount, 0-6000 PSI, 1/8" NPT	0.2	<b>BS-41</b>	Contact Bolt, Spherical, #8-32 UN	0.1
<b>1537R</b>	1-1/2" Gauge, Rear Mount, 0-10,000 PSI, 1/8" NPT	0.8	<b>BS-42</b>	Contact Bolt, Spherical, M4 x 0,7	0.3
<b>A</b>			<b>BS-61</b>	Contact Bolt, Spherical, .250-28 UN	0.1
<b>A-60</b>	SAE Bar Manifold	0.6	<b>BS-62</b>	Contact Bolt, Spherical, M6 x 1,0	0.3
<b>A-61</b>	SAE Bar Manifold	1.2	<b>BS-81</b>	Contact Bolt, Spherical, .313-24 UN	0.6
<b>A-63</b>	Dual Manifold	1.8	<b>BS-82</b>	Contact Bolt, Spherical, M8 x 1,25	0.3
<b>A-64</b>	Bar Manifold	3.1	<b>BS-91</b>	Contact Bolt, Spherical, .375-16 UN	0.1
<b>A-65</b>	Bar Manifold	6.3	<b>BS-101</b>	Contact Bolt, Spherical, .500-13 UN	0.1
<b>A-66</b>	Spider Manifold, w/ Six Ports	1.7	<b>BS-102</b>	Contact Bolt, Spherical, M10 x 1,5	0.3
<b>A-604</b>	Regular 3/8" Spee-D-Coupler	0.6	<b>BS-202</b>	Contact Bolt, Spherical	0.2
<b>AH-650</b>	1/4" NPT Quick Disconnect Coupler (Male)	0.2	<b>C</b>		
<b>AH-652</b>	1/4" BSPP Quick Disconnect Coupler (Male)	0.1	<b>C-604</b>	3/8" Hi-Flow Coupler	0.8
<b>AH-654</b>	SAE #4 Quick Disconnect Coupler (Male)	0.2	<b>CA-28</b>	Clamp Arm, for WTR/WTRS-24	1
<b>AR-650</b>	1/4" NPT Quick Disconnect Coupler (Female)	0.3	<b>CA-540</b>	Clamp Arm, 1000 lbs	1.2
<b>AW-5</b>	Mounting Block	0.3	<b>CA-1050</b>	Clamp Arm, 2000 lbs	1
<b>AW-19</b>	Mounting Flange	1	<b>CA-3070</b>	Clamp Arm, 8500 lbs	4.7
<b>AW-50</b>	Mounting Bracket	2.9	<b>CAC-52</b>	T-Arm Collar, 5 kN	0.5
<b>AW-89</b>	Mounting Flange	0.6	<b>CAC-92</b>	T-Arm Collar, 9 kN	0.7
<b>AW-90</b>	Mounting Flange	3.4	<b>CAC-122</b>	T-Arm Collar, 12 kN	0.7
<b>AW-121</b>	Mounting Block	2.2	<b>CAC-202</b>	T-Arm Collar, 20 kN	1.3
<b>B</b>			<b>CAC-352</b>	T-Arm Collar, 35 kN	2
<b>BAD-141</b>	4 Ton Foot Mounting	1.2	<b>CAL-22</b>	Clamp Arm, Long Arm, 2 kN	0.3
<b>BAD-142</b>	4 Ton Flange Adaptor	2.2	<b>CAL-52</b>	Clamp Arm, Long Arm, 5 kN	0.5
<b>BAD-143</b>	4 Ton Retainer Nut	0.3	<b>CAL-92</b>	Clamp Arm, Long Arm, 9 kN	1.5
<b>BAD-150</b>	4 Ton Clevis Eye	0.6	<b>CAL-122</b>	Clamp Arm, Long Arm, 12 kN	1.5
<b>BAD-151</b>	9 Ton Clevis Eye	1.2	<b>CAL-202</b>	Clamp Arm, Long Arm, 20 kN	2.5
<b>BAD-152</b>	16 Ton Clevis Eye	2.9	<b>CAL-352</b>	Clamp Arm, Long Arm, 35 kN	5
<b>BAD-153</b>	25 Ton Clevis Eye	4.4	<b>CAL-722</b>	70 bar Swing Clamp Arm, Long, 2 kN, Metric	0.2
<b>BAD-171</b>	9 Ton Foot Mounting	2.8	<b>CAL-7352</b>	70 bar Swing Clamp Arm, Long, 3.5 and 5 kN, Metric	1
<b>BAD-172</b>	9 Ton Flange Adaptor	4.4	<b>CAL-7792</b>	70 bar Swing Clamp Arm, Long, 7 and 9 kN, Metric	1.3
<b>BAD-173</b>	9 Ton Retainer Nut	0.5	<b>CAL-7202</b>	70 bar Swing Clamp Arm, Long, 20 kN, Metric	1.6
<b>BAD-181</b>	16 Ton Foot Mounting	5.1	<b>CAPT-52</b>	T-Arm, 5 kN	0.9
<b>BAD-182</b>	16 Ton Flange Adaptor	8.4	<b>CAPT-92</b>	T-Arm, 9 kN	1.7
<b>BAD-183</b>	16 Ton Retainer Nut	1	<b>CAPT-122</b>	T-Arm, 12 kN	1.7
<b>BAD-191</b>	25 Ton Foot Mounting	10	<b>CAPT-202</b>	T-Arm, 20 kN	2.3
<b>BAD-192</b>	25 Ton Flange Adaptor	12.9	<b>CAPT-352</b>	T-Arm, 35 kN	4.4
<b>BAD-193</b>	25 Ton Retaining Nut	1.8	<b>CAS-21</b>	Clamp Arm, Standard Arm, 2 kN	0.1
<b>BFZ-305</b>	Reducer	0.2	<b>CAS-22</b>	Clamp Arm, Standard Arm, 2 kN	0.2
<b>BFZ-16411</b>	Adaptor Fitting	0.2	<b>CAS-51</b>	Clamp Arm, Standard Arm, 5 kN	0.3
<b>BK-2</b>	Purchase 4 pcs of CW173028		<b>CAS-52</b>	Clamp Arm, Standard Arm, 5 kN	0.3
<b>BK-3</b>	Purchase 4 pcs of CW174028		<b>CAS-92</b>	Clamp Arm, Standard Arm, 9 kN	0.8

Model Number	Description	Ship Weight	Model Number	Description	Ship Weight
CAS-121	Clamp Arm, Standard Arm, 12 kN	0.9	FZ-1619	3/8" NPT F Fitting	0.2
CAS-201	Clamp Arm, Standard Arm, 20 kN	1.3	FZ-1625	1/2" Reducer Fitting (to 3/8")	0.3
CAS-202	Clamp Arm, Standard Arm, 20 kN	1.4	FZ-1630	Reducer Bushing (3/8" to 1/4")	0.1
CAS-351	Clamp Arm, Standard Arm, 35 kN	3	FZ-1633	1/2" Female to 1/4" Male Conn.	0.3
CAS-352	Clamp Arm, Standard Arm, 35 kN	3	FZ-1634	1/2" Female to 3/8" Male Conn.	0.3
CAS-722	70 bar Swing Clamp Arm, Standard, 2 kN, Metric	1	FZ-1637	Tee Fitting, 1/4" NPT	0.2
CAS-7352	70 bar Swing Clamp Arm, Standard, 3.5 and 5 kN, Metric	0.5	FZ-1638	1/4" Female Ports	0.2
CAS-7792	70 bar Swing Clamp Arm, Standard, 7 and 9 kN, Metric	0.8	FZ-1642	Reducer, 1/4" NPT to 1/8" NPT	0.1
CAS-7202	70 bar Swing Clamp Arm, Standard, 20 kN, Metric	1	FZ-1661	Adaptor 1/2" NPT To 1/4" NPT	0.2
CAU-22	500 lb. Upreach Clamp Arm	0.5	FZ-2001	Adaptor SAE#4 To 1/4" Flareless	0.1
CAU-52	1250 lb. Upreach Clamp Arm	1.1	FZ-2002	Elbow, Straight Thread, 7/16"	0.1
CAU-92	2025 lb. Upreach Clamp Arm	2	FZ-2004	Tee SAE#4 To 1/4" Flareless	0.2
CAU-122	2600 lb. Upreach Clamp Arm	2.4	FZ-2005	Union, SAE #4	0.1
CAU-202	4200 lb. Upreach Clamp Arm	3.9	FZ-2006	Plug, SAE #4	0.1
CAU-352	7600 lb. Upreach Clamp Arm	5.9	FZ-2007	Adaptor, SAE #4 to 1/4" NPT	0.1
CD-411M	Metal Dust Cap, for CR-400	0.2	FZ-2008	Adaptor, SAE #4 to 1/8" NPT	0.1
CD-415M	Metal Dust Cap, for CH-604	0.3	FZ-2011	Cap 3/8" Flared	0.1
CH-604	Hose Half (Male) of C-604	0.3	FZ-2012	Adaptor 1/4" NPT To 1/4" Flareless	0.2
CR-400	Cylinder Half (Female) of C-604	0.6	FZ-2013	Union 1/4" Flareless	0.1
CT-604	Coupler Bleed Tool	1.1	FZ-2014	Elbow 1/4" Flareless	0.2
<b>D</b>			FZ-2015	Tee 1/4" Flareless	0.2
DGR-2	Digital Gauge, Remote, 0-20,000 PSI	0.8	FZ-2016	Cross 1/4" Flareless	0.5
DGR-1B	Battery, for DGR1	0.1	FZ-2017	Cap 1/4" Flareless	0.2
DGR-1PC	Protective Cover, for DGR1	0.1	FZ-2019	Adaptor, SAE #4 to 1/4" Flared Tube End	0.1
<b>F</b>			FZ-2020	Adaptor, 1/4" Flared Tube End to 1/4" NPT	0.1
F107028-5	Bolt Kit	1	FZ-2021	Tee 37 Degree Flared	0.5
F107028-13	Bolt Kit	1	FZ-2022	Reducer, SAE #4 to SAE #2	0.1
FM25NG	Flange Mounting, for Gauge	1.2	FZ-2023	Adaptor, 1/4" BSPP to 1/4" NPT	0.2
FN-121	Jam Nut, .500-20 UNF	0.1	FZ-2024	Elbow, SAE #2 to 1/4" Flared Tube End	0.1
FN-122	Jam Nut, M12 x 1,5	0.2	FZ-2025	1/4" Tube to SAE #2	0.2
FN-201	Jam Nut, .750-16 UNF	0.4	FZ-2028	Union SAE#6	0.2
FN-202	Jam Nut, M20 x 1,5	0.2	FZ-2029	Adaptor SAE#6 To SAE#8	0.2
FN-251	Jam Nut, 1.000-12 UNF	0.2	FZ-2033	Union, 1/4" Flared Tube Ends	0.2
FN-281	Jam Nut, 1.125-16 UN	0.2	FZ-2034	Cross, 1/4" Flared Tube Ends	0.4
FN-282	Jam Nut, M28 x 1,5	0.3	FZ-2035	Elbow, 1/4" Flared Tube to SAE #4	0.2
FN-301	Jam Nut, 1.250-16 UN	0.2	FZ-2036	Tee, 1/4" Flared Tube to SAE #4	0.3
FN-302	Jam Nut, M30 x 1,5	0.3	FZ-2037	Flared Nut and Sleeve, 1/4" Tube	0.1
FN-331	Jam Nut, 1.3125-16 UN	0.1	FZ-2038	Flared Cap, 1/4" Tube	1
FN-351	Jam Nut, 1.375-18 UNEF	0.1	FZ-2039	Adaptor, SAE #8 to 1/4" Flared Tube End	0.3
FN-352	Jam Nut, M35 x 1,5	0.3	FZ-2040	SAE #8 Male to SAE #8 Male	0.2
FN-421	Jam Nut, 1.625-16 UN	0.2	FZ-2041	Plug, SAE #8	0.2
FN-422	Jam Nut, M42 x 1,5	0.4	FZ-2042	Adaptor, 1/4" NPT to SAE #4 Female	0.1
FN-481	Jam Nut, 1.875-16 UN	0.4	FZ-2050	Air Fitting, for Auto Coupler	0.1
FN-482	Jam Nut, M48 x 1,5	0.6	FZ-2051	Adaptor Fitting	0.1
FN-551	Jam Nut, 2.125-16 UN	0.5	FZ-2052	Adaptor Fitting	0.2
FN-552	Jam Nut, M55 x 1,5	0.6	FZ-2053	Adaptor Fitting	0.1
FN-651	Jam Nut, 2.5-16 UN	0.4	FZ-2054	Adaptor Fitting	0.1
FN-652	Jam Nut, M65 x 1,5	0.9	FZ-2055	Adaptor Fitting	0.1
FN-801	Jam Nut, 3.125-16 UN	0.8	FZ-2056	SAE #6 Male to 1/4" NPT Female	0.2
FN-802	Jam Nut, M80 x 2,0	1.5	FZ-2059	SAE #6 Male to 1/4" Flared Tube	0.5
FS-34	Hushh Pump, Foot Switch Kit	10	FZ-2060	G 1/8" Male to 1/4" NPT Female	0.1
FZ-1055	Reducer Connector	0.2	FZ-2061	3/8" NPT to 1/4" Flared Tube	0.2
FZ-1605	1/4" NPT Coupling	0.1	FZ-2062	Fitting, 1/4" x 1/4" BSPP	0.1
FZ-1608	1/4" Hex Nipple	0.1	FZ-2063	Adaptor Fitting, 5/8" x - 18 UNF	0.1
FZ-1610	3/8" Elbow Fitting	0.4	FZ-2064	Adaptor 1/4" BSPP To 3/8" 37 Deg	0.5
FZ-1612	3/8" Tee Fitting	0.4	FZ-2065	Adaptor 1/4" BSPP To SAE#4	0.1
FZ-1613	3/8" Cross Fitting	0.4	FZ-2066	Adaptor 1/8" BSPP To SAE#4	0.1
FZ-1614	3/8" Coupling	0.2	FZ-2067	Adaptor SAE#8 Male to NPT 1/4 Female	0.2
FZ-1615	3/8" Reducer Fitting (to 1/4")	0.2	FZ-2068	Adaptor 3/8" NPT To 3/8" 37 Deg	0.2
FZ-1617	3/8" Close Nipple	0.1	FZ-2069	Adaptor SAE#8 To 3/8" NPT	0.2
			FZ-2070	Adaptor SAE#8 To 3/8" 37 Deg	0.2
			FZ-2071	Elbow SAE#8 To 3/8" 37 Deg	0.5
			FZ-2072	Adaptor 1/4" NPT To 3/8" 37 Deg	0.2

Model Number	Description	Ship Weight	Model Number	Description	Ship Weight
FZ-2073	Elbow 1/4" NPT To 1/4" 37 Deg	0.2	IC-43	Pendant, 2-Button	1.9
FZ-2074	Elbow 1/8" NPT To 1/4" 37 Deg	0.2	IC-50	Pressure Switch	1
FZ-2075	Adaptor 1/8" NPT To SAE#4	0.2	IC-51	Pressure Switch	0.8
FZ-2076	Elbow 1/4" NPT To 1/4" Flareless	0.2	IC-7234	Hushh Pump, Pressure Switch Kit	4.6
FZ-2077	Adaptor SAE#10 Male To 3/8" NPT	0.1			
			<b>L</b>		
FZ-2078	Adaptor SAE#12 Male To 3/8" NPT Female	0.1	LCAL-32	Link Clamp Arm, Ext. Length, 700 lbs	0.3
FZ-2079	Adaptor SAE#10 Male To SAE#6 Female	0.1	LCAL-82	Link Clamp Arm, Ext. Length, 1800 lbs	0.9
FZ-2080	Adaptor SAE#12 Male To SAE#6 Female	0.1	LCAL-122	Link Clamp Arm, Ext. Length, 2700 lbs	1.6
FZ-2081	Adaptor 1/4 NPT to 3/8 tube elbow	0.1	LCAL-192	Link Clamp Arm, Ext. Length, 4300 lbs	2.9
FZ-2082	Adaptor 3/8 NPT to 1/4 tube elbow	0.1	LCAL-282	Link Clamp Arm, Ext. Length, 6300 lbs	5.8
FZ-2083	Adaptor 3/8 NPT to 3/8 tube elbow	0.1			
	<b>G</b>				
G2509L	2-1/2" Gauge, 0-100 PSI	0.6	LCAS-32	Link Clamp Arm, Std. Length, 700 lbs	0.2
G2510L	2-1/2" Gauge, 0-160 PSI	0.6	LCAS-82	Link Clamp Arm, Std. Length, 1800 lbs	0.5
G2511L	2-1/2" Gauge, 0-200 PSI	0.6	LCAS-122	Link Clamp Arm, Std. Length, 2700 lbs	0.8
G2512L	2-1/2" Gauge, 0-300 PSI	0.5	LCAS-192	Link Clamp Arm, Std. Length, 4300 lbs	1.7
G2513L	2-1/2" Gauge, 0-600 PSI	0.6	LCAS-282	Link Clamp Arm, Std. Length, 6300 lbs	2.9
G2514L	2-1/2" Gauge, 0-1000 PSI	0.3	LS-1	Level/Temp Switch Kit	0.4
G2515L	2-1/2" Gauge, 0-2000 PSI	0.5	LX-101	Hyd Oil, for Hand Pumps, Gallon	7.3
G2516L	2-1/2" Gauge, 0-3000 PSI	0.5	LX-104	Hyd Oil, for Hand Pumps, 55-Gallon Drum	450
G2516SL	2-1/2" Gauge, Lower Mount, 0-3000 PSI, SAE #4	0.8			
G2517L	2-1/2" Gauge, 0-6000 PSI	0.4	<b>M</b>		
G2517SL	2-1/2" Gauge, Lower Mount, 0-6000 PSI, SAE #4	0.6	MB-1	Single Station Manifold	1.6
G2531R	2-1/2" Gauge, 0-1000 PSI	0.5	MB-2	Two Station Manifold	8
G2531SR	2-1/2" Gauge, Rear Mount, 0-1000 PSI, SAE #4	0.6	MB-4	Four Station Manifold	15.1
G2533SR	2-1/2" Gauge, Rear Mount, 0-3000 PSI, SAE #4	0.6	MB-12	Single Station Manifold	4
G2534R	2-1/2" Gauge, 0-6000 PSI	0.6	MB-22	Two Station Manifold	9
G2534SR	2-1/2" Gauge, Rear Mount, 0-6000 PSI, SAE #4	0.6	MB-42	Four Station Manifold	17
G2535L	2-1/2" Gauge, 0-10,000 PSI	0.5	MC-1	Manifold Cover Plate	0.6
G2535SL	2-1/2" Gauge, Lower Mount, 0-10,000 PSI, SAE #4	0.8	MTB-1	Mounting Bracket Kit, for Turbo	1.4
G2536L	2-1/2" Gauge, 0-15,000 PSI	0.4	MC-2	Manifold Cover Plate	1
G2537R	2-1/2" Gauge, 0-10,000 PSI	0.6			
			<b>P</b>		
G2537SR	2-1/2" Gauge, Rear Mount, 0-10,000 PSI, SAE #4	0.8	PAC-115	Heat Exchanger for Submerged Pump	7.2
G2538R	2-1/2" Gauge, 0-15,000 PSI	0.6	PAC-230	Heat Exchanger for Submerged Pump	1
GA-1	Gauge Adaptor	0.6	PAR-K1	Conversion Kit	6.9
GA-2	Gauge Adaptor	2	PAR-K2	Conversion Kit, No Pendant	2.5
GA-3	Gauge Adaptor	1.7	PB-1	Porting Manifold	2.8
GA-4	Gauge Adaptor	1.2	PB-4	Adaptor, VP03 series valves	1
GA-45GC	Gauge Adaptor	2.9	PF-25	Replacement Filter Kit	1.3
GA-918	Swivel Gauge Union	1.4	PFK-25N	Oil Filter Kit, Hushh Pump	6
GS-2	Snubber Valve, SAE #4	1	PFS-3	Foot Control Switch	11.1
GS-3	Gauge Snubber, 1/4" BSPP	0.1	PFS-4	Foot Control Switch	11.2
	<b>H</b>				
H-9202	2' Hose, .25" I.D.	1.6	PRV-1	Pressure Reducing Valve, 435-4350 PSI, for VP Valves	3.7
H-9203	3' Hose, .25" I.D.	1.7	PRV-3	Pressure Reducing Valve, 435-4350 PSI, Remote	2.7
H-9206	6' Hose, .25" I.D.	2	PRV-3T	Pressure Reducing Valve, 435-4350 PSI, Cartridge	1.6
H-9206Q	6' Hose, 1/4" NPT .25" I.D.	2.5	PRV-4	Pressure Reducing Valve, 75-2000 PSI, Remote	2.8
H-9210	10' Hose, .25" I.D.	2.9	PRV-4T	Pressure Reducing Valve, 75-2000 PSI, Cartridge	2
H-9306	6' Hose, .38" I.D.	2.7	PRV-5	Pressure Reducing Valve, 75-2000 PSI, for VP Valves	4.2
H-9310	10' Hose, .38" I.D.	3.7	PRV-6	Pressure Reducing Valve, 435-4350 PSI, D03	4
HF-100	Hyd Oil, Quart	2	PRV-6R	Pressure Reducing Valve, 435-4350 PSI, D03	3.3
HF-101	Hyd Oil, Gallon	7.7	PRV-7	Pressure Reducing Valve, 75-2000 PSI, D03	3.3
HF-102	Hyd Oil, 5 Gallons	38.5	PRV-6R	Pressure Reducing Valve, 75-2000 PSI, D03	3.3
HF-104	Hyd Oil, 55-Gallon Drum	425	PRVM-2	Manifold, Pressure Reducing Valve	1.3
HLS-512	12" Hose, w/ 37 Degree Flare, 5000 PSI	0.8	PSCK8	Pressure Switch Kit	0.6
HLS-524	24" Hose, w/ 37 Degree Flare, 5000 PSI	0.7	PSCK9	Pressure Switch Kit	0.6
HLS-536	36" Hose, w/ 37 Degree Flare, 5000 PSI	1	PSCK13	Pressure Switch Kit	1.9
HLS-548	48" Hose, w/ 37 Degree Flare, 5000 PSI	0.9	PSCK14	Pressure Switch Kit	0.9
HLS-560	60" Hose, w/ 37 Degree Flare, 5000 PSI	1.7	<b>R</b>		
HLS-5120	10" Hose, w/ 37 Degree Flare, 5000 PSI	1.2	R-1054	1/8" NPT to 1/4" Flared Tube	1
HP-2015	Threaded Hollow Saddle	0.5	RFL-102	Regulator, Filter, Lubricator	4.9
HP-3015	Threaded Hollow Saddle	0.7			
			<b>S</b>		
IC-30	Pressure Switch	0.7	SP-0230-186	Spacer, 30 Degrees, 500 lbs.	0.5
IC-31	Pressure Switch	0.7	SP-0245-186	Spacer, 45 Degrees, 500 lbs.	0.5
			SP-0260-186	Spacer, 60 Degrees, 500 lbs.	0.5

Model Number	Description	Ship Weight	Model Number	Description	Ship Weight
SP-0530-186	Spacer, 30 Degrees, 1250 lbs.	0.7	VEA15100D	4-Way Valve, Pump Mounted	13.8
SP-0545-186	Spacer, 45 Degrees, 1250 lbs.	0.7	VEA15160B	4-Way Valve, Remote Mounted	20.3
SP-0560-186	Spacer, 60 Degrees, 1250 lbs.	0.7	VEA15600B	4-Way Valve, Remote Mounted	17.4
SP-0930-186	Spacer, 30 Degrees, 2025 lbs.	1	VEA15600D	4-Way Valve, Pump Mounted	15
SP-0945-186	Spacer, 45 Degrees, 2025 lbs.	1	VEB15000B	4-Way Valve, Remote Mounted	13.2
SP-0960-186	Spacer, 60 Degrees, 2025 lbs.	1	VEB15100B	4-Way Valve, Remote Mounted	16.1
SP-1230-186	Spacer, 30 Degrees, 2600 lbs.	0.1	VEB15160B	4-Way Valve, Remote Mounted	20.3
SP-1245-186	Spacer, 45 Degrees, 2600 lbs.	1	VEB15600B	4-Way Valve, Remote Mounted	17.4
SP-1260-186	Spacer, 60 Degrees, 2600 lbs.	1	VEC15000B	4-Way Valve, Remote Mounted	13.1
SP-2030-186	Spacer, 30 Degrees, 4200 lbs.	1.4	VEC15000D	4-Way Valve, Pump Mounted	10.7
SP-2045-186	Spacer, 45 Degrees, 4200 lbs.	1.4	VEC15100B	4-Way Valve, Remote Mounted	16.1
SP-2060-186	Spacer, 60 Degrees, 4200 lbs.	1.4	VEC15100D	4-Way Valve, Pump Mounted	13.7
SP-3530-186	Spacer, 60 Degrees, 7600 lbs.	1.8	VEC15160B	4-Way Valve, Remote Mounted	20.3
SP-3545-186	Spacer, 45 Degrees, 7600 lbs.	1.8	VEC15160D	4-Way Valve, Pump Mounted	18
SP-3560-186	Spacer, 60 Degrees, 7600 lbs.	1.8	VEC15600B	4-Way Valve, Remote Mounted	17.4
<b>T</b>			VEC15600D	4-Way Valve, Pump Mounted	15
T-2560	1/4" Tubing	0.1	VEC16600D	4-Way Valve, Pump Mounted	15
TRAC-15	Tie Rod Alignment Coupler, 3/4"-16	2.4	VED15000B	4-Way Valve, Remote Mounted	13.1
TRAC-20	Tie Rod Alignment Coupler, 1.00"-14	5.4	VED15100B	4-Way Valve, Remote Mounted	16.1
TRAC-25	Tie Rod Alignment Coupler, 1.25-12	5.4	VED15160B	4-Way Valve, Remote Mounted	20.3
TRAC-32	Tie Rod Alignment Coupler, 1.50"-12	13.1	VED15600B	4-Way Valve, Remote Mounted	17.4
TRAC-40	Tie Rod Alignment Coupler, 1.875"-12	22.8	VEE15000B	4-Way Valve, Remote Mounted	11.4
TRK-1	Tie Rod Kit	1.1	VEE15100B	4-Way Valve, Remote Mounted	14.4
TRK-2	Tie Rod Kit	1.1	VEF15000B	4-Way Valve, Remote Mounted	13.1
TRK-3	Tie Rod Kit	0.8	VEF15000D	4-Way Valve, Pump Mounted	10.7
TRK-4	Tie Rod Kit	1.1	VEF15100D	3-Way Valve, Pump Mounted	13.7
TRK-5	Tie Rod Kit	1.2	VEF15150B	3-Way Valve, Remote Mounted	20.3
TRK-6	Tie Rod Kit	1.1	VEF15500B	3-Way Valve, Remote Mounted	17.4
TRK-7	Tie Rod Kit	1.3	VEF15500D	3-Way Valve, Pump Mounted	14.8
TRK-8	Tie Rod Kit	1.3	VEG15000B	3-Way Valve, Remote Mounted	13.1
TRPP-15	Pivot Pin, 0.75" Dia.	0.4	VEG15100B	3-Way Valve, Remote Mounted	16.1
TRPP-20	Pivot Pin, 1" Dia.	0.9	VEG15150B	3-Way Valve, Remote Mounted	20.3
TRPP-25	Pivot Pin, 1.375" Dia.	2	VEG15500B	3-Way Valve, Remote Mounted	17.4
TRPP-32	Pivot Pin, 1.75" Dia.	4.1	VEH15000B	3-Way Valve, Remote Mounted	11.3
TRPP-40	Pivot Pin, 2" Dia.	5.3	VEH15100B	3-Way Valve, Remote Mounted	14.4
TRRC-15	Rod Clevis, 3/4"-16	1.3	VEK15000B	3-Way Valve, Remote Mounted	11.4
TRRC-20	Rod Clevis, 1.00"-14	3	VEK15100B	3-Way Valve, Remote Mounted	14.4
TRRC-25	Rod Clevis, 1.25-12	6.9	VEM15000B	4-Way Valve, Remote Mounted	11.4
TRRC-32	Rod Clevis, 1.50"-12	12.5	VEM15100B	4-Way Valve, Remote Mounted	14.4
TRRC-40	Rod Clevis, 1.875"-12	19.2	VEP1	DIN Plug	0.1
TRRE-15	Rod Eye, 3/4"-16	1.7	VEP-10	DIN Plug	0.1
TRRE-20	Rod Eye, 1.00"-14	3	VEP15000B	3-Way Valve, Remote Mounted	11.4
TRRE-25	Rod Eye, 1.25-12	6.9	VEP15100B	3-Way Valve, Remote Mounted	14.4
TRRE-32	Rod Eye, 1.50"-12	12.5	VET11	4-Way, 3-Position D03 Spool Valve, Closed Center, 24 VDC	5.5
TRRE-40	Rod Eye, 1.875"-12	19.2	VEW11	4-Way, 2-Position D03 Spool Valve, 24 VDC	4.2
<b>V</b>			VEW43	4-Way, 3-Position Electric Valve, 24V	12.8
V-10	Auto-Damper Valve	1.3	VEW43P	4-Way, 3-Position Electric Valve, w/ PO Check, 24V	15.5
V-12	Ball Valve	1	VEX11	4-Way, 3-Position D03 Spool Valve, Float Center, 24 VDC	5.5
V-17	Check Valve	1.4	VFC3	Flow Control	0.1
V-19	Air Check Valve	1.4	VM-2	3-Way, 2-Position Manual Valve	5.4
V-72	Pilot Operated Check Valve	2.9	VM-3	3-Way, 3-Position Manual Valve	5.2
V-91	Valve Control Snubber	0.9	VM-3L	3-Way, 3-Position Manual Locking Valve	9.8
V-152	Relief Valve	3.4	VM-4	4-Way, 3-Position Manual Valve	5.3
V-161	Sequence Valve	3.9	VM-4L	4-Way, 3-Position Manual Locking Valve	9.9
V-2000	Sequence Valve	1.4	VM-22	3-Way, 2-Position Manual Valve	10
VE-32	Valve, Dump and Hold	8.8	VM-32	3-Way, 2-Position Manual Valve	6.5
VE-32D	Dump Valve	8.8	VM-33	3-Way, 3-Position Manual Valve	7.6
VE-33	3-Way Electric Valve	22.9	VM-33L	3-Way, 3-Position Manual Locking Valve, P.O.	12
VE33-115	3-Way Electric Valve w/ IC-400	25.2	VM-43	4-Way, 3-Position Manual Valve	7.7
VE-43	4-Way Electric Valve	22.9	VM-43L	4-Way, 3-Position Manual Locking Valve, P.O.	12
VE43-115	4-Way Electric Valve w/ IC-400	25	VP-11	4/3 Directional Valve, Closed Center, 24 VDC	6.8
VEA15000B	4-Way Valve, Remote Mounted	13.1	VP-12	4/3 Directional Valve, Closed Center, 110 VAC	6.8
VEA15000D	4-Way Valve, Pump Mounted	10.7	VP-21	4/3 Directional Valve, Float Center, 24 VDC	7.3
VEA15100B	4-Way Valve, Remote Mounted	16.1			

<b>Model Number</b>	<b>Description</b>	<b>Ship Weight</b>
VP-22	4/3 Directional Valve, Float Center, 110 VAC	7.3
VP-31	3/2 Directional Valve, Normally Closed, 24 VDC	7.4
VP-32	3/2 Directional Valve, Normally Closed, 110 VAC	7.6
VP-41	3/2 Directional Valve, Normally Open, 24 VDC	7.4
VP-42	3/2 Directional Valve, Normally Open, 110 VAC	7
VP-51	3/2 Directional Valve, 1 N.C. and 1 N.O., 24 VDC	7.1
VP-52	3/2 Directional Valve, 1 N.C. and 1 N.O., 110 VAC	7
VP03-11	4/3 Directional Valve, Closed Center, 24 VDC	5.3
VP03-12	4/3 Directional Valve,	5.3
VP03-21	4/3 Directional Valve, Float Center, 24 VDC	5.7
VP03-22	4/3 Directional Valve, Float Center, 110 VAC	5.3
VP03-51	4/2 Directional Valve, 24 VDC	3.8
VP03-52	4/2 Directional Valve, 110 VAC	3.8
VR-3	Rapid Air Exhaust Valve	0.3
VS-11	Relief Valve	1
VS-51	3-Way, P.O. Check	1
VS-61	4-Way, P.O. Check	4.4
VSA-430	Adaptor, IC43 to VS4	0.3
VSA-432	Adaptor, IC43/32 to VS3	0.3
VSA-434	Adaptor, IC43 to VS324/424	0.4
VSA-444	Adaptor, IC324/424 to VSP324/424	0.4
VSG-2310P	Poppet Valve, 2-Position 3-Way, 115V	4.3
VSG-3510P	Poppet Valve, 2-Position 3-Way, 220V	4.2
VSS-1410D	Positive Seal Control Valve	4.2
VSS-2210D	Positive Seal Control Valve	4.2
VST-1410D	Positive Seal Control Valve	4.2
VST2210D	Positive Seal Control Valve	4.2
<b>W</b>		
WAT-1	Accumulator Charging Tool	0.6
WAT-2A	Accumulator Charging Tool	4
WM-10	Remote Manifold	2.5
<b>Y</b>		
Y312-1	Yoke	0.1
<b>Z</b>		
ZCF-2	Foot Switch, 2-Button, 10'	10
ZCP-1	Pendant Assy, 1-Button, 10'	1.4
ZCP-2	Pendant Assy, 2-Button, 10'	1.4
ZCP-3	Pendant Assy, 3-Button, 10'	1.4
ZCP-220	Pendant Assy, 2-Button, 20'	1.9
ZCP-230	Pendant Assy, 2-Button, 30'	0.4
ZHE-E10	Heat Exchanger Kit, for ZE/ZW 10L, 20L & 40L	10.7
ZLS-U4	Level/Temp Switch, for Z-Class	0.3
ZPB-W24	Controller, No Tie	4.5
ZPF	Filter Kit, for Z-Class	5.4
ZPS-W4	Pressure Switch Kit, for ZW	3.8
ZPT-U4	Pressure Transducer, for Z-Class	0.5
ZRB-10	Rollbar Kit, for 10L Z-Class	20.9
ZRB-20	Rollbar Kit, for 20L Z-Class	15
ZRB-40	Rollbar Kit, for 40L Z-Class	20.1